



NATIONAL CORE INDICATORS
AGING AND DISABILITIES™ **ADULT CONSUMER SURVEY**

2021 - 2022

NATIONAL RESULTS | PART 1



National Core Indicators—Aging and Disabilities™ (NCI-AD™) is a collaboration between Advancing States, Human Services Research Institute, and participating states.



Human Services Research Institute (HSRI)
2336 Massachusetts Avenue
Cambridge, MA 02140



ADvancing States
241 18th Street S. Suite 403
Arlington, VA 22202

Updated June 2023

Suggested citation:

National Core Indicators- Aging and Disabilities. 2021-22 NCI-AD Adult Consumer Survey National Report. Human Services Research Institute and ADvancing States. Accessed on National Core Indicators--Aging and Disabilities website: https://nci-ad.org/upload/reports/2021-22_NCI-AD_Adult_Consumer_Survey_Part_1.pdf

Acknowledgments

The 2021-22 NCI-AD data collection cycle was the first full round of data collection since our abrupt pause in March 2020, due to the COVID-19 pandemic. Since this pause, with support and partnership from our participating states, we have worked to improve and expand NCI-AD.

We implemented a pilot to test video conference and telephone modes of surveying—ensuring that these modes would yield results that are valid, reliable, and comparable to in-person surveying. Historically, NCI-AD surveys were only completed in-person. This pilot was conducted by seven states: Alabama (AL), Indiana (IN), Kentucky (KY), Michigan (MI), Nebraska (NE), Oklahoma (OK) and Wisconsin (WI): https://nci-ad.org/images/uploads/NCI_AD_RemoteSurveyBrief_final_12_15.pdf

In addition, we undertook a pilot for a State of the Workforce Survey – Aging and Disabilities (SotW-AD), with five participating states: Missouri (MO), Washington (WA), Colorado (CO), Wisconsin (WI), and Indiana (IN). This survey addresses critical gaps of information necessary to understanding the true scope of the workforce crisis. It is intended to provide better context that will support state efforts, in both recruiting and retaining direct support workers (DSWs), and to provide needed data for policy decisions. The survey collects provider-reported data about the status of direct service workers (DSWs) in their organizations, including information about wages, benefits, and turnover of the direct service workforce, hired by agencies.

We are sincerely grateful to our participating states for their hard work and dedication to NCI-AD. Importantly, we are also grateful for the thousands of people receiving publicly funded long-term services and supports who are willing to share their experiences.

List of Abbreviations

AAA – Area Agency on Aging
A&D – Aged and Disabled
ADRC – Aging and Disability Resource Center
ALF – Assisted Living Facility
BI – Brain Injury
BI Section – Background Information Section of NCI-AD Adult Consumer Survey
CAC – Community Alternative Care
CADI – Community Access for Disability Inclusion
CDCS – Consumer Directed Community Supports
CDS – Consumer Directed Services
CFC – Choices for Care (VT)
CFC – Community First Choice (WA)
CHOICE – Community and Home Options to Institutional Care for the Elderly and Disabled
CIL – Center for Independent Living
CMHS – Community Mental Health Supports
CMS – Centers for Medicare & Medicaid Services
CPAP – Continuous positive airway pressure
DD – Developmental Disabilities
E&D – Elderly and Disabled
EBD – Elderly, Blind, and Disabled
FE – Frail and Elderly
FFS – Fee-For-Service
HC – Home Care
HCBS – Home and Community-Based Services
HSRI – Human Services Research Institute
ICF/DD – Intermediate Care Facility for Persons with Developmental Disabilities
ID/DD – Intellectual and Developmental Disabilities
IDT – Interdisciplinary Team
IRIS – Include, Respect, I-Self Direct
LOC – Level of Care
LTSS – Long-Term Services and Supports
MCO – Managed Care Organization
MLTSS – Managed Long-Term Services and Supports
N – Number of respondents
N/A – Not Applicable

NASDDDS – National Association of State Directors of Developmental Disabilities Services

NASUAD – National Association of States United for Aging and Disabilities

NCI-AD™ – National Core Indicators for Aging and Disabilities®

NB – Neurobehavioral Hospital

NF – Nursing Facility

NH – Nursing Home

OAA – Older Americans Act

PACE – Program of All-Inclusive Care for the Elderly

PAS – Personal Assistance Services

PCA – Personal Care Assistant

PD – Physical Disability

RCAP – Residential Care Assistance Program

RCF – Residential Care Facility

RUCA – Rural-Urban Commuting Area

SAIL – State of Alabama Independent Living

SMRT – State Medical Review Team

SNF – Skilled Nursing Facility

TA – Technical Assistance

TBI – Traumatic Brain Injury

Table of Contents

Acknowledgments.....	3
List of Abbreviations	4
Introduction	12
Adult Consumer Survey	12
Presentation of Data	13
Participating States	13
Collapsing and Weighting	13
Program Classification	14
Table 1. Classification of 2021-22 state programs into program categories.....	17
Table 2. Margins of error by state and program category (95% Confidence Level, assuming 0.7 distribution (<i>assuming 0.5 distribution</i>)).....	18
Presentation of Results	19
Results.....	20
Demographics	20
Table 3. Average age (reported for those under 90 years old).....	20
Table 4. Age category (including those 90 and older)	21
Table 5. Gender.....	22
Table 6. Race and ethnicity	23
Table 7. Marital status	24
Table 8. Preferred language.....	25
Table 9. Residential designation	26
Table 10. Median area income (based on zip code)	27
Table 11. Type of residence	28
Table 12. Who the person lives with	29
Table 13. Address changed in the past 6 months.....	30
Table 14. Where people moved from (if moved in the last 6 months)	31
Table 15A. Diagnoses	32
Table 15B. Diagnoses (continued)	33
Table 16. Person has chronic psychiatric or mental health diagnosis	34
Table 17. Level of mobility	35
Table 18. Has history of frequent falls (more than two falls in a six-month period).....	36
Table 19. Receives Medicare	37

Table 20. Length of time receiving LTSS services in current program	38
Table 21. Person has legal guardian	39
Outcome Tables and Comparisons Across States	40
Table 22. Gets to do things outside of their home as much as they want to	43
Table 23. Takes part in activities with others as much as they want to (in-person or virtually)	45
Table 24A. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually)	47
Table 24B. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually; continued)	48
Table 25. Has transportation to do the things they want outside of home	51
Table 26. Has transportation to get to medical appointments	53
Table 27. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)	56
Table 28. Gets enough support for everyday activities (if needs at least some assistance)	58
Table 29. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)	60
Table 30. Gets enough support for self-care (if needs at least some assistance)	62
Table 31. Has a paid job	65
Table 32. Wants a paid job (if they do not currently have one)	67
Table 33. Someone talked with them about job options (if they do not currently have a job but want one)	69
Table 34. Person volunteers	71
Table 35. Wants to volunteer (if they do not currently)	73
Table 36. Has friends or family they do not live with who are a part of their life	76
Table 37. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)	78
Table 38. Reasons not always able to see or talk to their friends and family when they want	80
Table 39A. How first found out about services they can get	83
Table 39B. How first found out about services they can get (continued)	84
Table 40. Can contact their case manager/care coordinator when needs to	86
Table 41. Who helps person most often (if anyone helps on a regular basis)	88
Table 42. Additional people who help person on a regular basis	90
Table 43. Paid support staff come and leave when they are supposed to	92
Table 44. Has a backup plan if their paid support staff do not show up	94
Table 45. Has an emergency plan in place in case of widescale emergency	96

Table 46. Knows whom to contact if they want to make changes to services	98
Table 47. Knows whom to contact if they have a complaint about their services	100
Table 48. Services meet all current goals	102
Table 49A. Additional services and supports needed (if all current needs and goals are not being met).....	104
Table 49B. Additional services and supports needed (if all current needs and goals are not being met; continued)	105
Table 50. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)	107
Table 51. Knows how to manage chronic conditions (if has at least one).....	110
Table 52. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home	112
Table 53. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home).....	114
Table 54. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)	116
Table 55. Feels in control of their life	119
Table 56. Able to furnish and decorate their room however they want to (if living a group setting)	121
Table 57. Can choose or change their roommate (if living in a group setting and has a roommate)	123
Table 58. Can get up and go to bed when they want to.....	125
Table 59. Can eat their meals when they want to	127
Table 60. Uses self-directed supports option	130
Table 61. Can choose or change their services.....	132
Table 62. Can choose or change when and how often they receive services	134
Table 63. Can choose or change the people who provide paid supports if wants	136
Table 64. Services help them live the life they want	139
Table 65. Case manager/care coordinator changes too often	141
Table 66. Paid support staff change too often	143
Table 67. Likes where they live	145
Table 68A. Reasons does not like where they live (if does not always live where they live)	147
Table 68B. Reasons does not like where they live (if does not always live where they live)	148
Table 69. Wants to live somewhere else	150

Table 70. Where person would prefer to live (if wants to live somewhere else).....	152
Table 71. Paid support staff do things the way they want them done.....	154
Table 72. Usually likes how they spend their time during the day.....	156
Table 73. Has access to the internet.....	159
Table 74. Frequency with which people use the internet	161
Table 75. Always has a stable internet connection	163
Table 76. Has talked to health professionals using video conference/telehealth.....	165
Table 77. Needs grab bars in the bathroom or elsewhere in their home but do not have them	168
Table 78. Needs other bathroom modifications but do not have them.....	170
Table 79. Needs a shower chair but do not have one	172
Table 80. Needs a specialized bed but do not have one	174
Table 81. Needs a ramp (either inside or outside of the residence) but do not have one.....	176
Table 82. Needs other home modification that does not have.....	178
Table 83. Needs a wheelchair but do not have one	180
Table 84. Needs a scooter but do not have one	182
Table 85. Needs a walker but do not have one	184
Table 86. Needs hearing aids but do not have them.....	186
Table 87. Needs glasses, but do not have them	188
Table 88. Needs a personal emergency response system but do not have one	190
Table 89. Needs an oxygen machine but do not have one.....	192
Table 90. Needs other equipment but do not have one	194
Table 91. Knows what prescription medications are for	197
Table 92. Takes medications to help feel less sad or depressed	199
Table 93. Has access to mental health services if they want them	202
Table 94. Can get an appointment to see or talk to their primary care doctor when they need to	204
Table 95. Went to the emergency room for any reason in the past 12 months	206
Table 96. Has gone to the emergency room in the past 12 months due to falling or losing balance	208
Table 97. Has gone to the emergency room in the past 12 months due to tooth or mouth pain ...	210
Table 98. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician.....	212
Table 99. Had a physical exam/wellness visit in the past 12 months.....	214
Table 100. Had a hearing exam in the past 12 months	216
Table 101. Had a vision exam in the past 12 months	218

Table 102. Had a dental visit in the past 12 months.....	220
Table 103. Had a flu shot in the past 12 months	222
Table 104. Has access to healthy foods when they want them.....	225
Table 105. Overall health	227
Table 106. Health compared to 12 months ago	229
Table 107. In the past 12 months, forgets things more often than before	231
Table 108. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)	233
Table 109. Often feels lonely	235
Table 110. Ever has to skip meals due to financial worries	238
Table 111. They or someone else has concerns about falling or being unstable	241
Table 112. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)	243
Table 113. Able to get to safety quickly in case of an emergency.....	245
Table 114. Knows who to talk to if they are mistreated or neglected	247
Table 115. Are ever worried for the security of their personal belongings.....	249
Table 116. Someone used or took their money without their permission in the past 12 months ..	251
Table 117. Feels safe around support staff.....	253
Table 118. Gets information about services in their preferred language (if preferred language is not English).....	256
Table 119. Services and supports are delivered in a way that is respectful of their culture.....	258
Table 120. Paid support staff treat them with respect.....	260
Table 121. Others ask before coming into their home/room (if living in a group setting).....	262
Table 122. Able to lock doors to room (if living in a group setting).....	264
Table 123. Has enough privacy where lives (if living in a group setting).....	266
Table 124. Can have visitors at any time (if living in a group setting)	268
Table 125. Can get something to eat or grab a snack anytime they (if living in a group setting)	270
Table 126. Involvement in making decisions about what is in the service plan.....	273
Table 127. Service planning meeting took place at a time that was good for them	275
Table 128. Service planning meeting took place in a place that was good for them	277
Table 129. Service planning meeting included the people they wanted to be there.....	279
Table 130. People at the service planning meeting listened to needs and preferences.....	281
Table 131. Received a copy of the service plan after the service planning meeting.....	283
Table 132. Service plan reflects what was talked about at the service plan meeting.....	285

Table 133. Choices and preferences are reflected in current service plan	287
Table 134. Had to move due to COVID-19	290
Table 135. There were changes to service and supports due to COVID-19	292
Table 136. Services and supports went back to how they were before COVID-19 (if there were changes due to COVID-19)	294
Table 137. Liked at least some of the changes to services and supports (if there were changes due to COVID-19)	296
Table 138. Was able to keep changes to services they liked	298
Table 139. There were times when they did not have help needed due to COVID-19	300
Table 140. Staff did things to keep them healthy and safe from COVID-19 like wash their hands, wear a mask, or help sanitize surroundings	302
Table 141. Can get supplies to stay healthy and safe from COVID-19 like masks, or sanitizer	304
Table 143. Can get a COVID-19 vaccine if they want it (if they were not fully vaccinated)	308
Table 144. Were satisfied with the response of service providers during COVID-19	310
Our history	312
NCI-AD Indicators	312
How NCI-AD Data Are Used	313
Methodology	313
Administration	313
Proxy Respondents	315
Surveyor Training	316
Sampling	317
Data Analysis	317
Data Management and Analysis	317
Collapsing Responses	317
Weights	318
Risk-adjustment	318
Criteria for Exclusion of Responses	319

Please see appendices for additional information on state samples, rules for collapsing and recoding measures, and un-collapsed outcome measures:

- [Appendix A: State Samples](#)
- [Appendix B: Rules for Collapsing and Recoding Data](#)
- [Appendix C: Un-Collapsed and Unweighted Data](#)

Introduction

National Core Indicators—Aging and Disabilities (NCI-AD™) is run collaboratively by two organizations focused on helping states develop innovative service systems: ADvancing States and the Human Services Research Institute.

Using their combined expertise, and with input from state directors, service participants, and leaders in the field, the team developed a standardized survey to **hear directly from people served** by publicly funded long-term services and supports programs—known as LTSS. More recently, NCI-AD launched a survey to **understand the states of LTSS service providers**.

LTSS have a major impact on people’s quality of life. Through NCI-AD, states get a sense for how their LTSS programs are doing—specifically those serving older adults and people with disabilities. And they can decide when and where quality improvement is needed.

This final report includes all demographic and outcome data collected through the 2021-22 NCI-AD Adult Consumer Survey. These data were collected between June 1, 2021, and July 30, 2022.

Adult Consumer Survey

A cornerstone of NCI-AD’s mission is to raise the voices of older adults and people with disabilities by collecting data on how publicly funded services and supports impact their quality of life. This is achieved through our flagship survey: the Adult Consumer Survey (ACS). The survey addresses nearly 100 indicators designed to understand overall performance of public aging and physical disability systems; these indicators are grouped by sub-domain (see a full list of sub-domains and indicators [here](#)).

Surveys are conducted by trained surveyors through in-person, secure video meeting, or over-the-phone conversations with service participants. The main part of the survey contains subjective questions about how well services are supporting the person; these can only be answered by the person themselves. A subset of more objective questions may be answered by a proxy respondent if needed. In addition to the questions for service participants, the survey also collects background information on the person—demographic and service-related data—mainly from service agency records. There are two main survey sections:

Background Information (BI) Section: The BI Section collects demographic and service-related information about the service recipient. To the extent possible, data for the BI Section are derived from states’ existing administrative records. BI items not available from state administrative data sources may be collected by surveyors at the end of the survey meeting. Surveyors may collect any missing BI information with the exception of five BI items that must be completed using administrative data sources (person’s primary source of LTSS funding/program, LTSS services received through that program, length of receiving services, participation in a self-directed supports option, and legal guardianship status). Each BI item tracks whether data were derived from existing administrative records or collected by surveyors as part of the survey meetings.

Main Survey: The main survey section of the Adult Consumer Survey gathers both subjective and objective information from the respondent, and consists of approximately 90 questions organized into thematic sub-sections. The Full In-Person Survey is completed through in-person, secure video meeting,

or over-the-phone conversations. The respondent may ask their proxy (e.g., family member or close friend) for assistance with answering a subset of objective questions.

A “Proxy Version” of the survey is made available in the limited instances when only a proxy respondent answers survey questions because the person receiving services is unable or unwilling to provide valid responses. This survey includes only the objective, proxy allowed questions.

The main section of the survey also includes two state-optional modules:

Person-Centered Planning Module (state-optional). This is a state-optional series of questions that ask about the person-centered planning process, including the person’s experience developing the service plan and the service planning meeting. The following states conducted the Person-Centered Planning Module: CO, DE, GA, IN, KS, MI, MN, MO, NJ, OK, TX, WA, WI.

COVID-19 Supplement (state-optional). This included a state-optional series of questions of the person’s experience with services during COVID-19 and the overall impact of the pandemic on the person’s life. The following states conducted the COVID-19 Supplement: CO, DE, GA, IN, KS, MI, MN, MO, NJ, OK, TX, WA, WI.

Presentation of Data

Participating States

Fifteen states conducted the NCI-AD Adult Consumer Survey during the 2021-22 data collection cycle and had a valid sample for reporting¹: Colorado (CO), Delaware (DE), Georgia (GA), Indiana (IN), Kansas (KS), Michigan (MI), Minnesota (MN), Missouri (MO), New Jersey (NJ), Ohio (OH), Oklahoma (OK), Tennessee (TN), Texas (TX), Washington (WA) and Wisconsin (WI). To be included in reporting, states are required to meet an overall sample size to reach a 95% confidence level and 5% Margin of Error (MoE); most states oversample in order to allow for comparisons of subgroups in their populations.

There is considerable variation in how states’ long-term services and supports (LTSS) programs serving older adults and adults with physical disabilities are organized, funded, and administered. The NCI-AD program allows states to include programs funded through Medicaid, the Older Americans Act, Program of All-Inclusive Care for the Elderly (PACE), state-only funds, and/or other state- and federal-blended funds. Therefore, ACS respondents are served in a variety of settings, including their homes and communities as well as institutional settings such as nursing facilities. *See Appendix A for detailed information on [State Sample Strategies](#).*

Collapsing and Weighting

Many questions in the ACS allow respondents to answer a question with a “middle” response, like “maybe,” “sometimes,” or “in-between.” Most tables in this section present collapsed data; this means that two or more response options are grouped together if they are considered to reflect a positive

¹ Four states participated in the 2021-22 NCI-AD Adult Consumer Survey data collection, but did not complete enough surveys for a valid sample: Alabama, Kentucky, Nebraska, South Dakota.

outcome. Table percentages include “yes” responses only, unless otherwise noted. *To see the breakout of responses for each option, please see [Appendix B](#).*

All state and NCI-AD averages throughout this report are “weighted” to account for any non-proportional sampling of programs and to “rebalance” the states’ sample sizes according to their populations of survey-eligible service recipients. See more details on weighting in Part II of this report, beginning on page 311.

Program Classification

Outcome tables present overall state averages as well as outcomes by program. Organization of programs into categories allows for more meaningful comparisons between states. A state that surveyed a program or programs in a particular category, for example, may want to compare its NCI-AD results to the results of other states that included programs in the same category.

To create program classifications, NCI-AD sorted programs from which states sampling into eight categories. It should be noted that, while different state programs classified into the same category share similarities and common elements, they can also differ on a number of characteristics. As such, **even when making cross-state comparisons within the same category, caution should be exercised.**

Below is a description of each of the eight programmatic categories used for analysis and presentation of results throughout this report:

- **Programs of All-Inclusive Care for the Elderly (PACE).** These programs provide comprehensive medical and social services to community-dwelling older adults, most of whom are dually eligible for Medicare and Medicaid benefits. To qualify for PACE, an individual must be age 55 or older, live in the service area of a PACE site, be eligible for nursing home care, and able to live safely in the community. PACE is a program under Medicare, and states can elect to provide PACE services to Medicaid beneficiaries as an optional Medicaid benefit. For enrolled participants, the program serves as their sole source of Medicaid and Medicare benefits. *States included in PACE breakouts: New Jersey and Wisconsin.*
- **Managed Long-Term Services and Supports Home and Community-Based Services (MLTSS HCBS).** This category includes programs which use capitated Medicaid managed care organizations (MCOs) to deliver HCBS to eligible members. These programs may be operated under multiple federal Medicaid authorities, including 1915(a), 1915(b), 1915(c) and 1115. Most states designed their MLTSS samples to allow for some comparison between the MCOs in their state. *States included in MLTSS breakouts: Delaware, Kansas, New Jersey, Ohio, Tennessee, Texas, and Wisconsin.*
- **Combined Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan) that provide LTSS services to both older adults and adults with disabilities and do not differentiate between them once eligibility is established. **The “Combined Medicaid” category encompasses an especially wide variety of programs; comparisons across states should be made with particular caution.** *States included in Combined Medicaid breakouts: Colorado, Delaware, Indiana, Missouri, Oklahoma, Washington, and Wisconsin.*

- **Aging Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan but excluding PACE programs) intended specifically to provide LTSS services to older adults. *States included in Aging Medicaid breakouts: Minnesota and Missouri.*
- **Physical Disability (PD) Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan) intended specifically to provide LTSS services to people with physical and other non-intellectual disabilities/developmental disabilities (ID/DD), except for programs specifically serving people with traumatic or acquired brain injury. *States included in PD Medicaid breakouts: Minnesota, Missouri, and Ohio.*
- **Older Americans Act (OAA).** The OAA was established by Congress in 1965 to provide services to seniors aged 60 or older. The OAA program supports a range of HCBS, such as Meals on Wheels and other nutrition programs, in-home services, transportation, legal services, elder abuse prevention and caregiver support. These programs help seniors stay as independent as possible in their homes and communities. Generally, beneficiaries of programs in the OAA category are eligible to be included in the NCI-AD survey sample if they receive one or more “Cluster 1” services (such as home-delivered meals, adult day care/adult day health, personal care services and chore or homemaker services) with approximate frequency of at least 2-3 or more times per week. **NOTE: For programs in the OAA category, some states limit their survey samples to recipients of a specific “Cluster 1” service, whereas other states’ samples include recipients of a broader array of services.** *States included in OAA breakouts: Georgia, Indiana, and Michigan.*
- **Nursing Facilities (NFs).** This category includes skilled and intermediate NFs, with consumers receiving services funded by Medicaid and delivered through either the traditional fee-for-service (FFS) or MLTSS model. The NF category includes people being served in institutional settings rather than through HCBS. *States included in NF breakouts: Delaware, Washington, and Wisconsin.*
- **Other.** Programs not fitting into one of the eight categories above, such as state-funded programs or programs providing services to other populations of recipients, are not included as a separate breakout in tables due to the dissimilar nature of programs; however, data from these programs *are included* in overall state and NCI-AD Averages.

State reports display the outcomes from these programs.

Table 1 shows classification of 2021-22 state programs into the programmatic categories described above; the number of analyzed surveys in each category by state is also shown.

Table 2 contains calculations of margins of error for each state overall and each state’s program categories, under two scenarios: assuming a 0.5 and a 0.7 distribution of responses. Using the 0.5 distribution of responses is the most conservative distribution assumption allowed for calculating margins of error and is usually used when no prior information is available about true population response distributions. When prior information is available, it can be used for calculating less conservative margins of error. Based on distributions observed in previously collected NCI-AD data, it is

reasonable to assume a somewhat less conservative population response distribution of 0.7 for calculating margins of error.

Calculations in both scenarios use the total number of analyzed surveys in a given program category. It is important to note that the actual number of valid responses to an individual survey item may be smaller than the total number of analyzed surveys.

Table 1. Classification of 2021-22 state programs into program categories

State	Total N	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other	NF
CO	425	N/A	N/A	EBD Waiver (N=382)	N/A	N/A	N/A	CMHS Waiver (N=43)	N/A
DE	781	N/A	Home and Community Based Services (DMMA) (N=311)	N/A	N/A	N/A	N/A	Home Community Based Services Program (DSAAPD) (N=145)	Nursing Facility (DMMA) (N=325)
GA	496	N/A	N/A	N/A	N/A	N/A	OAA (N=496)	N/A	N/A
IN	1,187	N/A	N/A	AD & TBI (N=794)	N/A	N/A	OAA (N=211)	CHOICE, SSBG (N=182)	N/A
KS	411	N/A	FE Waiver, PD Waiver, BI Waiver (N=411)	N/A	N/A	N/A	N/A	N/A	N/A
MI	794	N/A	N/A	N/A	N/A	N/A	OAA (N=794)	N/A	N/A
MN	1,148	N/A	N/A	N/A	Alternative Care Program (AC), Elderly Waiver (EW) (N=660)	CADI Waiver, CAC Waiver, BI Waiver, State Plan Home Care (N=488)	N/A	N/A	N/A
MO	2,028	N/A	N/A	Agency Model PC, RCF/ALF (N=729)	A&D Waiver (N=367)	Adult Day Care Waiver, CDS, IL Waiver (N=932)	N/A	N/A	N/A
NJ	679	PACE (N=112)	MLTSS HCBS (N=567)	N/A	N/A	N/A	N/A	N/A	N/A
OH	399	N/A	N/A	N/A	N/A	Ohio Home Care Waiver (N=399)	N/A	N/A	N/A
OK	573	N/A	N/A	Advantage Traditional, Assisted Living, Adult Day Health, CD-Pass, State Plan PC (N=573)	N/A	N/A	N/A	N/A	N/A
TN	667	N/A	TennCare (Group 2, Group 3) (N=478)	N/A	N/A	N/A	N/A	N/A	TennCare Group 1 (N=189)
TX	1,499	N/A	STAR+PLUS (N=1,499)	N/A	N/A	N/A	N/A	N/A	N/A
WA	1,263	N/A	N/A	CFC, CFC w/ COPES, NFW (N=1,115)	N/A	N/A	N/A	N/A	SNF (N=148)
WI	1,313	PACE (N=4)*	Family Care, Partnership (N=537)	IRIS Program (N=562)	N/A	N/A	N/A	N/A	Long-Stay FFS NHs (N=210)
TOTAL	13,663	116	3,803	4,155	1,027	1,819	1,501	370	872

*Data are not shown in this category due to low N

Table 2. Margins of error by state and program category (95% Confidence Level, assuming 0.7 distribution (assuming 0.5 distribution))

State	Overall	Overall – HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NFs
CO	4.8 (4.4%)	4.8% (4.4%)	N/A	N/A	5.0% (4.6%)	N/A	N/A	N/A	N/A
DE	3.5% (3.2%)	4.6% (4.2%)	N/A	5.6% (5.1%)	N/A	N/A	N/A	N/A	5.4% (5.0%)
GA	4.4% (4.0%)	4.4% (4.0%)	N/A	N/A	N/A	N/A	N/A	4.4% (4.0%)	N/A
IN	2.8% (2.6%)	2.8% (2.6%)	N/A	N/A	3.5% (3.2%)	N/A	N/A	6.7% (6.2%)	N/A
KS	4.8% (4.4%)	4.8% (4.6%)	N/A	4.8% (4.4%)	N/A	N/A	N/A	N/A	N/A
MI	3.5% (3.2%)	3.5% (3.2%)	N/A	N/A	N/A	N/A	N/A	3.5% (3.2%)	N/A
MN	2.9% (2.7%)	2.9% (2.7%)	N/A	N/A	N/A	3.8% (3.8%)	4.4% (4.1%)	N/A	N/A
MO	2.2% (2.0%)	2.2% (2.0%)	N/A	N/A	3.6% (3.3%)	5.1% (4.7%)	3.2% (2.9%)	N/A	N/A
NJ	3.8% (3.4%)	3.8% (3.4%)	9.3% (8.5%)	4.1% (3.8%)	N/A	N/A	N/A	N/A	N/A
OH	4.9% (4.4%)	4.9% (4.5%)	N/A	N/A	N/A	N/A	4.9% (4.4%)	N/A	N/A
OK	4.1% (3.8%)	4.1% (3.8%)	N/A	N/A	4.1% (3.8%)	N/A	N/A	N/A	N/A
TN	3.8% (3.5%)	3.8% (3.5%)	N/A	4.5% (4.1%)	N/A	N/A	N/A	N/A	7.1% (6.5%)
TX	2.5% (2.3%)	2.5% (2.3%)	N/A	2.5% (2.3%)	N/A	N/A	N/A	N/A	N/A
WA	2.8% (2.5%)	2.9% (2.7%)	N/A	N/A	2.9% (2.7%)	N/A	N/A	N/A	8.1% (7.4%)
WI	2.7% (2.5%)	3.0% (2.7%)	49.0% (44.9%)	4.2% (3.9%)	4.1% (3.8%)	N/A	N/A	N/A	6.8% (6.2%)
TOTAL	0.8% (0.8%)	0.9% (0.8%)	9.1% (8.3%)	1.6% (1.5%)	1.5% (1.4%)	3.1% (2.8%)	2.3% (2.1%)	2.5% (2.3%)	3.3% (3.0%)

Presentation of Results

All demographic and outcome results for the 2021-22 NCI-AD Adult Consumer Survey are reported. **All state and NCI-AD Averages presented are weighted.** Analysis results are presented in two sections:

Demographic Characteristics: Tables show demographic and service-related characteristics of service recipients in each state. Demographic information is un-collapsed.

Outcome Tables and Comparisons Across States: Outcomes are grouped by sub-domain. Each outcome is first displayed as a chart depicting the NCI-AD overall and program-level averages followed by a table with states, listed alphabetically, displaying each state’s weighted average, each state’s observed (unweighted) number of valid responses, as well as the overall weighted “NCI-AD Average” and the overall observed number of valid responses. In addition to displaying weighted state averages, tables in this section also contain weighted results for the eight program categories described in “Classification of Programs” in previous section (PACE, MLTSS HCBS, Combined Medicaid, Aging Medicaid, PD Medicaid, BI Medicaid, OAA, and NFs). Results for the “Other” program category are not presented separately; however, programs in this category are included in calculation of state averages and the overall NCI-AD Average.

Tables also contain an “Overall – HCBS only” weighted average for each state and overall across all states. This average includes only HCBS-based program categories (PACE, MLTSS HCBS, Combined Medicaid, Aging Medicaid, PD Medicaid, BI Medicaid, and OAA as well as HCBS programs in the “Other” category); its calculation excludes NFs. For states that did not survey NF residents, the “Overall – HCBS only” average is identical to the state’s weighted average.

NOTES:

To protect people’s privacy, **we do not show the data when 20 or fewer people from a state or within a program responded** to a question; however, their data are included in the overall state average.

For some items collected in the Background Information section, states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

Results

Demographics

Table 3. Average age (reported for those under 90 years old)

State	Average Age	N
CO	62.8	406
DE	60.9	751
GA	74.8	450
IN	66.3	1,103
KS	63.7	391
MI	76.1	696
MN	62.2	1,075
MO	62.6	1,959
NJ	70.3	609
OH	47.9	396
OK	65.1	555
TN	67.3	626
TX	60.0	1,422
WA	71.8	1,161
WI	64.7	1,247
Weighted NCI-AD Average	66.8	12,847

Table 4. Age category (including those 90 and older)

State	18-44	45-64	65-89	90 and older	N
CO	13%	34%	48%	4%	425
DE	16%	36%	45%	3%	781
GA	1%	6%	84%	9%	496
IN	7%	29%	58%	6%	1,171
KS	10%	34%	51%	5%	410
MI	0%	5%	83%	12%	792
MN	17%	28%	51%	5%	1,148
MO	10%	40%	47%	2%	2,000
NJ	5%	21%	62%	11%	677
OH	30%	70%	0%	0%	396
OK	7%	36%	53%	3%	571
TN	7%	30%	56%	7%	667
TX	16%	42%	37%	5%	1,499
WA	3%	21%	69%	7%	1,247
WI	7%	38%	50%	5%	1,313
Weighted NCI-AD Average	8%	27%	58%	6%	13,593

Table 5. Gender

State	Male	Female	Other	Don't Know or Unclear	N
CO	35%	65%	0%	0%	425
DE	37%	63%	0%	0%	781
GA	31%	69%	0%	0%	496
IN	30%	70%	0%	0%	1,168
KS	30%	70%	0%	0%	406
MI	32%	68%	0%	0%	794
MN	36%	64%	0%	0%	1,148
MO	33%	67%	0%	0%	2,010
NJ	29%	71%	0%	0%	679
OH	39%	61%	0%	0%	399
OK	28%	72%	0%	0%	572
TN	35%	65%	0%	0%	667
TX	35%	65%	0%	0%	1,499
WA	26%	74%	0%	0%	1,238
WI	35%	65%	0%	0%	1,313
Weighted NCI-AD Average	32%	68%	0%	0%	13,595

Table 6. Race and ethnicity

State	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't Know or Unclear	N
CO*	1%	3%	4%	0%	44%	11%	6%	34%	425
DE	0%	2%	38%	2%	58%	6%	0%	0%	781
GA	0%	1%	50%	0%	42%	1%	1%	4%	490
IN	1%	1%	24%	0%	69%	2%	1%	4%	1,162
KS	3%	2%	19%	0%	71%	5%	1%	4%	406
MI	1%	0%	17%	0%	83%	1%	3%	5%	615
MN	3%	7%	21%	0%	67%	5%	3%	0%	1,148
MO	1%	1%	41%	0%	50%	1%	1%	6%	1,775
NJ	0%	16%	19%	0%	30%	29%	4%	2%	675
OH	1%	5%	23%	1%	68%	2%	3%	1%	398
OK	7%	0%	17%	0%	73%	1%	0%	2%	537
TN	0%	0%	29%	0%	66%	0%	2%	2%	663
TX	2%	1%	19%	0%	28%	56%	2%	1%	1,498
WA	1%	23%	3%	0%	69%	0%	0%	3%	1,248
WI	2%	1%	25%	0%	69%	5%	0%	2%	1,313
Weighted NCI-AD Average	2%	5%	23%	0%	60%	9%	2%	5%	13,134

*State has a high rate of don't know or missing data (>25%)

Table 7. Marital status

State	Single, never married	Married or in domestic partnership	Separated or divorced	Widowed	Don't Know or Unclear	N
CO	35%	16%	31%	17%	1%	425
DE	37%	15%	22%	24%	1%	758
GA	13%	23%	22%	37%	5%	486
IN	28%	18%	24%	28%	2%	1,123
KS	30%	12%	33%	23%	2%	394
MI	20%	18%	21%	41%	0%	723
MN	40%	11%	34%	15%	0%	1,116
MO	40%	12%	27%	20%	1%	1,890
NJ	29%	17%	18%	28%	8%	659
OH	51%	21%	23%	4%	0%	396
OK*	23%	11%	32%	23%	11%	464
TN*	26%	11%	16%	23%	24%	640
TX	38%	13%	28%	21%	0%	1,497
WA	19%	15%	36%	28%	1%	1,230
WI	20%	18%	26%	17%	19%	1,313
Weighted NCI-AD Average	28%	15%	27%	25%	4%	13,114

*State has a high rate of don't know or missing data (>25%)

Table 8. Preferred language

State	English	Spanish	Other	Don't Know or Unclear	N
CO	96%	1%	3%	0%	425
DE	98%	2%	0%	0%	778
GA	99%	0%	0%	0%	491
IN	99%	0%	1%	0%	1,172
KS	95%	3%	2%	0%	404
MI	99%	0%	0%	0%	736
MN	85%	2%	13%	0%	1,148
MO	97%	0%	3%	0%	1,924
NJ	56%	23%	21%	0%	674
OH	92%	0%	8%	0%	397
OK	97%	1%	0%	3%	542
TN	98%	0%	1%	0%	661
TX	73%	26%	1%	0%	1,496
WA	65%	2%	33%	0%	1,248
WI	96%	3%	0%	1%	1,313
Weighted NCI-AD Average	89%	4%	7%	0%	13,409

Table 9. Residential designation*Categories created using zip codes and corresponding RUCA codes*

State	Metropolitan	Micropolitan	Rural	Small Town	N
CO	73%	7%	7%	13%	425
DE	90%	9%	0%	1%	781
GA	59%	25%	6%	10%	492
IN	77%	13%	3%	6%	1,130
KS	60%	22%	7%	11%	406
MI	60%	21%	8%	9%	710
MN	70%	12%	9%	10%	1,148
MO	67%	14%	9%	10%	1,634
NJ	98%	1%	0%	0%	671
OH	63%	25%	4%	8%	398
OK	54%	23%	6%	17%	565
TN	63%	19%	4%	13%	662
TX	90%	7%	0%	2%	1,498
WA	87%	8%	1%	5%	1,252
WI	67%	9%	9%	15%	1,313
Weighted NCI-AD Average	72%	14%	6%	9%	13,085

Table 10. Median area income (based on zip code)*Newly reported in 2021-22*

State	\$0- \$9,999	\$10,000- \$19,999	\$20,000- \$29,999	\$30,000- \$39,999	\$40,000- \$49,999	\$50,000- \$59,999	\$60,000- \$69,999	\$70,000- \$79,999	\$80,000- \$89,999	\$90,000- \$99,999	\$100,000 and over	N
CO	0%	2%	4%	29%	22%	15%	14%	7%	4%	1%	2%	424
DE	0%	0%	5%	4%	25%	33%	2%	23%	6%	1%	1%	780
GA	0%	1%	15%	44%	23%	9%	4%	2%	1%	0%	0%	490
IN	0%	0%	9%	22%	39%	15%	7%	5%	1%	1%	1%	1,125
KS	0%	0%	9%	23%	38%	12%	6%	6%	3%	1%	1%	403
MI	1%	1%	7%	28%	33%	17%	6%	3%	2%	1%	1%	688
MN	0%	1%	3%	9%	37%	20%	12%	8%	5%	4%	2%	1,146
MO	0%	3%	15%	47%	18%	10%	4%	1%	1%	0%	0%	1,608
NJ	0%	1%	4%	12%	22%	15%	9%	13%	10%	5%	10%	663
OH	0%	1%	11%	29%	35%	14%	5%	2%	2%	0%	1%	396
OK	0%	0%	15%	40%	28%	8%	7%	2%	0%	0%	0%	561
TN	0%	1%	14%	44%	18%	11%	6%	3%	1%	2%	1%	660
TX	0%	1%	23%	34%	17%	10%	8%	3%	2%	1%	1%	1,477
WA	0%	0%	0%	18%	16%	34%	17%	8%	6%	1%	0%	1,247
WI	0%	1%	7%	24%	37%	15%	11%	4%	1%	0%	0%	1,309
Weighted NCI-AD Average	0%	1%	9%	27%	27%	16%	9%	5%	3%	1%	1%	12,977

Table 11. Type of residence

State	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't Know or Unclear	N
CO	48%	0%	0%	35%	2%	1%	14%	0%	425
DE	60%	4%	1%	8%	26%	0%	0%	0%	776
GA	94%	2%	0%	0%	0%	0%	1%	1%	493
IN	82%	9%	0%	6%	1%	0%	0%	0%	1,169
KS	79%	6%	0%	10%	1%	0%	0%	3%	406
MI	82%	14%	0%	1%	1%	0%	0%	0%	783
MN	71%	6%	7%	10%	2%	1%	3%	1%	1,144
MO	81%	11%	0%	6%	1%	0%	1%	0%	1,949
NJ	72%	16%	2%	8%	1%	0%	1%	0%	679
OH	94%	2%	0%	0%	0%	0%	3%	0%	399
OK	77%	7%	0%	6%	0%	0%	1%	8%	495
TN	42%	0%	1%	2%	53%	0%	2%	0%	667
TX	91%	5%	0%	2%	0%	0%	1%	0%	1,498
WA	67%	1%	8%	7%	18%	0%	0%	0%	1,252
WI	71%	2%	2%	7%	16%	0%	0%	0%	1,313
Weighted NCI-AD Average	76%	7%	2%	7%	6%	0%	2%	1%	13,448

Table 12. Who the person lives with

State	No One – Lives Alone	Spouse or Partner	Other Family	Friend(s)	Live-in PCA	Others	Don't Know or Unclear	N
CO	44%	19%	34%	3%	5%	4%	0%	417
DE	24%	11%	37%	1%	1%	30%	0%	775
GA	55%	22%	21%	0%	0%	1%	2%	493
IN	52%	17%	29%	1%	2%	1%	0%	1,166
KS	58%	11%	23%	2%	0%	4%	3%	396
MI	66%	15%	17%	1%	1%	1%	0%	784
MN	52%	12%	24%	2%	2%	11%	0%	1,140
MO	49%	10%	33%	3%	2%	4%	0%	1,953
NJ	39%	13%	39%	0%	1%	11%	0%	676
OH	34%	19%	52%	4%	2%	1%	0%	399
OK	45%	13%	32%	4%	0%	0%	8%	508
TN	17%	7%	19%	1%	0%	57%	0%	663
TX	34%	9%	55%	2%	2%	2%	0%	1,498
WA	45%	8%	24%	0%	7%	19%	4%	1,242
WI	37%	17%	22%	2%	7%	19%	0%	1,245
Weighted NCI-AD Average	47%	13%	28%	2%	2%	9%	1%	13,355

Table 13. Address changed in the past 6 months

State	Yes	No	Don't Know or Unclear	N
CO	6%	93%	0%	416
DE	5%	95%	0%	764
GA	3%	97%	1%	491
IN	7%	93%	0%	1,104
KS	9%	90%	2%	388
MI	3%	97%	0%	764
MN	8%	92%	0%	1,127
MO	7%	93%	0%	1,925
NJ	4%	95%	1%	674
OH	5%	95%	0%	396
OK*	3%	53%	44%	314
TN	5%	85%	9%	640
TX	5%	95%	0%	1,498
WA	9%	86%	5%	1,240
WI	7%	93%	0%	1,239
Weighted NCI-AD Average	6%	92%	2%	12,980

**State has a high rate of don't know or missing data (>25%)*

Table 14. Where people moved from (if moved in the last 6 months)

State	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't Know or Unclear	N
CO	80%	4%	0%	5%	0%	4%	8%	0%	25
DE	58%	9%	4%	13%	1%	0%	13%	0%	34
IN	66%	7%	0%	13%	1%	3%	9%	0%	68
KS	64%	3%	0%	3%	6%	0%	6%	18%	34
MN	59%	8%	15%	4%	4%	7%	3%	0%	84
MO	70%	4%	3%	2%	3%	3%	16%	1%	100
NJ	89%	6%	0%	0%	0%	5%	0%	0%	22
TN	57%	0%	2%	7%	23%	0%	4%	6%	31
TX	88%	0%	2%	2%	1%	3%	4%	0%	81
WA	30%	2%	4%	5%	6%	2%	52%	0%	77
WI	67%	3%	4%	9%	8%	4%	5%	0%	82
Weighted NCI-AD Average	63%	5%	4%	5%	5%	3%	14%	1%	689

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, MI, OH, and OK.

Table 15A. Diagnoses

Categories are not mutually exclusive; therefore, N is not shown.

State	Physical Disability	Traumatic brain injury or other acquired brain injury	Intellectual or other developmental disability	Alzheimer's disease or other dementia	Heart Disease
CO	80%	30%	6%	9%	43%
DE	56%	11%	9%	9%	23%
GA	64%	1%	2%	8%	20%
IN	79%	20%	15%	15%	37%
KS	74%	17%	6%	13%	34%
MI	74%	9%	3%	8%	36%
MN	78%	12%	6%	6%	20%
MO	75%	9%	11%	6%	35%
NJ	65%	6%	1%	17%	35%
OH	90%	23%	19%	5%	23%
OK	42%	5%	5%	10%	16%
TN	73%	10%	8%	37%	35%
TX	83%	17%	18%	15%	32%
WA	57%	11%	13%	8%	29%
WI	45%	2%	0%	17%	52%
Weighted NCI-AD Average	70%	11%	8%	11%	33%

Table 15B. Diagnoses (continued)

All categories except Alzheimer's/dementia are newly added in 2021-22. Categories are not mutually exclusive; therefore, N is not shown.

State	Cancer	Chronic obstructive pulmonary disease (COPD)	Stroke	Diabetes	Hypertension (or High Blood Pressure)
CO	12%	30%	9%	36%	71%
DE	9%	18%	21%	38%	57%
GA	6%	9%	10%	23%	40%
IN	18%	30%	23%	40%	64%
KS	12%	24%	18%	30%	49%
MI	18%	27%	23%	36%	61%
MN	12%	17%	14%	34%	51%
MO	13%	30%	21%	39%	66%
NJ	9%	17%	18%	36%	69%
OH	8%	29%	18%	38%	51%
OK	8%	20%	13%	30%	38%
TN	5%	22%	31%	34%	57%
TX	14%	25%	28%	46%	68%
WA	10%	16%	27%	42%	56%
WI	10%	27%	20%	41%	68%
Weighted NCI-AD Average	12%	23%	20%	37%	60%

Table 16. Person has chronic psychiatric or mental health diagnosis

State	Yes	No	Don't Know or Unclear	N
CO	61%	39%	0%	425
DE	20%	77%	3%	757
GA	10%	87%	3%	483
IN	39%	60%	1%	1,109
KS	25%	64%	11%	409
MI	10%	89%	1%	642
MN	65%	35%	0%	1,148
MO	35%	63%	2%	1,859
NJ	22%	71%	7%	676
OH	41%	58%	1%	397
OK*	13%	34%	54%	237
TN	50%	47%	3%	667
TX	41%	59%	1%	1,496
WA	14%	76%	10%	1,210
WI	66%	34%	1%	1,313
Weighted NCI-AD Average	35%	61%	3%	12,828

**State has a high rate of 'don't know' or missing data (>25%)*

Table 17. Level of mobility

Categories are not mutually exclusive (except 'don't know or unclear').

State	Non-ambulatory	Moves self with wheelchair	Moves self with other aids	Moves self without aids	Don't Know or Unclear	N
CO	0%	0%	20%	67%	12%	425
DE	8%	39%	56%	32%	0%	765
GA	4%	6%	62%	34%	2%	494
IN	6%	31%	60%	23%	0%	1,174
KS	2%	27%	61%	26%	1%	392
MI	7%	17%	65%	27%	0%	780
MN*	14%	23%	23%	8%	55%	1,148
MO	3%	17%	58%	38%	1%	1,929
NJ	8%	17%	65%	11%	4%	674
OH	10%	47%	60%	18%	0%	399
OK*	2%	24%	49%	39%	24%	268
TN	28%	28%	37%	9%	4%	657
TX	9%	28%	62%	23%	0%	1,498
WA	9%	28%	50%	23%	0%	1,238
WI	6%	27%	62%	33%	0%	1,245
Weighted NCI-AD Average	8%	21%	53%	27%	8%	13,086

*State has a high rate of 'don't know' or missing data (>25%).

Table 18. Has history of frequent falls (more than two falls in a six-month period)

State	Yes	No	Don't Know or Unclear	N
CO	26%	74%	0%	413
DE	19%	81%	1%	759
GA	15%	85%	2%	485
IN	40%	60%	1%	1,132
KS	36%	64%	1%	393
MI	38%	62%	0%	732
MN	22%	78%	1%	1,118
MO	35%	65%	1%	1,889
NJ	20%	80%	2%	674
OH	30%	70%	1%	397
OK*	34%	66%	35%	254
TN	15%	85%	3%	661
TX	36%	64%	0%	1,498
WA	25%	75%	1%	1,224
WI	24%	76%	0%	1,237
Weighted NCI-AD Average	29%	71%	1%	12,866

*State has a high rate of 'don't know' or missing data (>25%).

Table 19. Receives Medicare

State	Yes	No	Don't Know or Unclear	N
CO	82%	18%	0%	425
DE	80%	20%	0%	707
GA	60%	31%	12%	485
IN	85%	14%	1%	1,000
KS	77%	20%	4%	389
MI	94%	5%	1%	683
MN	79%	21%	0%	1,148
MO*	73%	21%	8%	1,629
NJ	84%	16%	0%	673
OH	39%	58%	7%	362
OK*	52%	23%	33%	311
TN	79%	21%	0%	656
TX	66%	34%	0%	1,498
WA	89%	6%	6%	1,194
WI	83%	17%	0%	1,313
Weighted NCI-AD Average	79%	18%	3%	12,473

*State has a high rate of 'don't know' or missing data (>25%).

Table 20. Length of time receiving LTSS services in current program

State	0 - 5 months	6 months – less than 1 year	1 year – less than 3 years	3 or more years	N
CO	0%	2%	26%	73%	425
DE	1%	4%	41%	53%	781
GA	24%	10%	28%	36%	492
IN*	8%	9%	26%	47%	565
KS	6%	15%	30%	49%	390
MI*	12%	4%	27%	53%	501
MN	6%	6%	28%	57%	1,148
MO*	5%	4%	21%	65%	1,362
NJ	1%	2%	50%	38%	671
OH*	0%	1%	3%	6%	349
OK	15%	15%	33%	37%	567
TN	4%	15%	32%	49%	657
TX	0%	0%	29%	71%	1,498
WA	4%	3%	16%	63%	1,223
WI	8%	14%	31%	47%	1,313
Weighted NCI-AD Average	7%	6%	28%	54%	11,942

*State has a high rate of ‘don’t know’ or missing data (>25%).

Table 21. Person has legal guardian*Information required to come from administrative records.*

State	Yes	No	Don't Know or Unclear	N
CO	5%	91%	5%	422
DE	1%	99%	0%	781
GA	2%	95%	3%	486
IN*	28%	70%	2%	585
KS	8%	72%	20%	391
MI*	33%	66%	1%	421
MN	7%	93%	0%	1,148
MO*	13%	84%	3%	1,373
NJ	8%	81%	10%	658
OH	5%	88%	7%	352
OK*	7%	38%	56%	230
TN	27%	72%	1%	658
TX	26%	74%	0%	1,498
WA	8%	92%	1%	1,239
WI*	100%	0%	0%	220
Weighted NCI-AD Average	15%	81%	3%	10,462

**State has a high rate of 'don't know' or missing data (>25%).*

Outcome Tables and Comparisons Across States

Community Participation




Table 22. Gets to do things outside of their home as much as they want to

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	64%	354	64%	n/a	n/a	65%	n/a	n/a	n/a	n/a
DE	64%	633	70%	n/a	70%	n/a	n/a	n/a	n/a	45%
GA	75%	372	75%	n/a	n/a	n/a	n/a	n/a	75%	n/a
IN	49%	695	49%	n/a	n/a	47%	n/a	n/a	53%	n/a
KS	77%	320	77%	n/a	77%	n/a	n/a	n/a	n/a	n/a
MI	67%	533	67%	n/a	n/a	n/a	n/a	n/a	67%	n/a
MN	66%	942	66%	n/a	n/a	n/a	69%	64%	n/a	n/a
MO	61%	1,307	61%	n/a	n/a	58%	67%	60%	n/a	n/a
NJ	67%	453	67%	75%	67%	n/a	n/a	n/a	n/a	n/a
OH	56%	338	56%	n/a	n/a	n/a	n/a	56%	n/a	n/a
OK	45%	455	45%	n/a	n/a	45%	n/a	n/a	n/a	n/a
TN	56%	377	58%	n/a	61%	n/a	n/a	n/a	n/a	47%
TX	45%	1,185	45%	n/a	45%	n/a	n/a	n/a	n/a	n/a
WA	62%	890	67%	n/a	n/a	67%	n/a	n/a	n/a	35%
WI	62%	1,096	64%	n/a	62%	68%	n/a	n/a	n/a	47%
Weighted NCI-AD Average	62%	9,950	62%	60%	58%	60%	68%	61%	69%	42%




Table 23. Takes part in activities with others as much as they want to (in-person or virtually)

New question in 2021-22

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	52%	357	52%	n/a	n/a	52%	n/a	n/a	n/a	n/a
DE	58%	629	60%	n/a	60%	n/a	n/a	n/a	n/a	54%
GA	75%	376	75%	n/a	n/a	n/a	n/a	n/a	75%	n/a
IN	54%	681	54%	n/a	n/a	59%	n/a	n/a	46%	n/a
KS	70%	323	70%	n/a	70%	n/a	n/a	n/a	n/a	n/a
MI	50%	510	50%	n/a	n/a	n/a	n/a	n/a	50%	n/a
MN	70%	956	70%	n/a	n/a	n/a	70%	70%	n/a	n/a
MO	59%	1,290	59%	n/a	n/a	58%	56%	61%	n/a	n/a
NJ	51%	460	51%	63%	51%	n/a	n/a	n/a	n/a	n/a
OH	68%	337	68%	n/a	n/a	n/a	n/a	68%	n/a	n/a
OK	68%	437	68%	n/a	n/a	68%	n/a	n/a	n/a	n/a
TN	62%	373	62%	n/a	63%	n/a	n/a	n/a	n/a	60%
TX	49%	1,194	49%	n/a	49%	n/a	n/a	n/a	n/a	n/a
WA	53%	886	54%	n/a	n/a	54%	n/a	n/a	n/a	45%
WI	55%	1,095	55%	n/a	52%	63%	n/a	n/a	n/a	58%
Weighted NCI-AD Average	58%	9,904	58%	55%	54%	57%	65%	66%	58%	53%




Table 24A. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually)*Categories are not mutually exclusive.*

State	Cost or money	Transportation	Accessibility or lack of equipment	Health limitations	Not enough help, staffing, or personal assistance	N
CO	22%	27%	8%	55%	8%	170
DE	11%	11%	8%	33%	3%	273
GA	52%	57%	10%	47%	12%	93
IN	5%	20%	9%	20%	2%	251
KS	25%	41%	10%	61%	11%	95
MI	2%	27%	2%	41%	3%	242
MN	10%	29%	6%	46%	10%	293
MO	7%	37%	9%	47%	7%	479
NJ	6%	19%	8%	69%	4%	206
OH	7%	25%	21%	44%	4%	107
OK	41%	64%	8%	62%	6%	141
TN	2%	23%	14%	64%	15%	141
TX	10%	28%	7%	74%	4%	605
WA	3%	21%	2%	65%	2%	342
WI	16%	26%	7%	52%	3%	470
Weighted NCI-AD Average	11%	29%	6%	52%	5%	3,908

Table 24B. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually; continued)*Categories are not mutually exclusive.*

State	Feeling unwelcome in the community	Feeling unsafe	No community activities outside of home available	Lack of information or doesn't know what type of community activities are available	Does not have technology or equipment	Other	N
CO	2%	7%	6%	6%	12%	32%	170
DE	1%	6%	8%	15%	7%	25%	273
GA	1%	6%	1%	2%	3%	3%	93
IN	0%	2%	1%	8%	30%	31%	251
KS	1%	4%	2%	2%	3%	4%	95
MI	1%	2%	5%	2%	20%	18%	242
MN	6%	10%	4%	7%	3%	20%	293
MO	2%	4%	3%	5%	14%	10%	479
NJ	1%	3%	1%	2%	4%	19%	206
OH	0%	0%	2%	6%	18%	22%	107
OK	1%	2%	9%	8%	3%	10%	141
TN	1%	5%	5%	2%	6%	15%	141
TX	2%	4%	1%	8%	8%	16%	605
WA	10	1%	2%	2%	2%	27%	342
WI	0%	3%	4%	13%	10%	18%	470
Weighted NCI-AD Average	2%	4%	3%	6%	10%	19%	3,908

Access to the Community




Table 25. Has transportation to do the things they want outside of home

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	74%	402	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
DE	80%	638	85%	n/a	85%	n/a	n/a	n/a	n/a	57%
GA	84%	471	84%	n/a	n/a	n/a	n/a	n/a	84%	n/a
IN	64%	976	64%	n/a	n/a	62%	n/a	n/a	66%	n/a
KS	73%	387	73%	n/a	73%	n/a	n/a	n/a	n/a	n/a
MI	75%	682	75%	n/a	n/a	n/a	n/a	n/a	75%	n/a
MN	83%	1,088	83%	n/a	n/a	n/a	81%	84%	n/a	n/a
MO	70%	1,746	70%	n/a	n/a	64%	74%	71%	n/a	n/a
NJ	72%	610	72%	54%	72%	n/a	n/a	n/a	n/a	n/a
OH	74%	382	74%	n/a	n/a	n/a	n/a	74%	n/a	n/a
OK	59%	556	59%	n/a	n/a	59%	n/a	n/a	n/a	n/a
TN	65%	578	68%	n/a	75%	n/a	n/a	n/a	n/a	54%
TX	73%	1,391	73%	n/a	73%	n/a	n/a	n/a	n/a	n/a
WA	67%	1,145	70%	n/a	n/a	70%	n/a	n/a	n/a	50%
WI	79%	1,122	82%	n/a	79%	89%	n/a	n/a	n/a	54%
Weighted NCI-AD Average	74%	12,174	74%	69%	74%	70%	78%	77%	77%	53%




Table 26. Has transportation to get to medical appointments

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	88%	415	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
DE	96%	677	96%	n/a	96%	n/a	n/a	n/a	n/a	94%
GA	89%	475	89%	n/a	n/a	n/a	n/a	n/a	89%	n/a
IN	86%	1,026	86%	n/a	n/a	87%	n/a	n/a	85%	n/a
KS	89%	394	89%	n/a	89%	n/a	n/a	n/a	n/a	n/a
MI	87%	716	87%	n/a	n/a	n/a	n/a	n/a	87%	n/a
MN	95%	1,119	95%	n/a	n/a	n/a	96%	94%	n/a	n/a
MO	88%	1,784	88%	n/a	n/a	84%	90%	89%	n/a	n/a
NJ	94%	640	94%	99%	93%	n/a	n/a	n/a	n/a	n/a
OH	91%	393	91%	n/a	n/a	n/a	n/a	91%	n/a	n/a
OK	80%	560	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
TN	91%	588	90%	n/a	87%	n/a	n/a	n/a	n/a	95%
TX	90%	1,470	90%	n/a	90%	n/a	n/a	n/a	n/a	n/a
WA	89%	1,150	88%	n/a	n/a	88%	n/a	n/a	n/a	96%
WI	95%	1,216	95%	n/a	95%	95%	n/a	n/a	n/a	95%
Weighted NCI-AD Average	90%	12,623	90%	99%	92%	88%	94%	91%	88%	95%

Everyday Living




Table 27. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications) Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	93%	420	93%	n/a	n/a	94%	n/a	n/a	n/a	n/a
DE	86%	766	86%	n/a	85%	n/a	n/a	n/a	n/a	87%
GA	62%	483	62%	n/a	n/a	n/a	n/a	n/a	62%	n/a
IN	92%	1,156	92%	n/a	n/a	97%	n/a	n/a	76%	n/a
KS	94%	406	94%	n/a	94%	n/a	n/a	n/a	n/a	n/a
MI	80%	772	80%	n/a	n/a	n/a	n/a	n/a	80%	n/a
MN	89%	1,135	89%	n/a	n/a	n/a	92%	87%	n/a	n/a
MO	95%	1,936	95%	n/a	n/a	90%	94%	97%	n/a	n/a
NJ	96%	665	96%	79%	97%	n/a	n/a	n/a	n/a	n/a
OH	98%	398	98%	n/a	n/a	n/a	n/a	98%	n/a	n/a
OK	95%	561	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
TN	98%	647	98%	n/a	98%	n/a	n/a	n/a	n/a	98%
TX	98%	1,492	98%	n/a	98%	n/a	n/a	n/a	n/a	n/a
WA	97%	1,241	99%	n/a	n/a	99%	n/a	n/a	n/a	87%
WI	89%	1,298	89%	n/a	86%	97%	n/a	n/a	n/a	91%
Weighted NCI-AD Average	89%	13,376	89%	77%	94%	95%	93%	93%	74%	92%




Table 28. Gets enough support for everyday activities (if needs at least some assistance)

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	77%	390	77%	n/a	n/a	77%	n/a	n/a	n/a	n/a
DE	85%	658	85%	n/a	85%	n/a	n/a	n/a	n/a	88%
GA	66%	293	66%	n/a	n/a	n/a	n/a	n/a	66%	n/a
IN	74%	1,042	74%	n/a	n/a	78%	n/a	n/a	57%	n/a
KS	75%	370	75%	n/a	75%	n/a	n/a	n/a	n/a	n/a
MI	70%	583	70%	n/a	n/a	n/a	n/a	n/a	70%	n/a
MN	76%	1,020	76%	n/a	n/a	n/a	82%	71%	n/a	n/a
MO	75%	1,775	75%	n/a	n/a	70%	75%	78%	n/a	n/a
NJ	87%	609	87%	86%	87%	n/a	n/a	n/a	n/a	n/a
OH	75%	389	75%	n/a	n/a	n/a	n/a	75%	n/a	n/a
OK	63%	530	63%	n/a	n/a	63%	n/a	n/a	n/a	n/a
TN	83%	623	82%	n/a	78%	n/a	n/a	n/a	n/a	87%
TX	78%	1,443	78%	n/a	78%	n/a	n/a	n/a	n/a	n/a
WA	84%	1,156	85%	n/a	n/a	85%	n/a	n/a	n/a	78%
WI	82%	1,178	82%	n/a	79%	86%	n/a	n/a	n/a	83%
Weighted NCI-AD Average	77%	12,059	76%	90%	81%	78%	79%	75%	68%	83%




Table 29. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)*Proxy respondents were allowed for this question.*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	66%	421	66%	n/a	n/a	69%	n/a	n/a	n/a	n/a
DE	71%	774	67%	n/a	68%	n/a	n/a	n/a	n/a	83%
GA	51%	484	51%	n/a	n/a	n/a	n/a	n/a	51%	n/a
IN	69%	1,139	69%	n/a	n/a	79%	n/a	n/a	49%	n/a
KS	80%	399	80%	n/a	80%	n/a	n/a	n/a	n/a	n/a
MI	46%	739	46%	n/a	n/a	n/a	n/a	n/a	46%	n/a
MN	60%	1,138	60%	n/a	n/a	n/a	61%	60%	n/a	n/a
MO	80%	1,930	80%	n/a	n/a	71%	76%	86%	n/a	n/a
NJ	91%	657	91%	51%	92%	n/a	n/a	n/a	n/a	n/a
OH	91%	398	91%	n/a	n/a	n/a	n/a	91%	n/a	n/a
OK	73%	558	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
TN	95%	646	95%	n/a	95%	n/a	n/a	n/a	n/a	94%
TX	90%	1,488	90%	n/a	90%	n/a	n/a	n/a	n/a	n/a
WA	86%	1,242	86%	n/a	n/a	86%	n/a	n/a	n/a	88%
WI	72%	1,298	69%	n/a	61%	89%	n/a	n/a	n/a	91%
Weighted NCI-AD Average	71%	13,311	70%	51%	83%	75%	67%	75%	48%	91%




Table 30. Gets enough support for self-care (if needs at least some assistance)

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	80%	277	80%	n/a	n/a	81%	n/a	n/a	n/a	n/a
DE	85%	565	84%	n/a	84%	n/a	n/a	n/a	n/a	87%
GA	67%	242	67%	n/a	n/a	n/a	n/a	n/a	67%	n/a
IN	74%	757	74%	n/a	n/a	78%	n/a	n/a	55%	n/a
KS	79%	312	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
MI	64%	280	64%	n/a	n/a	n/a	n/a	n/a	64%	n/a
MN	80%	699	80%	n/a	n/a	n/a	86%	75%	n/a	n/a
MO	76%	1,474	76%	n/a	n/a	69%	78%	77%	n/a	n/a
NJ	84%	546	84%	87%	84%	n/a	n/a	n/a	n/a	n/a
OH	80%	359	80%	n/a	n/a	n/a	n/a	80%	n/a	n/a
OK	72%	401	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
TN	83%	591	82%	n/a	81%	n/a	n/a	n/a	n/a	84%
TX	80%	1,328	80%	n/a	80%	n/a	n/a	n/a	n/a	n/a
WA	81%	1,057	83%	n/a	n/a	83%	n/a	n/a	n/a	72%
WI	83%	1,001	84%	n/a	80%	89%	n/a	n/a	n/a	80%
Weighted NCI-AD Average	78%	9,889	78%	91%	81%	80%	82%	77%	65%	79%

Work




Table 31. Has a paid job

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	4%	419	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
DE	6%	768	7%	n/a	7%	n/a	n/a	n/a	n/a	2%
GA	3%	477	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
IN	3%	919	3%	n/a	n/a	3%	n/a	n/a	2%	n/a
KS	3%	408	3%	n/a	3%	n/a	n/a	n/a	n/a	n/a
MI	1%	710	1%	n/a	n/a	n/a	n/a	n/a	1%	n/a
MN	12%	1,122	12%	n/a	n/a	n/a	2%	19%	n/a	n/a
MO	2%	1,674	2%	n/a	n/a	4%	0%	2%	n/a	n/a
NJ	1%	665	1%	1%	1%	n/a	n/a	n/a	n/a	n/a
OH	5%	393	5%	n/a	n/a	n/a	n/a	5%	n/a	n/a
OK	2%	537	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
TN	1%	642	1%	n/a	1%	n/a	n/a	n/a	n/a	0%
TX	1%	1,485	1%	n/a	1%	n/a	n/a	n/a	n/a	n/a
WA	0%	1,217	0%	n/a	n/a	0%	n/a	n/a	n/a	0%
WI	4%	1,272	4%	n/a	4%	4%	n/a	n/a	n/a	0%
Weighted NCI-AD Average	3%	12,708	3%	1%	2%	3%	1%	10%	2%	0%




Table 32. Wants a paid job (if they do not currently have one)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	16%	338	16%	n/a	n/a	14%	n/a	n/a	n/a	n/a
DE	16%	614	17%	n/a	17%	n/a	n/a	n/a	n/a	14%
GA	3%	366	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
IN	4%	582	4%	n/a	n/a	4%	n/a	n/a	7%	n/a
KS	3%	321	3%	n/a	3%	n/a	n/a	n/a	n/a	n/a
MI	3%	545	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
MN	20%	868	20%	n/a	n/a	n/a	9%	29%	n/a	n/a
MO	4%	1,155	4%	n/a	n/a	5%	2%	4%	n/a	n/a
NJ	6%	442	6%	9%	5%	n/a	n/a	n/a	n/a	n/a
OH	21%	321	21%	n/a	n/a	n/a	n/a	21%	n/a	n/a
OK	8%	431	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
TN	10%	377	11%	n/a	14%	n/a	n/a	n/a	n/a	3%
TX	11%	1,181	11%	n/a	11%	n/a	n/a	n/a	n/a	n/a
WA	5%	876	4%	n/a	n/a	4%	n/a	n/a	n/a	7%
WI	13%	1,052	15%	n/a	14%	16%	n/a	n/a	n/a	3%
Weighted NCI-AD Average	9%	9,469	9%	7%	10%	11%	7%	17%	3%	6%




Table 33. Someone talked with them about job options (if they do not currently have a job but want one)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	32%	52	32%	n/a	n/a	25%	n/a	n/a	n/a	n/a
DE	22%	89	25%	n/a	25%	n/a	n/a	n/a	n/a	15%
IN	17%	24	17%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MN	56%	140	56%	n/a	n/a	n/a	16%	67%	n/a	n/a
MO	34%	60	34%	n/a	n/a	33%	n/a	31%	n/a	n/a
NJ	24%	28	24%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
OH	23%	65	23%	n/a	n/a	n/a	n/a	23%	n/a	n/a
OK	22%	31	22%	n/a	n/a	22%	n/a	n/a	n/a	n/a
TN	18%	42	20%	n/a	22%	n/a	n/a	n/a	n/a	n/a
TX	20%	126	20%	n/a	20%	n/a	n/a	n/a	n/a	n/a
WA	19%	104	25%	n/a	n/a	25%	n/a	n/a	n/a	n/a
WI	28%	140	29%	n/a	30%	25%	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	33%	932	34%	n/a	25%	34%	19%	58%	17%	4%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, KS, MI.




Table 34. Person volunteers

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	13%	415	13%	n/a	n/a	12%	n/a	n/a	n/a	n/a
DE	5%	762	6%	n/a	6%	n/a	n/a	n/a	n/a	3%
GA	5%	464	5%	n/a	n/a	n/a	n/a	n/a	5%	n/a
IN	4%	863	4%	n/a	n/a	4%	n/a	n/a	8%	n/a
KS	6%	404	6%	n/a	6%	n/a	n/a	n/a	n/a	n/a
MI	11%	661	11%	n/a	n/a	n/a	n/a	n/a	11%	n/a
MN	12%	1,121	12%	n/a	n/a	n/a	9%	15%	n/a	n/a
MO	4%	1,593	4%	n/a	n/a	6%	3%	4%	n/a	n/a
NJ	3%	651	3%	6%	2%	n/a	n/a	n/a	n/a	n/a
OH	10%	387	10%	n/a	n/a	n/a	n/a	10%	n/a	n/a
OK	6%	533	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
TN	2%	630	2%	n/a	4%	n/a	n/a	n/a	n/a	1%
TX	5%	1,477	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
WA	7%	1,211	8%	n/a	n/a	8%	n/a	n/a	n/a	3%
WI	7%	1,269	8%	n/a	8%	7%	n/a	n/a	n/a	4%
Weighted NCI-AD Average	7%	12,441	7%	12%	5%	9%	7%	10%	9%	2%




Table 35. Wants to volunteer (if they do not currently)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	16%	300	16%	n/a	n/a	16%	n/a	n/a	n/a	n/a
DE	11%	601	11%	n/a	11%	n/a	n/a	n/a	n/a	12%
GA	3%	337	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
IN	5%	550	5%	n/a	n/a	5%	n/a	n/a	6%	n/a
KS	5%	302	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	2%	472	2%	n/a	n/a	n/a	n/a	n/a	2%	n/a
MN	19%	837	19%	n/a	n/a	n/a	15%	22%	n/a	n/a
MO	4%	1,079	4%	n/a	n/a	3%	3%	4%	n/a	n/a
NJ	3%	431	3%	1%	3%	n/a	n/a	n/a	n/a	n/a
OH	15%	296	15%	n/a	n/a	n/a	n/a	15%	n/a	n/a
OK	8%	403	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
TN	7%	356	7%	n/a	8%	n/a	n/a	n/a	n/a	7%
TX	10%	1,093	10%	n/a	10%	n/a	n/a	n/a	n/a	n/a
WA	6%	777	5%	n/a	n/a	5%	n/a	n/a	n/a	9%
WI	13%	1,004	14%	n/a	15%	14%	n/a	n/a	n/a	4%
Weighted NCI-AD Average	8%	8,838	8%	1%	9%	10%	11%	14%	3%	8%

Relationships




Table 36. Has friends or family they do not live with who are a part of their life

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	92%	360	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
DE	87%	663	88%	n/a	88%	n/a	n/a	n/a	n/a	82%
GA	78%	382	78%	n/a	n/a	n/a	n/a	n/a	78%	n/a
IN	94%	839	94%	n/a	n/a	94%	n/a	n/a	91%	n/a
KS	93%	333	93%	n/a	93%	n/a	n/a	n/a	n/a	n/a
MI	88%	666	88%	n/a	n/a	n/a	n/a	n/a	88%	n/a
MN	95%	979	95%	n/a	n/a	n/a	96%	94%	n/a	n/a
MO	92%	1,524	92%	n/a	n/a	88%	91%	93%	n/a	n/a
NJ	93%	470	93%	92%	93%	n/a	n/a	n/a	n/a	n/a
OH	94%	344	94%	n/a	n/a	n/a	n/a	94%	n/a	n/a
OK	92%	467	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
TN	83%	397	85%	n/a	87%	n/a	n/a	n/a	n/a	77%
TX	94%	1,208	94%	n/a	94%	n/a	n/a	n/a	n/a	n/a
WA	77%	918	77%	n/a	n/a	77%	n/a	n/a	n/a	75%
WI	90%	1,130	91%	n/a	90%	94%	n/a	n/a	n/a	83%
Weighted NCI-AD Average	89%	10,680	90%	94%	92%	88%	94%	93%	85%	78%




Table 37. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	71%	331	71%	n/a	n/a	69%	n/a	n/a	n/a	n/a
DE	81%	572	83%	n/a	83%	n/a	n/a	n/a	n/a	72%
GA	93%	297	93%	n/a	n/a	n/a	n/a	n/a	93%	n/a
IN	91%	775	91%	n/a	n/a	90%	n/a	n/a	95%	n/a
KS	79%	307	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
MI	90%	579	90%	n/a	n/a	n/a	n/a	n/a	90%	n/a
MN	84%	930	84%	n/a	n/a	n/a	86%	83%	n/a	n/a
MO	87%	1,371	87%	n/a	n/a	84%	86%	89%	n/a	n/a
NJ	87%	428	87%	77%	87%	n/a	n/a	n/a	n/a	n/a
OH	86%	319	86%	n/a	n/a	n/a	n/a	86%	n/a	n/a
OK	92%	430	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
TN	83%	342	85%	n/a	86%	n/a	n/a	n/a	n/a	78%
TX	92%	1,136	92%	n/a	92%	n/a	n/a	n/a	n/a	n/a
WA	72%	804	73%	n/a	n/a	73%	n/a	n/a	n/a	61%
WI	75%	1,025	76%	n/a	70%	87%	n/a	n/a	n/a	69%
Weighted NCI-AD Average	85%	9,646	85%	77%	84%	81%	86%	86%	91%	69%




Table 38. Reasons not always able to see or talk to their friends and family when they want

Categories are not mutually exclusive.

State	Availability of transportation	Accessibility	Staffing or personal assistance unavailable	Health limitations	Someone prevents from, or there are rules that restrict seeing or talking to friends or family	No or limited access to a phone	No or limited access to the internet	Other	N
CO	9%	2%	0%	12%	1%	0%	0%	22%	97
DE	7%	2%	2%	12%	1%	3%	2%	17%	126
GA	15%	5%	5%	15%	0%	0%	0%	10%	20
IN	14%	2%	0%	7%	2%	0%	2%	17%	67
KS	27%	9%	3%	24%	0%	0%	0%	7%	58
MI	30%	11%	0%	37%	0%	0%	0%	40%	22
MN	12%	1%	0%	9%	3%	1%	0%	27%	141
MO	21%	7%	1%	12%	3%	2%	0%	10%	175
NJ	1%	0%	0%	9%	0%	0%	0%	16%	65
OH	0%	5%	0%	2%	0%	0%	0%	21%	43
OK	30%	13%	3%	20%	0%	3%	6%	30%	35
TN	11%	3%	0%	12%	0%	0%	0%	22%	53
TX	27%	9%	0%	32%	2%	2%	2%	50%	64
WA	14%	3%	1%	12%	1%	3%	2%	27%	196
WI	6%	2%	0%	4%	0%	2%	0%	12%	227
Weighted NCI-AD Average	14%	4%	1%	12%	1%	1%	1%	20%	1,389

Service Coordination




Table 39A. How first found out about services they can get

Categories are not mutually exclusive.

State	Friend	Family	Aging and disability resource center; area agency on aging; center for independent living	State or county agency	Case manager or care coordinator	N
CO	8%	12%	14%	24%	13%	419
DE	6%	22%	6%	11%	17%	734
GA	2%	12%	28%	5%	3%	480
IN	9%	20%	10%	18%	6%	1,084
KS	7%	12%	17%	12%	6%	400
MI	7%	11%	40%	9%	1%	707
MN	9%	21%	5%	26%	28%	1,122
MO	12%	18%	9%	13%	6%	1,905
NJ	12%	20%	3%	7%	20%	652
OH	7%	14%	5%	12%	18%	395
OK	7%	11%	3%	14%	21%	551
TN	4%	14%	7%	2%	9%	628
TX	7%	13%	1%	8%	14%	1,496
WA	19%	29%	7%	13%	16%	1,225
WI	7%	22%	17%	13%	7%	1,283
Weighted NCI-AD Average	9%	17%	14%	13%	11%	13,081

Table 39B. How first found out about services they can get (continued)

State	Doctor, hospital, clinic	Other provider or provider agency	Media, newspaper, TV, radio, billboard, brochure, flyer, advertisement	Internet or website	Other	N
CO	26%	18%	1%	2%	9%	419
DE	20%	8%	0%	2%	5%	734
GA	5%	1%	0%	0%	1%	480
IN	17%	8%	2%	1%	5%	1,084
KS	13%	5%	0%	0%	0%	400
MI	15%	4%	0%	0%	3%	707
MN	17%	13%	1%	1%	4%	1,122
MO	24%	9%	3%	1%	2%	1,905
NJ	25%	10%	1%	1%	5%	652
OH	14%	20%	1%	1%	5%	395
OK	11%	11%	1%	1%	3%	551
TN	21%	20%	0%	0%	5%	628
TX	30%	12%	1%	0%	9%	1,496
WA	22%	11%	0%	1%	8%	1,225
WI	22%	9%	1%	0%	3%	1,283
Weighted NCI-AD Average	19%	10%	1%	1%	4%	13,081




Table 40. Can contact their case manager/care coordinator when needs to

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	68%	337	68%	n/a	n/a	69%	n/a	n/a	n/a	n/a
DE	76%	448	75%	n/a	75%	n/a	n/a	n/a	n/a	80%
GA	82%	90	82%	n/a	n/a	n/a	n/a	n/a	82%	n/a
IN	85%	721	85%	n/a	n/a	85%	n/a	n/a	80%	n/a
KS	75%	332	75%	n/a	75%	n/a	n/a	n/a	n/a	n/a
MI	89%	205	89%	n/a	n/a	n/a	n/a	n/a	89%	n/a
MN	80%	908	80%	n/a	n/a	n/a	88%	75%	n/a	n/a
MO	84%	813	84%	n/a	n/a	80%	87%	85%	n/a	n/a
NJ	78%	560	78%	79%	78%	n/a	n/a	n/a	n/a	n/a
OH	88%	346	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
OK	84%	459	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
TN	83%	493	84%	n/a	85%	n/a	n/a	n/a	n/a	80%
TX	68%	1,037	68%	n/a	68%	n/a	n/a	n/a	n/a	n/a
WA	65%	977	64%	n/a	n/a	64%	n/a	n/a	n/a	71%
WI	69%	989	69%	n/a	62%	84%	n/a	n/a	n/a	63%
Weighted NCI-AD Average	77%	8,715	77%	82%	72%	73%	88%	79%	87%	73%




Table 41. Who helps person most often (if anyone helps on a regular basis)

Proxy respondents were allowed for this question.

State	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse or partner	Unpaid friend or volunteer	Other	N
CO	54%	23%	1%	18%	4%	0%	380
DE	51%	26%	2%	18%	2%	0%	653
GA	17%	2%	0%	78%	3%	0%	254
IN	53%	17%	1%	26%	2%	2%	900
KS	46%	30%	9%	11%	3%	1%	356
MI	59%	3%	0%	32%	5%	0%	483
MN	61%	17%	1%	18%	3%	0%	978
MO	50%	31%	4%	14%	1%	0%	1,680
NJ	56%	20%	1%	21%	1%	1%	609
OH	38%	13%	2%	40%	7%	0%	382
OK	48%	11%	1%	32%	3%	5%	505
TN	72%	3%	1%	19%	2%	3%	565
TX	38%	44%	4%	11%	2%	0%	1,410
WA	74%	22%	0%	3%	0%	1%	1,164
WI	51%	29%	4%	14%	2%	1%	1,099
Weighted NCI-AD Average	54%	21%	2%	21%	2%	1%	11,418




Table 42. Additional people who help person on a regular basis

Proxy respondents were allowed for this question; categories are not mutually exclusive.

State	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse/partner	Unpaid friend or volunteer	Other	No one else provides support	N
CO	29%	8%	2%	38%	18%	4%	20%	380
DE	25%	8%	1%	37%	12%	1%	28%	653
GA	10%	1%	0%	40%	8%	0%	43%	252
IN	12%	3%	0%	31%	7%	1%	50%	896
KS	8%	4%	1%	53%	12%	0%	25%	356
MI	12%	2%	1%	48%	7%	0%	32%	394
MN	39%	11%	1%	50%	17%	1%	16%	978
MO	11%	4%	1%	45%	8%	0%	38%	1,540
NJ	12%	4%	0%	56%	12%	1%	20%	607
OH	23%	6%	1%	58%	19%	1%	16%	379
OK	19%	1%	1%	41%	11%	2%	29%	491
TN	29%	3%	0%	43%	6%	2%	22%	567
TX	9%	7%	1%	48%	9%	1%	30%	1,407
WA	22%	12%	0%	46%	4%	3%	28%	1,160
WI	23%	6%	1%	37%	8%	1%	30%	1,099
Weighted NCI-AD Average	19%	6%	1%	45%	10%	1%	29%	11,159




Table 43. Paid support staff come and leave when they are supposed to

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	90%	246	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
DE	89%	358	91%	n/a	91%	n/a	n/a	n/a	n/a	81%
GA	87%	31	87%	n/a	n/a	n/a	n/a	n/a	87%	n/a
IN	85%	413	85%	n/a	n/a	86%	n/a	n/a	79%	n/a
KS	89%	235	89%	n/a	89%	n/a	n/a	n/a	n/a	n/a
MI	86%	251	86%	n/a	n/a	n/a	n/a	n/a	86%	n/a
MN	91%	679	91%	n/a	n/a	n/a	92%	90%	n/a	n/a
MO	92%	854	92%	n/a	n/a	86%	90%	95%	n/a	n/a
NJ	94%	357	94%	81%	94%	n/a	n/a	n/a	n/a	n/a
OH	92%	199	92%	n/a	n/a	n/a	n/a	92%	n/a	n/a
OK	82%	254	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
TN	85%	408	84%	n/a	81%	n/a	n/a	n/a	n/a	89%
TX	94%	896	94%	n/a	94%	n/a	n/a	n/a	n/a	n/a
WA	86%	722	89%	n/a	n/a	89%	n/a	n/a	n/a	68%
WI	85%	538	87%	n/a	84%	93%	n/a	n/a	n/a	73%
Weighted NCI-AD Average	89%	6,441	89%	81%	90%	88%	91%	92%	86%	78%




Table 44. Has a backup plan if their paid support staff do not show up

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	69%	241	69%	n/a	n/a	70%	n/a	n/a	n/a	n/a
DE	79%	326	80%	n/a	80%	n/a	n/a	n/a	n/a	78%
GA	63%	30	63%	n/a	n/a	n/a	n/a	n/a	63%	n/a
IN	56%	395	56%	n/a	n/a	58%	n/a	n/a	42%	n/a
KS	85%	235	85%	n/a	85%	n/a	n/a	n/a	n/a	n/a
MI	57%	235	57%	n/a	n/a	n/a	n/a	n/a	57%	n/a
MN	67%	626	67%	n/a	n/a	n/a	70%	65%	n/a	n/a
MO	58%	847	58%	n/a	n/a	57%	62%	58%	n/a	n/a
NJ	79%	335	79%	85%	78%	n/a	n/a	n/a	n/a	n/a
OH	76%	195	76%	n/a	n/a	n/a	n/a	76%	n/a	n/a
OK	45%	240	45%	n/a	n/a	45%	n/a	n/a	n/a	n/a
TN	72%	396	72%	n/a	71%	n/a	n/a	n/a	n/a	73%
TX	70%	806	70%	n/a	70%	n/a	n/a	n/a	n/a	n/a
WA	71%	692	73%	n/a	n/a	73%	n/a	n/a	n/a	60%
WI	62%	547	63%	n/a	56%	80%	n/a	n/a	n/a	45%
Weighted NCI-AD Average	66%	6,146	66%	85%	71%	66%	68%	63%	57%	64%




Table 45. Has an emergency plan in place in case of widescale emergency

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	71%	397	71%	n/a	n/a	71%	n/a	n/a	n/a	n/a
DE	73%	679	71%	n/a	71%	n/a	n/a	n/a	n/a	82%
GA	52%	464	52%	n/a	n/a	n/a	n/a	n/a	52%	n/a
IN	78%	1,020	78%	n/a	n/a	79%	n/a	n/a	76%	n/a
KS	92%	391	92%	n/a	92%	n/a	n/a	n/a	n/a	n/a
MI	67%	621	67%	n/a	n/a	n/a	n/a	n/a	67%	n/a
MN	83%	1,069	83%	n/a	n/a	n/a	83%	83%	n/a	n/a
MO	72%	1,733	72%	n/a	n/a	69%	75%	72%	n/a	n/a
NJ	81%	610	81%	49%	82%	n/a	n/a	n/a	n/a	n/a
OH	81%	372	81%	n/a	n/a	n/a	n/a	81%	n/a	n/a
OK	79%	551	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
TN	81%	599	79%	n/a	71%	n/a	n/a	n/a	n/a	90%
TX	71%	1,406	71%	n/a	71%	n/a	n/a	n/a	n/a	n/a
WA	84%	1,100	82%	n/a	n/a	82%	n/a	n/a	n/a	92%
WI	83%	1,229	84%	n/a	84%	85%	n/a	n/a	n/a	79%
Weighted NCI-AD Average	75%	12,241	75%	58%	79%	77%	80%	78%	62%	88%




Table 46. Knows whom to contact if they want to make changes to services

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	88%	317	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
DE	83%	481	86%	n/a	86%	n/a	n/a	n/a	n/a	77%
GA	83%	190	83%	n/a	n/a	n/a	n/a	n/a	83%	n/a
IN	83%	640	83%	n/a	n/a	86%	n/a	n/a	75%	n/a
KS	80%	286	80%	n/a	80%	n/a	n/a	n/a	n/a	n/a
MI	86%	410	86%	n/a	n/a	n/a	n/a	n/a	86%	n/a
MN	83%	865	83%	n/a	n/a	n/a	86%	81%	n/a	n/a
MO	85%	1,240	85%	n/a	n/a	77%	88%	87%	n/a	n/a
NJ	90%	427	90%	83%	90%	n/a	n/a	n/a	n/a	n/a
OH	91%	313	91%	n/a	n/a	n/a	n/a	91%	n/a	n/a
OK	85%	390	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
TN	82%	353	86%	n/a	90%	n/a	n/a	n/a	n/a	67%
TX	72%	1,112	72%	n/a	72%	n/a	n/a	n/a	n/a	n/a
WA	75%	810	78%	n/a	n/a	78%	n/a	n/a	n/a	57%
WI	86%	958	88%	n/a	87%	91%	n/a	n/a	n/a	63%
Weighted NCI-AD Average	83%	8,792	83%	67%	81%	84%	87%	84%	84%	63%




Table 47. Knows whom to contact if they have a complaint about their services

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	74%	314	78%	n/a	n/a	79%	n/a	n/a	n/a	n/a
DE	81%	492	82%	n/a	82%	77%	n/a	n/a	n/a	77%
GA	84%	188	84%	n/a	n/a	n/a	n/a	n/a	84%	n/a
IN	79%	666	79%	n/a	n/a	80%	n/a	n/a	70%	n/a
KS	87%	278	87%	n/a	87%	n/a	n/a	n/a	n/a	n/a
MI	85%	374	85%	n/a	n/a	n/a	n/a	n/a	85%	n/a
MN	79%	871	79%	n/a	n/a	n/a	83%	77%	n/a	n/a
MO	81%	1,264	81%	n/a	n/a	80%	82%	82%	n/a	n/a
NJ	87%	424	87%	89%	87%	n/a	n/a	n/a	n/a	n/a
OH	81%	313	81%	n/a	n/a	n/a	n/a	81%	n/a	n/a
OK	86%	412	86%	n/a	n/a	89%	n/a	n/a	n/a	n/a
TN	80%	347	81%	n/a	80%	n/a	n/a	n/a	n/a	n/a
TX	56%	1,105	56%	n/a	56%	n/a	n/a	n/a	n/a	n/a
WA	76%	802	78%	n/a	n/a	78%	n/a	n/a	n/a	63%
WI	84%	970	85%	n/a	84%	91%	n/a	n/a	n/a	75%
Weighted NCI-AD Average	79%	8,820	79%	73%	74%	80%	83%	79%	83%	69%




Table 48. Services meet all current goals

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	69%	366	69%	n/a	n/a	70%	n/a	n/a	n/a	n/a
DE	72%	571	73%	n/a	73%	n/a	n/a	n/a	n/a	69%
GA	62%	259	62%	n/a	n/a	n/a	n/a	n/a	62%	n/a
IN	57%	938	57%	n/a	n/a	60%	n/a	n/a	44%	n/a
KS	72%	335	72%	n/a	72%	n/a	n/a	n/a	n/a	n/a
MI	64%	513	64%	n/a	n/a	n/a	n/a	n/a	64%	n/a
MN	76%	1,012	76%	n/a	n/a	n/a	79%	73%	n/a	n/a
MO	68%	1,575	68%	n/a	n/a	63%	71%	68%	n/a	n/a
NJ	80%	597	80%	92%	79%	n/a	n/a	n/a	n/a	n/a
OH	73%	360	73%	n/a	n/a	n/a	n/a	73%	n/a	n/a
OK	67%	506	67%	n/a	n/a	67%	n/a	n/a	n/a	n/a
TN	80%	583	78%	n/a	74%	n/a	n/a	n/a	n/a	85%
TX	62%	1,417	62%	n/a	62%	n/a	n/a	n/a	n/a	n/a
WA	72%	1,129	75%	n/a	n/a	75%	n/a	n/a	n/a	57%
WI	70%	1,061	72%	n/a	70%	75%	n/a	n/a	n/a	54%
Weighted NCI-AD Average	69%	11,222	69%	94%	71%	68%	77%	71%	62%	68%




Table 49A. Additional services and supports needed (if all current needs and goals are not being met)

Proxy respondents were allowed for this question; categories are not mutually exclusive.

State	Skilled nursing facility, nursing home services	Personal care assistance, personal care services	Home maker or chore services	Companion services	Health care home services, home health	Home delivered meals	Adult day services	Transportation	N
CO	3%	28%	45%	27%	20%	22%	16%	38%	110
DE	10%	24%	17%	18%	13%	10%	12%	25%	159
GA	3%	36%	56%	14%	6%	11%	4%	35%	98
IN	4%	38%	31%	7%	5%	5%	3%	28%	389
KS	3%	27%	22%	4%	3%	7%	0%	8%	95
MI	3%	18%	60%	21%	7%	17%	1%	35%	167
MN	3%	32%	41%	25%	17%	13%	13%	27%	230
MO	3%	41%	38%	10%	12%	29%	4%	33%	495
NJ	0%	21%	12%	8%	5%	9%	3%	16%	107
OH	5%	53%	15%	3%	4%	8%	4%	14%	97
OK	3%	49%	47%	17%	8%	8%	4%	35%	168
TN	4%	29%	10%	10%	8%	7%	6%	9%	136
TX	2%	27%	22%	15%	6%	4%	3%	11%	519
WA	2%	27%	38%	5%	4%	21%	4%	27%	315
WI	9%	24%	30%	14%	15%	16%	11%	30%	316
Weighted NCI-AD Average	3%	30%	38%	14%	9%	14%	6%	27%	3,401

Table 49B. Additional services and supports needed (if all current needs and goals are not being met; continued)*Proxy respondents were allowed for this question; categories are not mutually exclusive.*

State	Respite or family caregiver support	Health care	Mental health care	Dental care	Housing assistance	Heating or cooling assistance	Hospice	End of life planning (advanced directives)	Other	N
CO	7%	14%	12%	19%	38%	15%	3%	6%	26%	110
DE	10%	10%	11%	24%	16%	7%	1%	8%	14%	159
GA	0%	4%	15%	34%	8%	4%	1%	1%	11%	98
IN	10%	2%	4%	9%	27%	8%	1%	0%	15%	389
KS	2%	2%	1%	4%	10%	2%	0%	0%	27%	95
MI	3%	3%	4%	6%	11%	10%	0%	1%	9%	167
MN	4%	10%	8%	11%	23%	9%	1%	2%	15%	230
MO	12%	6%	11%	22%	28%	21%	1%	2%	25%	495
NJ	3%	0%	1%	22%	15%	5%	0%	0%	47%	107
OH	1%	2%	5%	4%	9%	2%	0%	2%	29%	97
OK	4%	7%	9%	33%	9%	6%	0%	7%	23%	168
TN	10%	1%	2%	17%	5%	3%	1%	1%	25%	136
TX	12%	3%	5%	9%	14%	9%	0%	1%	38%	519
WA	18%	2%	5%	23%	24%	1%	0%	0%	18%	315
WI	3%	7%	7%	16%	23%	8%	2%	6%	13%	316
Weighted NCI-AD Average	7%	5%	7%	16%	19%	9%	1%	2%	21%	3,401




Table 50. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	51%	95	51%	n/a	n/a	50%	n/a	n/a	n/a	n/a
DE	72%	105	76%	n/a	77%	n/a	n/a	n/a	n/a	57%
GA	51%	39	51%	n/a	n/a	n/a	n/a	n/a	51%	n/a
IN	55%	233	55%	n/a	n/a	54%	n/a	n/a	50%	n/a
KS	75%	71	75%	n/a	75%	n/a	n/a	n/a	n/a	n/a
MI	42%	46	42%	n/a	n/a	n/a	n/a	n/a	42%	n/a
MN	61%	186	61%	n/a	n/a	n/a	64%	59%	n/a	n/a
MO	51%	200	51%	n/a	n/a	52%	58%	48%	n/a	n/a
NJ	47%	94	47%	n/a	47%	n/a	n/a	n/a	n/a	n/a
OH	69%	81	69%	n/a	n/a	n/a	n/a	69%	n/a	n/a
OK	47%	139	47%	n/a	n/a	47%	n/a	n/a	n/a	n/a
TN	60%	104	64%	n/a	68%	n/a	n/a	n/a	n/a	n/a
TX	33%	373	33%	n/a	33%	n/a	n/a	n/a	n/a	n/a
WA	40%	241	35%	n/a	n/a	35%	n/a	n/a	n/a	62%
WI	64%	260	64%	n/a	62%	68%	n/a	n/a	n/a	69%
Weighted NCI-AD Average	51%	2,267	50%	n/a	49%	48%	63%	57%	46%	60%

Care Coordination




Table 51. Knows how to manage chronic conditions (if has at least one)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	83%	332	83%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	84%	578	85%	n/a	85%	n/a	n/a	n/a	n/a	76%
GA	96%	345	96%	n/a	n/a	n/a	n/a	n/a	96%	n/a
IN	94%	687	94%	n/a	n/a	93%	n/a	n/a	97%	n/a
KS	89%	306	89%	n/a	89%	n/a	n/a	n/a	n/a	n/a
MI	91%	388	91%	n/a	n/a	n/a	n/a	n/a	91%	n/a
MN	85%	865	85%	n/a	n/a	n/a	85%	85%	n/a	n/a
MO	90%	1,169	90%	n/a	n/a	84%	95%	91%	n/a	n/a
NJ	86%	454	86%	64%	88%	n/a	n/a	n/a	n/a	n/a
OH	88%	328	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
OK	78%	424	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
TN	70%	352	76%	n/a	84%	n/a	n/a	n/a	n/a	46%
TX	69%	1,159	69%	n/a	69%	n/a	n/a	n/a	n/a	n/a
WA	85%	862	86%	n/a	n/a	86%	n/a	n/a	n/a	74%
WI	85%	977	86%	n/a	85%	88%	n/a	n/a	n/a	67%
Weighted NCI-AD Average	86%	9,226	86%	71%	79%	85%	88%	88%	93%	67%




Table 52. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	29%	411	29%	n/a	n/a	29%	n/a	n/a	n/a	n/a
DE	20%	748	20%	n/a	20%	n/a	n/a	n/a	n/a	20%
GA	17%	460	17%	n/a	n/a	n/a	n/a	n/a	17%	n/a
IN	30%	985	30%	n/a	n/a	33%	n/a	n/a	28%	n/a
KS	28%	388	28%	n/a	28%	n/a	n/a	n/a	n/a	n/a
MI	34%	622	34%	n/a	n/a	n/a	n/a	n/a	34%	n/a
MN	26%	1,104	26%	n/a	n/a	n/a	29%	23%	n/a	n/a
MO	30%	1,611	30%	n/a	n/a	27%	33%	30%	n/a	n/a
NJ	25%	638	25%	27%	25%	n/a	n/a	n/a	n/a	n/a
OH	34%	385	34%	n/a	n/a	n/a	n/a	34%	n/a	n/a
OK	23%	546	23%	n/a	n/a	23%	n/a	n/a	n/a	n/a
TN	26%	617	26%	n/a	23%	n/a	n/a	n/a	n/a	29%
TX	26%	1,476	26%	n/a	26%	n/a	n/a	n/a	n/a	n/a
WA	32%	1,201	28%	n/a	n/a	28%	n/a	n/a	n/a	51%
WI	27%	1,235	28%	n/a	29%	25%	n/a	n/a	n/a	21%
Weighted NCI-AD Average	28%	12,427	28%	31%	26%	28%	30%	27%	28%	34%




Table 53. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	84%	105	84%	n/a	n/a	87%	n/a	n/a	n/a	n/a
DE	81%	119	81%	n/a	81%	n/a	n/a	n/a	n/a	80%
GA	87%	60	87%	n/a	n/a	n/a	n/a	n/a	87%	n/a
IN	86%	194	86%	n/a	n/a	86%	n/a	n/a	82%	n/a
KS	88%	88	88%	n/a	88%	n/a	n/a	n/a	n/a	n/a
MI	81%	171	81%	n/a	n/a	n/a	n/a	n/a	81%	n/a
MN	88%	249	88%	n/a	n/a	n/a	90%	86%	n/a	n/a
MO	85%	342	85%	n/a	n/a	76%	90%	86%	n/a	n/a
NJ	89%	97	89%	93%	88%	n/a	n/a	n/a	n/a	n/a
OH	89%	114	89%	n/a	n/a	n/a	n/a	89%	n/a	n/a
OK	89%	104	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
TN	80%	91	81%	n/a	81%	n/a	n/a	n/a	n/a	n/a
TX	83%	312	83%	n/a	83%	n/a	n/a	n/a	n/a	n/a
WA	63%	236	63%	n/a	n/a	63%	n/a	n/a	n/a	63%
WI	81%	278	82%	n/a	78%	93%	n/a	n/a	n/a	72%
Weighted NCI-AD Average	82%	2,560	83%	95%	83%	78%	90%	87%	82%	68%




Table 54. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)*Proxy respondents were allowed for this question.*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	81%	115	81%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	91%	129	91%	n/a	91%	n/a	n/a	n/a	n/a	87%
GA	86%	70	86%	n/a	n/a	n/a	n/a	n/a	86%	n/a
IN	86%	269	86%	n/a	n/a	85%	n/a	n/a	87%	n/a
KS	89%	97	89%	n/a	89%	n/a	n/a	n/a	n/a	n/a
MI	85%	203	85%	n/a	n/a	n/a	n/a	n/a	85%	n/a
MN	81%	279	81%	n/a	n/a	n/a	86%	76%	n/a	n/a
MO	86%	406	86%	n/a	n/a	81%	85%	88%	n/a	n/a
NJ	83%	148	83%	86%	83%	n/a	n/a	n/a	n/a	n/a
OH	88%	120	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
OK	88%	115	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
TN	80%	147	82%	n/a	84%	n/a	n/a	n/a	n/a	77%
TX	80%	382	80%	n/a	80%	n/a	n/a	n/a	n/a	
WA	77%	295	78%	n/a	n/a	78%	n/a	n/a	n/a	75%
WI	89%	293	89%	n/a	88%	92%	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	84%	3,068	84%	86%	84%	81%	86%	83%	85%	77%

Choice and Control




Table 55. Feels in control of their life

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	70%	354	70%	n/a	n/a	69%	n/a	n/a	n/a	n/a
DE	71%	642	75%	n/a	75%	n/a	n/a	n/a	n/a	54%
GA	90%	375	90%	n/a	n/a	n/a	n/a	n/a	90%	n/a
IN	73%	746	73%	n/a	n/a	71%	n/a	n/a	74%	n/a
KS	71%	323	71%	n/a	71%	n/a	n/a	n/a	n/a	n/a
MI	74%	484	74%	n/a	n/a	n/a	n/a	n/a	74%	n/a
MN	76%	934	76%	n/a	n/a	n/a	77%	76%	n/a	n/a
MO	73%	1,230	73%	n/a	n/a	69%	75%	73%	n/a	n/a
NJ	72%	454	72%	87%	71%	n/a	n/a	n/a	n/a	n/a
OH	72%	336	72%	n/a	n/a	n/a	n/a	72%	n/a	n/a
OK	60%	457	60%	n/a	n/a	60%	n/a	n/a	n/a	n/a
TN	61%	375	66%	n/a	73%	n/a	n/a	n/a	n/a	44%
TX	65%	1,189	65%	n/a	65%	n/a	n/a	n/a	n/a	n/a
WA	71%	883	80%	n/a	n/a	80%	n/a	n/a	n/a	25%
WI	62%	1,062	65%	n/a	61%	73%	n/a	n/a	n/a	43%
Weighted NCI-AD Average	72%	9,844	73%	80%	66%	72%	76%	74%	79%	38%




Table 56. Able to furnish and decorate their room however they want to (if living a group setting)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	92%	29	92%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
DE	86%	297	93%	n/a	n/a	n/a	n/a	n/a	n/a	82%
IN	93%	27	93%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
KS	96%	26	96%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MN	94%	223	94%	n/a	n/a	n/a	96%	93%	n/a	n/a
MO	85%	235	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
NJ	88%	32	88%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
OK	100%	41	100%	n/a	n/a	100%	n/a	n/a	n/a	n/a
TN	86%	80	87%	n/a	n/a	n/a	n/a	n/a	n/a	86%
TX	76%	29	76%	n/a	76%	n/a	n/a	n/a	n/a	n/a
WA	70%	206	84%	n/a	n/a	84%	n/a	n/a	n/a	65%
WI	87%	246	90%	n/a	90%	n/a	n/a	n/a	n/a	82%
Weighted NCI-AD Average	87%	1,484	91%	n/a	89%	87%	96%	93%	n/a	77%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, MI, OH.




Table 57. Can choose or change their roommate (if living in a group setting and has a roommate)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
DE	12%	218	10%	n/a	10%	n/a	n/a	n/a	n/a	14%
MN	36%	44	36%	n/a	n/a	n/a	n/a	30%	n/a	n/a
MO	22%	154	22%	n/a	n/a	23%	n/a	n/a	n/a	n/a
TN	23%	53	21%	n/a	n/a	n/a	n/a	n/a	n/a	24%
WA	21%	111	18%	n/a	n/a	18%	n/a	n/a	n/a	21%
WI	13%	110	n/a	n/a	n/a	n/a	n/a	n/a	n/a	13%
Weighted NCI-AD Average	22%	739	24%	n/a	17%	33%	n/a	30%	n/a	19%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: CO, IN, KS, MI, NJ, OK, TX.




Table 58. Can get up and go to bed when they want to

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	94%	356	94%	n/a	n/a	95%	n/a	n/a	n/a	n/a
DE	88%	654	90%	n/a	90%	n/a	n/a	n/a	n/a	80%
GA	98%	374	98%	n/a	n/a	n/a	n/a	n/a	98%	n/a
IN	92%	725	92%	n/a	n/a	91%	n/a	n/a	93%	n/a
KS	94%	329	94%	n/a	94%	n/a	n/a	n/a	n/a	n/a
MI	94%	550	94%	n/a	n/a	n/a	n/a	n/a	94%	n/a
MN	93%	963	93%	n/a	n/a	n/a	96%	91%	n/a	n/a
MO	92%	1,276	92%	n/a	n/a	89%	95%	92%	n/a	n/a
NJ	91%	464	91%	95%	91%	n/a	n/a	n/a	n/a	n/a
OH	93%	341	93%	n/a	n/a	n/a	n/a	93%	n/a	n/a
OK	96%	457	96%	n/a	n/a	96%	n/a	n/a	n/a	n/a
TN	86%	377	88%	n/a	93%	n/a	n/a	n/a	n/a	74%
TX	85%	1,199	85%	n/a	85%	n/a	n/a	n/a	n/a	n/a
WA	94%	896	96%	n/a	n/a	96%	n/a	n/a	n/a	83%
WI	88%	1,096	90%	n/a	92%	86%	n/a	n/a	n/a	76%
Weighted NCI-AD Average	92%	10,057	93%	97%	89%	93%	96%	92%	95%	79%




Table 59. Can eat their meals when they want to

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	91%	353	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
DE	84%	650	91%	n/a	91%	n/a	n/a	n/a	n/a	58%
GA	98%	378	98%	n/a	n/a	n/a	n/a	n/a	98%	n/a
IN	93%	732	93%	n/a	n/a	91%	n/a	n/a	96%	n/a
KS	93%	328	93%	n/a	93%	n/a	n/a	n/a	n/a	n/a
MI	95%	543	95%	n/a	n/a	n/a	n/a	n/a	95%	n/a
MN	87%	957	87%	n/a	n/a	n/a	84%	89%	n/a	n/a
MO	91%	1,281	91%	n/a	n/a	73%	95%	95%	n/a	n/a
NJ	94%	462	94%	95%	94%	n/a	n/a	n/a	n/a	n/a
OH	93%	341	93%	n/a	n/a	n/a	n/a	93%	n/a	n/a
OK	89%	446	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
TN	75%	382	81%	n/a	92%	n/a	n/a	n/a	n/a	50%
TX	86%	1,202	86%	n/a	86%	n/a	n/a	n/a	n/a	n/a
WA	88%	900	95%	n/a	n/a	95%	n/a	n/a	n/a	51%
WI	85%	1,095	87%	n/a	86%	91%	n/a	n/a	n/a	65%
Weighted NCI-AD Average	90%	10,050	91%	81%	87%	90%	88%	92%	96%	56%

Self-Direction




Table 60. Uses self-directed supports option

Information may only come from existing records.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	30%	425	30%	n/a	n/a	34%	n/a	n/a	n/a	n/a
DE	37%	781	47%	n/a	47%	n/a	n/a	n/a	n/a	1%
GA	1%	489	1%	n/a	n/a	n/a	n/a	n/a	1%	n/a
IN	59%	884	59%	n/a	n/a	62%	n/a	n/a	62%	n/a
KS	63%	76	63%	n/a	63%	n/a	n/a	n/a	n/a	n/a
MI	69%	532	69%	n/a	n/a	n/a	n/a	n/a	69%	n/a
MN	4%	1,148	4%	n/a	n/a	n/a	2%	5%	n/a	n/a
MO	65%	1,226	65%	n/a	n/a	36%	47%	83%	n/a	n/a
NJ	35%	615	35%	54%	35%	n/a	n/a	n/a	n/a	n/a
OH	0%	399	0%	n/a	n/a	n/a	n/a	0%	n/a	n/a
OK	18%	571	18%	n/a	n/a	18%	n/a	n/a	n/a	n/a
TN	10%	662	14%	n/a	22%	n/a	n/a	n/a	n/a	0%
TX	11%	1,497	11%	n/a	11%	n/a	n/a	n/a	n/a	n/a
WA	83%	1,247	99%	n/a	n/a	99%	n/a	n/a	n/a	7%
WI	51%	1,033	51%	n/a	28%	100%	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	39%	11,585	40%	40%	22%	58%	14%	34%	43%	3%




Table 61. Can choose or change their services

Question changed in 2021-22; proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	76%	326	76%	n/a	n/a	78%	n/a	n/a	n/a	n/a
DE	77%	515	83%	n/a	83%	n/a	n/a	n/a	n/a	60%
GA	78%	241	78%	n/a	n/a	n/a	n/a	n/a	78%	n/a
IN	83%	810	83%	n/a	n/a	88%	n/a	n/a	73%	n/a
KS	79%	313	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
MI	82%	434	82%	n/a	n/a	n/a	n/a	n/a	82%	n/a
MN	78%	906	78%	n/a	n/a	n/a	78%	78%	n/a	n/a
MO	79%	1,565	79%	n/a	n/a	67%	83%	82%	n/a	n/a
NJ	69%	546	69%	77%	69%	n/a	n/a		n/a	n/a
OH	89%	310	89%	n/a	n/a	n/a	n/a	89%	n/a	n/a
OK	76%	440	76%	n/a	n/a	76%	n/a	n/a	n/a	n/a
TN	72%	535	75%	n/a	82%	n/a	n/a	n/a	n/a	61%
TX	69%	1,262	69%	n/a	69%	n/a	n/a	n/a	n/a	n/a
WA	68%	958	74%	n/a	n/a	74%	n/a	n/a	n/a	38%
WI	70%	1,038	72%	n/a	69%	80%	n/a	n/a	n/a	46%
Weighted NCI-AD Average	76%	10,199	77%	82%	71%	76%	80%	81%	80%	50%




Table 62. Can choose or change when and how often they receive services*Proxy respondents were allowed for this question*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	72%	348	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
DE	70%	518	74%	n/a	75%	n/a	n/a	n/a	n/a	60%
GA	74%	242	74%	n/a	n/a	n/a	n/a	n/a	74%	n/a
IN	83%	788	83%	n/a	n/a	88%	n/a	n/a	74%	n/a
KS	75%	322	75%	n/a	75%	n/a	n/a	n/a	n/a	n/a
MI	81%	422	81%	n/a	n/a	n/a	n/a	n/a	81%	n/a
MN	70%	894	70%	n/a	n/a	n/a	72%	69%	n/a	n/a
MO	74%	1,522	74%	n/a	n/a	61%	81%	75%	n/a	n/a
NJ	65%	552	65%	75%	65%	n/a	n/a	n/a	n/a	n/a
OH	82%	326	82%	n/a	n/a	n/a	n/a	82%	n/a	n/a
OK	69%	428	69%	n/a	n/a	69%	n/a	n/a	n/a	n/a
TN	67%	544	71%	n/a	80%	n/a	n/a	n/a	n/a	53%
TX	64%	1,254	64%	n/a	64%	n/a	n/a	n/a	n/a	n/a
WA	71%	973	78%	n/a	n/a	78%	n/a	n/a	n/a	40%
WI	58%	1,011	60%	n/a	56%	68%	n/a	n/a	n/a	40%
Weighted NCI-AD Average	71%	10,144	72%	70%	65%	74%	75%	73%	79%	46%




Table 63. Can choose or change the people who provide paid supports if wants

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	87%	259	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
DE	72%	357	79%	n/a	79%	n/a	n/a	n/a	n/a	48%
GA	74%	27	74%	n/a	n/a	n/a	n/a	n/a	74%	n/a
IN	87%	385	87%	n/a	n/a	88%	n/a	n/a	85%	n/a
KS	83%	230	83%	n/a	83%	n/a	n/a	n/a	n/a	n/a
MI	81%	229	81%	n/a	n/a	n/a	n/a	n/a	81%	n/a
MN	77%	662	77%	n/a	n/a	n/a	75%	78%	n/a	n/a
MO	86%	877	86%	n/a	n/a	70%	90%	91%	n/a	n/a
NJ	83%	333	83%	81%	83%	n/a	n/a	n/a	n/a	n/a
OH	93%	200	93%	n/a	n/a	n/a	n/a	93%	n/a	n/a
OK	83%	236	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
TN	65%	403	70%	n/a	83%	n/a	n/a	n/a	n/a	47%
TX	92%	954	92%	n/a	92%	n/a	n/a	n/a	n/a	n/a
WA	60%	772	64%	n/a	n/a	64%	n/a	n/a	n/a	40%
WI	68%	692	71%	n/a	62%	88%	n/a	n/a	n/a	35%
Weighted NCI-AD Average	79%	6,616	80%	81%	80%	78%	80%	84%	81%	42%

Satisfaction




Table 64. Services help them live the life they want

New question in 2021-2.2

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	86%	302	86%	n/a	n/a	87%	n/a	n/a	n/a	n/a
DE	86%	475	86%	n/a	86%	n/a	n/a	n/a	n/a	85%
GA	93%	198	93%	n/a	n/a	n/a	n/a	n/a	93%	n/a
IN	87%	673	87%	n/a	n/a	88%	n/a	n/a	77%	n/a
KS	96%	268	96%	n/a	96%	n/a	n/a	n/a	n/a	n/a
MI	88%	431	88%	n/a	n/a	n/a	n/a	n/a	88%	n/a
MN	87%	846	87%	n/a	n/a	n/a	92%	84%	n/a	n/a
MO	87%	1,173	87%	n/a	n/a	86%	88%	88%	n/a	n/a
NJ	96%	417	96%	99%	96%	n/a	n/a	n/a	n/a	n/a
OH	88%	295	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
OK	93%	412	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
TN	89%	345	89%	n/a	92%	n/a	n/a	n/a	n/a	84%
TX	90%	1,121	90%	n/a	90%	n/a	n/a	n/a	n/a	n/a
WA	85%	807	88%	n/a	n/a	88%	n/a	n/a	n/a	66%
WI	88%	925	89%	n/a	88%	93%	n/a	n/a	n/a	86%
Weighted NCI-AD Average	89%	8,688	89%	80%	91%	88%	91%	86%	88%	77%




Table 65. Case manager/care coordinator changes too often*New question in 2021-22.*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	34%	262	34%	n/a	n/a	32%	n/a	n/a	n/a	n/a
DE	42%	293	43%	n/a	43%	n/a	n/a	n/a	n/a	44%
GA	29%	63	29%	n/a	n/a	n/a	n/a	n/a	29%	n/a
IN	31%	494	31%	n/a	n/a	33%	n/a	n/a	26%	n/a
KS	27%	255	27%	n/a	27%	n/a	n/a	n/a	n/a	n/a
MI	39%	151	39%	n/a	n/a	n/a	n/a	n/a	39%	n/a
MN	28%	668	28%	n/a	n/a	n/a	19%	32%	n/a	n/a
MO	31%	549	31%	n/a	n/a	39%	36%	27%	n/a	n/a
NJ	20%	380	20%	11%	21%	n/a	n/a	n/a	n/a	n/a
OH	24%	273	24%	n/a	n/a	n/a	n/a	24%	n/a	n/a
OK	26%	368	26%	n/a	n/a	26%	n/a	n/a	n/a	n/a
TN	26%	299	25%	n/a	25%	n/a	n/a	n/a	n/a	29%
TX	37%	794	37%	n/a	37%	n/a	n/a	n/a	n/a	n/a
WA	33%	650	34%	n/a	n/a	34%	n/a	n/a	n/a	18%
WI	34%	561	34%	n/a	37%	26%	n/a	n/a	n/a	28%
Weighted NCI-AD Average	31%	6,060	31%	20%	32%	34%	23%	30%	36%	25%




Table 66. Paid support staff change too often

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	27%	217	27%	n/a		26%	n/a	n/a	n/a	n/a
DE	32%	311	27%	n/a	27%	n/a	n/a	n/a	n/a	49%
GA	13%	24	13%	n/a	n/a	n/a	n/a	n/a	13%	n/a
IN	42%	327	42%	n/a	n/a	42%	n/a	n/a	48%	n/a
KS	14%	206	14%	n/a	14%	n/a	n/a	n/a	n/a	n/a
MI	27%	216	27%	n/a	n/a	n/a	n/a	n/a	27%	n/a
MN	23%	600	23%	n/a	n/a	n/a	23%	22%	n/a	n/a
MO	20%	743	20%	n/a	n/a	35%	23%	12%	n/a	n/a
NJ	19%	266	19%	37%	18%	n/a	n/a	n/a	n/a	n/a
OH	15%	176	15%	n/a	n/a	n/a	n/a	15%	n/a	n/a
OK	41%	219	41%	n/a	n/a	41%	n/a	n/a	n/a	n/a
TN	38%	268	35%	n/a	28%	n/a	n/a	n/a	n/a	53%
TX	15%	810	15%	n/a	15%	n/a	n/a	n/a	n/a	n/a
WA	30%	639	27%	n/a	n/a	27%	n/a	n/a	n/a	47%
WI	23%	499	20%	n/a	24%	10%	n/a	n/a	n/a	55%
Weighted NCI-AD Average	25%	5,521	24%	37%	20%	30%	23%	18%	26%	50%




Table 67. Likes where they live

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	74%	362	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
DE	75%	668	79%	n/a	78%	n/a	n/a	n/a	n/a	61%
GA	93%	383	93%	n/a	n/a	n/a	n/a	n/a	93%	n/a
IN	82%	813	82%	n/a	n/a	81%	n/a	n/a	79%	n/a
KS	79%	334	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
MI	90%	650	90%	n/a	n/a	n/a	n/a	n/a	90%	n/a
MN	80%	983	80%	n/a	n/a	n/a	83%	78%	n/a	n/a
MO	84%	1,515	84%	n/a	n/a	81%	84%	86%	n/a	n/a
NJ	86%	468	86%	81%	86%	n/a	n/a	n/a	n/a	n/a
OH	84%	344	84%	n/a	n/a	n/a	n/a	84%	n/a	n/a
OK	88%	469	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
TN	80%	397	82%	n/a	86%	n/a	n/a	n/a	n/a	71%
TX	84%	1,205	84%	n/a	84%	n/a	n/a	n/a	n/a	n/a
WA	84%	921	91%	n/a	n/a	91%	n/a	n/a	n/a	48%
WI	74%	1,133	75%	n/a	76%	73%	n/a	n/a	n/a	69%
Weighted NCI-AD Average	83%	10,645	84%	79%	81%	81%	83%	82%	90%	61%




Table 68A. Reasons does not like where they live (if does not always live where they live)*Categories are not mutually exclusive.*

State	Accessibility of house or building	Feels unsafe in or dislikes the neighborhood	Feels unsafe in residence	Residence or building needs repairs or upkeep	Does not feel like home	Layout or size of residence or building	Problems with neighbors or other residents, housemates, roommates	N
CO	6%	22%	13%	11%	9%	14%	23%	95
DE	6%	17%	7%	13%	34%	10%	12%	175
GA	0%	7%	4%	22%	11%	7%	0%	27
IN	18%	24%	9%	16%	12%	8%	9%	137
KS	2%	10%	4%	24%	7%	4%	6%	71
MI	10%	12%	15%	25%	24%	3%	8%	57
MN	6%	18%	19%	13%	10%	11%	20%	184
MO	15%	19%	3%	14%	15%	9%	12%	252
NJ	19%	21%	12%	15%	11%	10%	5%	71
OH	9%	27%	7%	13%	11%	20%	20%	55
OK	1%	12%	2%	16%	5%	7%	16%	58
TN	8%	4%	3%	8%	20%	5%	5%	61
TX	9%	20%	15%	29%	11%	12%	13%	192
WA	1%	7%	5%	6%	22%	7%	12%	251
WI	14%	11%	8%	14%	20%	10%	9%	303
Weighted NCI-AD Average	9%	16%	10%	16%	15%	9%	12%	1,989

Table 68B. Reasons does not like where they live (if does not always live where they live)*Categories are not mutually exclusive.*

State	Problems with staff	Insufficient amount or type of staff	Wants more independence and control	Wants more privacy	Wants to be closer to family or friends	Feels isolated from the community or feels lonely	Affordability or cost of housing	Other	N
CO	8%	2%	8%	15%	5%	10%	10%	57%	95
DE	13%	6%	22%	17%	15%	7%	2%	34%	175
GA	0%	0%	7%	4%	7%	4%	19%	33%	27
IN	7%	4%	4%	6%	7%	6%	11%	27%	137
KS	4%	5%	4%	7%	8%	8%	13%	17%	71
MI	8%	7%	5%	7%	6%	7%	8%	32%	57
MN	12%	6%	6%	2%	8%	5%	6%	27%	184
MO	7%	0%	6%	11%	6%	7%	7%	19%	252
NJ	6%	3%	3%	9%	3%	0%	9%	40%	71
OH	0%	0%	2%	11%	0%	4%	0%	25%	55
OK	5%	0%	16%	13%	7%	3%	0%	22%	58
TN	7%	5%	21%	29%	11%	12%	1%	35%	61
TX	9%	2%	7%	9%	9%	5%	7%	39%	192
WA	18%	12%	25%	10%	8%	9%	4%	34%	251
WI	9%	1%	12%	9%	10%	7%	5%	35%	303
Weighted NCI-AD Average	9%	4%	9%	9%	8%	6%	7%	33%	1,989




Table 69. Wants to live somewhere else

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	46%	359	46%	n/a	n/a	44%	n/a	n/a	n/a	n/a
DE	43%	655	41%	n/a	41%	n/a	n/a	n/a	n/a	50%
GA	8%	379	8%	n/a	n/a	n/a	n/a	n/a	8%	n/a
IN	35%	784	35%	n/a	n/a	36%	n/a	n/a	36%	n/a
KS	31%	330	31%	n/a	31%	n/a	n/a	n/a	n/a	n/a
MI	25%	642	25%	n/a	n/a	n/a	n/a	n/a	25%	n/a
MN	38%	963	38%	n/a	n/a	n/a	31%	43%	n/a	n/a
MO	30%	1,498	30%	n/a	n/a	35%	28%	30%	n/a	n/a
NJ	22%	457	22%	27%	22%	n/a	n/a	n/a	n/a	n/a
OH	39%	337	39%	n/a	n/a	n/a	n/a	39%	n/a	n/a
OK	20%	448	20%	n/a	n/a	20%	n/a	n/a	n/a	n/a
TN	33%	394	30%	n/a	26%	n/a	n/a	n/a	n/a	41%
TX	33%	1,199	33%	n/a	33%	n/a	n/a	n/a	n/a	n/a
WA	45%	912	40%	n/a	n/a	40%	n/a	n/a	n/a	69%
WI	39%	1,122	39%	n/a	35%	48%	n/a	n/a	n/a	45%
Weighted NCI-AD Average	32%	10,479	31%	26%	32%	40%	29%	37%	20%	54%




Table 70. Where person would prefer to live (if wants to live somewhere else)

Question responses changed in 2021-22.

State	Different kind of home	Live independently	With or closer to family	In a different neighborhood	A different type of geography or climate	Other	N
CO	25%	10%	7%	19%	31%	39%	164
DE	38%	23%	23%	17%	16%	19%	284
GA	27%	17%	10%	20%	0%	30%	30
IN	46%	6%	9%	20%	27%	13%	243
KS	37%	12%	12%	16%	12%	5%	104
MI	31%	3%	15%	12%	38%	9%	141
MN	30%	17%	13%	21%	17%	19%	343
MO	42%	15%	12%	21%	16%	12%	502
NJ	24%	10%	10%	23%	15%	32%	105
OH	38%	8%	7%	21%	29%	9%	130
OK	24%	18%	6%	38%	16%	13%	87
TN	25%	25%	24%	14%	9%	15%	115
TX	45%	10%	12%	17%	11%	32%	393
WA	15%	26%	10%	5%	19%	37%	384
WI	43%	18%	12%	20%	13%	22%	470
Weighted NCI-AD Average	33%	15%	12%	17%	20%	22%	3,495




Table 71. Paid support staff do things the way they want them done

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	83%	231	83%	n/a	n/a	86%	n/a	n/a	n/a	n/a
DE	77%	341	83%	n/a	83%	n/a	n/a	n/a	n/a	61%
GA	85%	26	85%	n/a	n/a	n/a	n/a	n/a	85%	n/a
IN	77%	342	77%	n/a	n/a	76%	n/a	n/a	75%	n/a
KS	88%	208	88%	n/a	88%	n/a	n/a	n/a	n/a	n/a
MI	85%	223	85%	n/a	n/a	n/a	n/a	n/a	85%	n/a
MN	82%	626	82%	n/a	n/a	n/a	87%	80%	n/a	n/a
MO	90%	770	90%	n/a	n/a	81%	90%	94%	n/a	n/a
NJ	88%	270	88%	81%	89%	n/a	n/a	n/a	n/a	n/a
OH	87%	186	87%	n/a	n/a	n/a	n/a	87%	n/a	n/a
OK	80%	215	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
TN	79%	269	81%	n/a	86%	n/a	n/a	n/a	n/a	70%
TX	91%	866	91%	n/a	91%	n/a	n/a	n/a	n/a	n/a
WA	82%	680	85%	n/a	n/a	85%	n/a	n/a	n/a	63%
WI	85%	655	86%	n/a	81%	95%	n/a	n/a	n/a	70%
Weighted NCI-AD Average	85%	5,908	85%	81%	87%	82%	88%	86%	84%	66%




Table 72. Usually likes how they spend their time during the day

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	58%	356	58%	n/a	n/a	58%	n/a	n/a	n/a	n/a
DE	62%	648	65%	n/a	65%	n/a	n/a	n/a	n/a	52%
GA	77%	370	77%	n/a	n/a	n/a	n/a	n/a	77%	n/a
IN	58%	679	58%	n/a	n/a	56%	n/a	n/a	62%	n/a
KS	61%	326	61%	n/a	61%	n/a	n/a	n/a	n/a	n/a
MI	67%	548	67%	n/a	n/a	n/a	n/a	n/a	67%	n/a
MN	66%	958	66%	n/a	n/a	n/a	69%	64%	n/a	n/a
MO	66%	1,242	66%	n/a	n/a	62%	66%	68%	n/a	n/a
NJ	59%	455	59%	67%	58%	n/a	n/a	n/a	n/a	n/a
OH	59%	343	59%	n/a	n/a	n/a	n/a	59%	n/a	n/a
OK	60%	457	60%	n/a	n/a	60%	n/a	n/a	n/a	n/a
TN	62%	376	63%	n/a	67%	n/a	n/a	n/a	n/a	54%
TX	62%	1,193	62%	n/a	62%	n/a	n/a	n/a	n/a	n/a
WA	61%	883	65%	n/a	n/a	65%	n/a	n/a	n/a	40%
WI	58%	1,094	59%	n/a	57%	62%	n/a	n/a	n/a	52%
Weighted NCI-AD Average	64%	9,928	64%	77%	60%	61%	68%	65%	70%	48%

Technology




Table 73. Has access to the internet

New question in 2021-22; proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	78%	415	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
DE	76%	730	82%	n/a	82%	n/a	n/a	n/a	n/a	55%
GA	43%	464	43%	n/a	n/a	n/a	n/a	n/a	43%	n/a
IN	70%	896	70%	n/a	n/a	74%	n/a	n/a	58%	n/a
KS	67%	395	67%	n/a	67%	n/a	n/a	n/a	n/a	n/a
MI	52%	537	52%	n/a	n/a	n/a	n/a	n/a	52%	n/a
MN	75%	1,102	75%	n/a	n/a	n/a	62%	84%	n/a	n/a
MO	61%	1,688	61%	n/a	n/a	51%	53%	67%	n/a	n/a
NJ	60%	642	60%	46%	61%	n/a	n/a	n/a	n/a	n/a
OH	86%	390	86%	n/a	n/a	n/a	n/a	86%	n/a	n/a
OK	70%	556	70%	n/a	n/a	70%	n/a	n/a	n/a	n/a
TN	54%	617	57%	n/a	64%	n/a	n/a	n/a	n/a	44%
TX	62%	1,484	62%	n/a	62%	n/a	n/a	n/a	n/a	n/a
WA	72%	1,200	75%	n/a	n/a	75%	n/a	n/a	n/a	58%
WI	66%	1,248	65%	n/a	64%	69%	n/a	n/a	n/a	70%
Weighted NCI-AD Average	64%	12,364	64%	47%	63%	73%	59%	77%	49%	56%




Table 74. Frequency with which people use the internet

New question in 2021-22; proxy respondents were allowed for this question.

State	Don't use it at all	Daily	Several times a week	Several times a month	Several times a year	N
CO	14%	63%	15%	5%	2%	339
DE	25%	52%	13%	9%	2%	536
GA	23%	39%	21%	11%	6%	204
IN	20%	62%	12%	4%	1%	594
KS	18%	59%	16%	5%	1%	264
MI	10%	63%	15%	11%	1%	287
MN	15%	64%	12%	6%	3%	795
MO	12%	64%	13%	8%	2%	985
NJ	29%	35%	23%	10%	4%	380
OH	6%	80%	8%	5%	0%	335
OK	19%	62%	13%	4%	2%	389
TN	43%	42%	9%	3%	2%	362
TX	29%	49%	13%	6%	2%	924
WA	17%	67%	13%	2%	1%	858
WI	22%	52%	14%	7%	4%	846
Weighted NCI-AD Average	19%	58%	14%	6%	2%	8,098




Table 75. Always has a stable internet connection

New question in 2021-22; proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	79%	330	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
DE	87%	499	87%	n/a	87%	n/a	n/a	n/a	n/a	84%
GA	93%	179	93%	n/a	n/a	n/a	n/a	n/a	93%	n/a
IN	90%	582	90%	n/a	n/a	92%	n/a	n/a	86%	n/a
KS	90%	237	90%	n/a	90%	n/a	n/a	n/a	n/a	n/a
MI	80%	271	80%	n/a	n/a	n/a	n/a	n/a	80%	n/a
MN	85%	720	85%	n/a	n/a	n/a	88%	84%	n/a	n/a
MO	88%	981	88%	n/a	n/a	83%	90%	89%	n/a	n/a
NJ	87%	366	87%	86%	87%	n/a	n/a	n/a	n/a	n/a
OH	82%	330	82%	n/a	n/a	n/a	n/a	82%	n/a	n/a
OK	81%	363	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
TN	81%	333	82%	n/a	84%	n/a	n/a	n/a	n/a	76%
TX	82%	878	82%	n/a	82%	n/a	n/a	n/a	n/a	n/a
WA	86%	824	86%	n/a	n/a	86%	n/a	n/a	n/a	84%
WI	89%	751	88%	n/a	87%	90%	n/a	n/a	n/a	96%
Weighted NCI-AD Average	85%	7,644	85%	89%	85%	84%	88%	86%	85%	84%




Table 76. Has talked to health professionals using video conference/telehealth

New question in 2021-22; proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	53%	410	53%	n/a	n/a	50%	n/a	n/a	n/a	n/a
DE	52%	744	59%	n/a	59%	n/a	n/a	n/a	n/a	23%
GA	22%	464	22%	n/a	n/a	n/a	n/a	n/a	22%	n/a
IN	46%	913	46%	n/a	n/a	51%	n/a	n/a	34%	n/a
KS	38%	379	38%	n/a	38%	n/a	n/a	n/a	n/a	n/a
MI	32%	521	32%	n/a	n/a	n/a	n/a	n/a	32%	n/a
MN	51%	1,105	51%	n/a	n/a	n/a	36%	61%	n/a	n/a
MO	35%	1,535	35%	n/a	n/a	35%	24%	39%	n/a	n/a
NJ	44%	642	44%	11%	45%	n/a	n/a	n/a	n/a	n/a
OH	71%	391	71%	n/a	n/a	n/a	n/a	71%	n/a	n/a
OK	46%	545	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
TN	33%	611	38%	n/a	48%	n/a	n/a	n/a	n/a	18%
TX	60%	1,485	60%	n/a	60%	n/a	n/a	n/a	n/a	n/a
WA	52%	1,198	57%	n/a	n/a	57%	n/a	n/a	n/a	29%
WI	40%	1,228	43%	n/a	42%	48%	n/a	n/a	n/a	16%
Weighted NCI-AD Average	43%	12,171	44%	9%	48%	53%	32%	52%	28%	22%

Access to Needed Equipment




Table 77. Needs grab bars in the bathroom or elsewhere in their home but do not have them*Proxy respondents were allowed for this question.*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	15%	419	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
DE	6%	750	7%	n/a	7%	n/a	n/a	n/a	n/a	2%
GA	20%	477	20%	n/a	n/a	n/a	n/a	n/a	20%	n/a
IN	16%	1,092	16%	n/a	n/a	17%	n/a	n/a	16%	n/a
KS	10%	397	10%	n/a	10%	n/a	n/a	n/a	n/a	n/a
MI	5%	746	5%	n/a	n/a	n/a	n/a	n/a	5%	n/a
MN	12%	1,129	12%	n/a	n/a	n/a	8%	14%	n/a	n/a
MO	17%	1,852	17%	n/a	n/a	11%	13%	20%	n/a	n/a
NJ	7%	669	7%	0%	7%	n/a	n/a	n/a	n/a	n/a
OH	14%	397	14%	n/a	n/a	n/a	n/a	14%	n/a	n/a
OK	2%	558	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
TN	4%	630	5%	n/a	8%	n/a	n/a	n/a	n/a	0%
TX	21%	1,484	21%	n/a	21%	n/a	n/a	n/a	n/a	n/a
WA	3%	1,214	3%	n/a	n/a	3%	n/a	n/a	n/a	2%
WI	7%	1,286	8%	n/a	5%	16%	n/a	n/a	n/a	0%
Weighted NCI-AD Average	11%	13,100	11%	0%	11%	9%	10%	17%	10%	1%




Table 78. Needs other bathroom modifications but do not have them

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	19%	418	19%	n/a	n/a	20%	n/a	n/a	n/a	n/a
DE	9%	752	10%	n/a	10%	n/a	n/a	n/a	n/a	0%
GA	14%	474	14%	n/a	n/a	n/a	n/a	n/a	14%	n/a
IN	19%	1,011	19%	n/a	n/a	19%	n/a	n/a	25%	n/a
KS	8%	394	8%	n/a	8%	n/a	n/a	n/a	n/a	n/a
MI	7%	560	7%	n/a	n/a	n/a	n/a	n/a	7%	n/a
MN	11%	1,121	11%	n/a	n/a	n/a	7%	14%	n/a	n/a
MO	16%	1,798	16%	n/a	n/a	13%	15%	18%	n/a	n/a
NJ	3%	656	3%	0%	3%	n/a	n/a		n/a	n/a
OH	15%	395	15%	n/a	n/a	n/a	n/a	15%	n/a	n/a
OK	2%	550	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
TN	7%	627	9%	n/a	14%	n/a	n/a	n/a	n/a	1%
TX	18%	1,482	18%	n/a	18%	n/a	n/a	n/a	n/a	n/a
WA	11%	1,199	12%	n/a	n/a	12%	n/a	n/a	n/a	3%
WI	11%	1,283	12%	n/a	11%	15%	n/a	n/a	n/a	0%
Weighted NCI-AD Average	12%	12,720	12%	0%	11%	13%	10%	16%	11%	1%




Table 79. Needs a shower chair but do not have one

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	7%	420	7%	n/a	n/a	8%	n/a	n/a	n/a	n/a
DE	7%	761	9%	n/a	8%	n/a	n/a	n/a		1%
GA	19%	479	19%	n/a	n/a	n/a	n/a	n/a	19%	n/a
IN	10%	951	10%	n/a	n/a	10%	n/a	n/a	11%	n/a
KS	4%	400	4%	n/a	4%	n/a	n/a	n/a	n/a	n/a
MI	4%	561	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
MN	6%	1,124	6%	n/a	n/a	n/a	3%	7%	n/a	n/a
MO	12%	1,717	12%	n/a	n/a	6%	11%	14%	n/a	n/a
NJ	4%	654	4%	0%	4%	n/a	n/a	n/a	n/a	n/a
OH	6%	393	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
OK	1%	555	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
TN	3%	623	4%	n/a	5%	n/a	n/a	n/a	n/a	2%
TX	14%	1,486	14%	n/a	14%	n/a	n/a	n/a	n/a	n/a
WA	2%	1,219	2%	n/a	n/a	2%	n/a	n/a	n/a	1%
WI	3%	1,275	3%	n/a	2%	5%	n/a	n/a	n/a	1%
Weighted NCI-AD Average	7%	12,618	7%	0%	7%	5%	6%	10%	9%	1%




Table 80. Needs a specialized bed but do not have one

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	14%	417	14%	n/a	n/a	13%	n/a	n/a	n/a	n/a
DE	6%	771	8%	n/a	8%	n/a	n/a	n/a	n/a	1%
GA	4%	476	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
IN	14%	1,015	14%	n/a	n/a	16%	n/a	n/a	12%	n/a
KS	5%	398	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	4%	543	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
MN	11%	1,125	11%	n/a	n/a	n/a	7%	15%	n/a	n/a
MO	13%	1,798	13%	n/a	n/a	10%	12%	15%	n/a	n/a
NJ	3%	666	3%	0%	3%	n/a	n/a	n/a	n/a	n/a
OH	5%	397	5%	n/a	n/a	n/a	n/a	5%	n/a	n/a
OK	2%	559	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
TN	3%	635	4%	n/a	6%	n/a	n/a	n/a	n/a	1%
TX	16%	1,481	16%	n/a	16%	n/a	n/a	n/a	n/a	n/a
WA	7%	1,216	8%	n/a	n/a	8%	n/a	n/a	n/a	4%
WI	6%	1,285	6%	n/a	5%	9%	n/a	n/a	n/a	0%
Weighted NCI-AD Average	8%	12,782	9%	0%	8%	11%	8%	14%	4%	2%




Table 81. Needs a ramp (either inside or outside of the residence) but do not have one

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	11%	418	11%	n/a	n/a	12%	n/a	n/a	n/a	n/a
DE	6%	743	7%	n/a	7%	n/a	n/a	n/a	n/a	1%
GA	10%	478	10%	n/a	n/a	n/a	n/a	n/a	10%	n/a
IN	12%	1,003	12%	n/a	n/a	14%	n/a	n/a	9%	n/a
KS	5%	398	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	7%	566	7%	n/a	n/a	n/a	n/a	n/a	7%	n/a
MN	5%	1,124	5%	n/a	n/a	n/a	5%	5%	n/a	n/a
MO	9%	1,820	9%	n/a	n/a	7%	10%	9%	n/a	n/a
NJ	3%	655	3%	0%	3%	n/a	n/a	n/a	n/a	n/a
OH	8%	397	8%	n/a	n/a	n/a	n/a	8%	n/a	n/a
OK	3%	557	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
TN	3%	627	4%	n/a	7%	n/a	n/a	n/a	n/a	0%
TX	12%	1,483	12%	n/a	12%	n/a	n/a	n/a	n/a	n/a
WA	6%	1,212	7%	n/a	n/a	7%	n/a	n/a	n/a	2%
WI	7%	1,281	8%	n/a	5%	13%	n/a	n/a	n/a	0%
Weighted NCI-AD Average	7%	12,762	8%	0%	7%	8%	7%	7%	8%	1%




Table 82. Needs other home modification that does not have

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	49%	93	49%	n/a	n/a	48%	n/a	n/a	n/a	n/a
DE	39%	83	42%	n/a	43%	n/a	n/a	n/a	n/a	n/a
GA	3%	423	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
IN	19%	295	19%	n/a	n/a	20%	n/a	n/a	13%	n/a
KS	2%	306	2%	n/a	2%	n/a	n/a	n/a	n/a	n/a
MI	12%	102	12%	n/a	n/a	n/a	n/a	n/a	12%	n/a
MN	39%	113	39%	n/a	n/a	n/a	36%	40%	n/a	n/a
MO	10%	679	10%	n/a	n/a	7%	9%	11%	n/a	n/a
NJ	1%	459	1%	0%	1%	n/a	n/a	n/a	n/a	n/a
OH	4%	226	4%	n/a	n/a	n/a	n/a	4%	n/a	n/a
OK	0%	350	0%	n/a	n/a	0%	n/a	n/a	n/a	n/a
TN	6%	456	7%	n/a	12%	n/a	n/a	n/a	n/a	2%
TX	13%	1,141	13%	n/a	13%	n/a	n/a	n/a	n/a	n/a
WA	12%	700	13%	n/a	n/a	13%	n/a	n/a	n/a	0%
WI	30%	99	32%	n/a	26%	44%	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	11%	5,525	11%	0%	8%	17%	16%	15%	5%	1%




Table 83. Needs a wheelchair but do not have one

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	5%	419	5%	n/a	n/a	6%	n/a	n/a	n/a	n/a
DE	3%	767	3%	n/a	3%	n/a	n/a	n/a	n/a	3%
GA	3%	477	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
IN	7%	1,049	7%	n/a	n/a	8%	n/a	n/a	6%	n/a
KS	4%	396	4%	n/a	4%	n/a	n/a	n/a	n/a	n/a
MI	3%	614	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
MN	4%	1,127	4%	n/a	n/a	n/a	5%	4%	n/a	n/a
MO	8%	1,776	8%	n/a	n/a	5%	7%	9%	n/a	n/a
NJ	2%	669	2%	0%	2%	n/a	n/a	n/a	n/a	n/a
OH	7%	392	7%	n/a	n/a	n/a	n/a	7%	n/a	n/a
OK	1%	559	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
TN	4%	633	4%	n/a	6%	n/a	n/a	n/a	n/a	1%
TX	11%	1,485	11%	n/a	11%	n/a	n/a	n/a	n/a	n/a
WA	6%	1,232	6%	n/a	n/a	6%	n/a	n/a	n/a	7%
WI	4%	1,273	5%	n/a	4%	7%	n/a	n/a	n/a	0%
Weighted NCI-AD Average	5%	12,868	5%	0%	6%	6%	5%	7%	3%	3%




Table 84. Needs a scooter but do not have one

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	18%	420	18%	n/a	n/a	19%	n/a	n/a	n/a	n/a
DE	9%	765	10%	n/a	10%	n/a	n/a	n/a	n/a	6%
GA	6%	475	6%	n/a	n/a	n/a	n/a	n/a	6%	n/a
IN	7%	1,020	7%	n/a	n/a	8%	n/a	n/a	6%	n/a
KS	5%	395	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	6%	591	6%	n/a	n/a	n/a	n/a	n/a	6%	n/a
MN	9%	1,117	9%	n/a	n/a	n/a	8%	10%	n/a	n/a
MO	8%	1,749	8%	n/a	n/a	7%	6%	10%	n/a	n/a
NJ	2%	653	2%	0%	2%	n/a	n/a	n/a	n/a	n/a
OH	8%	393	8%	n/a	n/a	n/a	n/a	8%	n/a	n/a
OK	3%	542	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
TN	7%	619	8%	n/a	11%	n/a	n/a	n/a	n/a	4%
TX	18%	1,474	18%	n/a	18%	n/a	n/a	n/a	n/a	n/a
WA	6%	1,223	7%	n/a	n/a	7%	n/a	n/a	n/a	2%
WI	10%	1,277	10%	n/a	8%	16%	n/a	n/a	n/a	7%
Weighted NCI-AD Average	9%	12,713	9%	0%	10%	10%	7%	10%	6%	4%




Table 85. Needs a walker but do not have one

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	5%	419	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
DE	3%	763	3%	n/a	3%	n/a	n/a	n/a	n/a	3%
GA	4%	477	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
IN	5%	1,060	5%	n/a	n/a	5%	n/a	n/a	7%	n/a
KS	2%	400	2%	n/a	2%	n/a	n/a	n/a	n/a	n/a
MI	2%	662	2%	n/a	n/a	n/a	n/a	n/a	2%	n/a
MN	4%	1,128	4%	n/a	n/a	n/a	2%	4%	n/a	n/a
MO	6%	1,775	6%	n/a	n/a	2%	5%	8%	n/a	n/a
NJ	1%	665	1%	0%	1%	n/a	n/a	n/a	n/a	n/a
OH	4%	395	4%	n/a	n/a	n/a	n/a	4%	n/a	n/a
OK	1%	559	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
TN	3%	632	3%	n/a	3%	n/a	n/a	n/a	n/a	3%
TX	8%	1,482	8%	n/a	8%	n/a	n/a	n/a	n/a	n/a
WA	2%	1,232	1%	n/a	n/a	1%	n/a	n/a	n/a	3%
WI	2%	1,278	2%	n/a	2%	3%	n/a	n/a	n/a	1%
Weighted NCI-AD Average	4%	12,927	4%	0%	4%	3%	3%	6%	3%	3%




Table 86. Needs hearing aids but do not have them

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	13%	414	13%	n/a	n/a	13%	n/a	n/a	n/a	n/a
DE	7%	763	6%	n/a	6%	n/a	n/a	n/a	n/a	6%
GA	8%	476	8%	n/a	n/a	n/a	n/a	n/a	8%	n/a
IN	11%	972	11%	n/a	n/a	12%	n/a	n/a	11%	n/a
KS	5%	394	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	9%	565	9%	n/a	n/a	n/a	n/a	n/a	9%	n/a
MN	7%	1,116	7%	n/a	n/a	n/a	9%	6%	n/a	n/a
MO	7%	1,720	7%	n/a	n/a	6%	10%	7%	n/a	n/a
NJ	4%	654	4%	1%	4%	n/a	n/a	n/a	n/a	n/a
OH	5%	392	5%	n/a	n/a	n/a	n/a	5%	n/a	n/a
OK	3%	556	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
TN	7%	629	7%	n/a	7%	n/a	n/a	n/a	n/a	8%
TX	16%	1,466	16%	n/a	16%	n/a	n/a	n/a	n/a	n/a
WA	4%	1,209	3%	n/a	n/a	3%	n/a	n/a	n/a	10%
WI	5%	1,272	5%	n/a	4%	7%	n/a	n/a	n/a	4%
Weighted NCI-AD Average	8%	12,598	8%	1%	8%	7%	9%	6%	9%	7%




Table 87. Needs glasses, but do not have them

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	11%	417	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
DE	6%	761	7%	n/a	7%	n/a	n/a	n/a	n/a	5%
GA	8%	474	8%	n/a	n/a	n/a	n/a	n/a	8%	n/a
IN	9%	953	9%	n/a	n/a	10%	n/a	n/a	10%	n/a
KS	1%	399	1%	n/a	1%	n/a	n/a	n/a	n/a	n/a
MI	6%	555	6%	n/a	n/a	n/a	n/a	n/a	6%	n/a
MN	4%	1,126	4%	n/a	n/a	n/a	3%	4%	n/a	n/a
MO	7%	1,714	7%	n/a	n/a	5%	6%	8%	n/a	n/a
NJ	4%	657	4%	0%	4%	n/a	n/a	n/a	n/a	n/a
OH	6%	396	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
OK	1%	558	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
TN	8%	623	8%	n/a	9%	n/a	n/a	n/a	n/a	7%
TX	10%	1,464	10%	n/a	10%	n/a	n/a	n/a	n/a	n/a
WA	3%	1,215	2%	n/a	n/a	2%	n/a	n/a	n/a	9%
WI	3%	1,272	3%	n/a	3%	3%	n/a	n/a	n/a	0%
Weighted NCI-AD Average	6%	12,584	6%	0%	6%	6%	4%	6%	7%	6%




Table 88. Needs a personal emergency response system but do not have one*Proxy respondents were allowed for this question.*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	9%	415	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
DE	8%	759	9%	n/a	9%	n/a	n/a	n/a	n/a	2%
GA	26%	473	26%	n/a	n/a	n/a	n/a	n/a	26%	n/a
IN	12%	968	12%	n/a	n/a	10%	n/a	n/a	26%	n/a
KS	5%	393	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	7%	598	7%	n/a	n/a	n/a	n/a	n/a	7%	n/a
MN	8%	1,116	8%	n/a	n/a	n/a	6%	9%	n/a	n/a
MO	24%	1,709	24%	n/a	n/a	19%	23%	26%	n/a	n/a
NJ	4%	647	4%	1%	4%	n/a	n/a	n/a	n/a	n/a
OH	3%	394	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
OK	2%	559	2%	n/a	n/a	2%		n/a	n/a	n/a
TN	8%	629	9%	n/a	14%	n/a	n/a	n/a	n/a	3%
TX	15%	1,471	15%	n/a	15%	n/a	n/a	n/a	n/a	n/a
WA	3%	1,207	2%	n/a	n/a	2%	n/a	n/a	n/a	4%
WI	11%	1,270	12%	n/a	10%	19%	n/a	n/a	n/a	4%
Weighted NCI-AD Average	11%	12,608	11%	1%	9%	8%	12%	16%	14%	3%




Table 89. Needs an oxygen machine but do not have one

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	3%	416	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
DE	1%	770	1%	n/a	1%	n/a	n/a	n/a	n/a	1%
GA	1%	472	1%	n/a	n/a	n/a	n/a	n/a	1%	n/a
IN	2%	962	2%	n/a	n/a	3%	n/a	n/a	2%	n/a
KS	0%	398	0%	n/a	0%	n/a	n/a	n/a	n/a	n/a
MI	3%	554	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
MN	2%	1,124	2%	n/a	n/a	n/a	2%	1%	n/a	n/a
MO	3%	1,719	3%	n/a	n/a	2%	4%	3%	n/a	n/a
NJ	1%	645	1%	0%	1%	n/a	n/a	n/a	n/a	n/a
OH	0%	396	0%	n/a	n/a	n/a	n/a	0%	n/a	n/a
OK	0%	539	0%	n/a	n/a	0%	n/a	n/a	n/a	n/a
TN	2%	627	2%	n/a	3%	n/a	n/a	n/a	n/a	1%
TX	5%	1,478	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
WA	1%	1,234	1%	n/a	n/a	1%	n/a	n/a	n/a	1%
WI	1%	1,275	1%	n/a	1%	3%				1%
Weighted NCI-AD Average	2%	12,609	2%	0%	2%	2%	2%	2%	2%	1%




Table 90. Needs other equipment but do not have one*Proxy respondents were allowed for this question.*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	44%	121	44%	n/a	n/a	44%	n/a	n/a	n/a	n/a
DE	33%	85	36%	n/a	37%	n/a	n/a	n/a	n/a	n/a
GA	2%	415	2%	n/a	n/a	n/a	n/a	n/a	2%	n/a
IN	19%	296	19%	n/a	n/a	17%	n/a	n/a	16%	n/a
KS	1%	290	1%	n/a	1%	n/a	n/a	n/a	n/a	n/a
MI	12%	88	12%	n/a	n/a	n/a	n/a	n/a	12%	n/a
MN	27%	190	27%	n/a	n/a	n/a	27%	27%	n/a	n/a
MO	5%	667	5%	n/a	n/a	5%	6%	4%	n/a	n/a
NJ	3%	459	3%	0%	4%	n/a	n/a	n/a	n/a	n/a
OH	6%	243	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
OK	0%	358	0%	n/a	n/a	0%	n/a	n/a	n/a	n/a
TN	10%	439	11%	n/a	16%	n/a	n/a	n/a	n/a	5%
TX	17%	1,161	17%	n/a	17%	n/a	n/a	n/a	n/a	n/a
WA	15%	727	16%	n/a	n/a	16%	n/a	n/a	n/a	7%
WI	15%	268	15%	n/a	11%	20%	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	11%	5,807	11%	0%	11%	17%	14%	11%	4%	6%

Medications




Table 91. Knows what prescription medications are for

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	87%	346	87%	n/a	n/a	89%	n/a	n/a	n/a	n/a
DE	84%	629	89%	n/a	89%	n/a	n/a	n/a	n/a	68%
GA	97%	365	97%	n/a	n/a	n/a	n/a	n/a	97%	n/a
IN	93%	720	93%	n/a	n/a	93%	n/a	n/a	97%	n/a
KS	89%	312	89%	n/a	89%	n/a	n/a	n/a	n/a	n/a
MI	94%	458	94%	n/a	n/a	n/a	n/a	n/a	94%	n/a
MN	83%	927	83%	n/a	n/a	n/a	80%	85%	n/a	n/a
MO	92%	1,216	92%	n/a	n/a	83%	93%	94%	n/a	n/a
NJ	86%	460	86%	64%	88%	n/a	n/a	n/a	n/a	n/a
OH	88%	337	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
OK	85%	454	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
TN	72%	371	77%	n/a	86%	n/a	n/a	n/a	n/a	50%
TX	73%	1,201	73%	n/a	73%	n/a	n/a	n/a	n/a	n/a
WA	88%	879	94%	n/a	n/a	94%	n/a	n/a	n/a	58%
WI	75%	1,055	77%	n/a	74%	86%	n/a	n/a	n/a	53%
Weighted NCI-AD Average	86%	9,730	87%	53%	78%	88%	84%	89%	95%	56%




Table 92. Takes medications to help feel less sad or depressed

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	45%	404	45%	n/a	n/a	39%	n/a	n/a	n/a	n/a
DE	41%	706	41%	n/a	42%	n/a	n/a	n/a	n/a	39%
GA	19%	456	19%	n/a	n/a	n/a	n/a	n/a	19%	n/a
IN	47%	979	47%	n/a	n/a	51%	n/a	n/a	37%	n/a
KS	41%	357	41%	n/a	41%	n/a	n/a	n/a	n/a	n/a
MI	39%	467	39%	n/a	n/a	n/a	n/a	n/a	39%	n/a
MN	46%	1,060	46%	n/a	n/a	n/a	37%	54%	n/a	n/a
MO	46%	1,631	46%	n/a	n/a	59%	46%	41%	n/a	n/a
NJ	32%	597	32%	38%	32%	n/a	n/a	n/a	n/a	n/a
OH	55%	386	55%	n/a	n/a	n/a	n/a	55%	n/a	n/a
OK	48%	515	48%	n/a	n/a	48%	n/a	n/a	n/a	n/a
TN	58%	571	56%	n/a	50%	n/a	n/a	n/a	n/a	67%
TX	47%	1,461	47%	n/a	47%	n/a	n/a	n/a	n/a	n/a
WA	31%	1,142	27%	n/a	n/a	27%	n/a	n/a	n/a	55%
WI	46%	1,181	46%	n/a	49%	40%	n/a	n/a	n/a	44%
Weighted NCI-AD Average	41%	11,913	41%	41%	45%	45%	40%	48%	31%	55%

Health Care




Table 93. Has access to mental health services if they want them

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	94%	332	94%	n/a	n/a	93%	n/a	n/a	n/a	n/a
DE	86%	559	87%	n/a	87%	n/a	n/a	n/a	n/a	85%
GA	91%	336	91%	n/a	n/a	n/a	n/a	n/a	91%	n/a
IN	90%	659	90%	n/a	n/a	91%	n/a	n/a	80%	n/a
KS	92%	266	92%	n/a	92%	n/a	n/a	n/a	n/a	n/a
MI	89%	347	89%	n/a	n/a	n/a	n/a	n/a	89%	n/a
MN	94%	883	94%	n/a	n/a	n/a	92%	95%	n/a	n/a
MO	92%	1,146	92%	n/a	n/a	90%	91%	92%	n/a	n/a
NJ	87%	374	87%	85%	87%	n/a	n/a	n/a	n/a	n/a
OH	95%	322	95%	n/a	n/a	n/a	n/a	95%	n/a	n/a
OK	93%	395	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
TN	93%	324	94%	n/a	93%	n/a	n/a	n/a	n/a	93%
TX	79%	1,080	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
WA	80%	818	79%	n/a	n/a	79%	n/a	n/a	n/a	85%
WI	91%	966	91%	n/a	93%	88%	n/a	n/a	n/a	87%
Weighted NCI-AD Average	89%	8,807	89%	87%	86%	89%	92%	94%	89%	87%




Table 94. Can get an appointment to see or talk to their primary care doctor when they need to

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	79%	415	79%	n/a	n/a	80%	n/a	n/a	n/a	n/a
DE	83%	704	88%	n/a	n/a	n/a	n/a	n/a	n/a	68%
GA	87%	474	87%	n/a	n/a	n/a	n/a	n/a	87%	n/a
IN	89%	1,020	89%	n/a	n/a	90%	n/a	n/a	87%	n/a
KS	79%	387	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
MI	84%	644	84%	n/a	n/a	n/a	n/a	n/a	84%	n/a
MN	87%	1,101	87%	n/a	n/a	n/a	88%	86%	n/a	n/a
MO	82%	1,690	82%	n/a	n/a	80%	85%	82%	n/a	n/a
NJ	86%	661	86%	83%	86%	n/a	n/a	n/a	n/a	n/a
OH	91%	387	91%	n/a	n/a	n/a	n/a	91%	n/a	n/a
OK	68%	547	68%	n/a	n/a	68%	n/a	n/a	n/a	n/a
TN	88%	601	87%	n/a	86%	n/a	n/a	n/a	n/a	89%
TX	82%	1,467	82%	n/a	82%	n/a	n/a	n/a	n/a	n/a
WA	82%	1,190	82%	n/a	n/a	82%	n/a	n/a	n/a	84%
WI	72%	1,222	72%	n/a	68%	82%	n/a	n/a	n/a	69%
Weighted NCI-AD Average	83%	12,510	83%	85%	81%	80%	87%	85%	85%	81%




Table 95. Went to the emergency room for any reason in the past 12 months

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	44%	415	44%	n/a	n/a	44%	n/a	n/a	n/a	n/a
DE	28%	746	30%	n/a	30%	n/a	n/a	n/a	n/a	22%
GA	20%	466	20%	n/a	n/a	n/a	n/a	n/a	20%	n/a
IN	41%	1,014	41%	n/a	n/a	44%	n/a	n/a	34%	n/a
KS	37%	390	37%	n/a	37%	n/a	n/a	n/a	n/a	n/a
MI	44%	634	44%	n/a	n/a	n/a	n/a	n/a	44%	n/a
MN	39%	1,092	39%	n/a	n/a	n/a	37%	40%	n/a	n/a
MO	42%	1,653	42%	n/a	n/a	39%	38%	44%	n/a	n/a
NJ	33%	650	33%	27%	33%	n/a	n/a	n/a	n/a	n/a
OH	51%	392	51%	n/a	n/a	n/a	n/a	51%	n/a	n/a
OK	43%	552	43%	n/a	n/a	43%	n/a	n/a	n/a	n/a
TN	32%	623	33%	n/a	37%	n/a	n/a	n/a	n/a	27%
TX	43%	1,488	43%	n/a	43%	n/a	n/a	n/a	n/a	n/a
WA	42%	1,212	39%	n/a	n/a	39%	n/a	n/a	n/a	53%
WI	40%	1,231	43%	n/a	43%	43%	n/a	n/a	n/a	22%
Weighted NCI-AD Average	39%	12,558	39%	31%	38%	42%	38%	43%	35%	34%




Table 96. Has gone to the emergency room in the past 12 months due to falling or losing balance

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	29%	179	29%	n/a	n/a	27%	n/a	n/a	n/a	n/a
DE	37%	194	38%	n/a	38%	n/a	n/a	n/a	n/a	37%
GA	29%	93	29%	n/a	n/a	n/a	n/a	n/a	29%	n/a
IN	30%	403	30%	n/a	n/a	29%	n/a	n/a	35%	n/a
KS	30%	143	30%	n/a	30%	n/a	n/a	n/a	n/a	n/a
MI	38%	284	38%	n/a	n/a	n/a	n/a	n/a	38%	n/a
MN	29%	415	29%	n/a	n/a	n/a	29%	29%	n/a	n/a
MO	25%	627	25%	n/a	n/a	29%	31%	21%	n/a	n/a
NJ	29%	209	29%	28%	29%	n/a	n/a	n/a	n/a	n/a
OH	28%	200	28%	n/a	n/a	n/a	n/a	28%	n/a	n/a
OK	33%	233	33%	n/a	n/a	33%	n/a	n/a	n/a	n/a
TN	25%	219	25%	n/a	23%	n/a	n/a	n/a	n/a	29%
TX	28%	633	28%	n/a	28%	n/a	n/a	n/a	n/a	n/a
WA	36%	499	36%	n/a	n/a	36%	n/a	n/a	n/a	37%
WI	25%	486	24%	n/a	25%	20%	n/a	n/a	n/a	43%
Weighted NCI-AD Average	30%	4,817	30%	49%	28%	32%	30%	25%	36%	36%




Table 97. Has gone to the emergency room in the past 12 months due to tooth or mouth pain

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	2%	182	2%	n/a	n/a	1%	n/a	n/a	n/a	n/a
DE	4%	191	4%	n/a	4%	n/a	n/a	n/a	n/a	2%
GA	0%	92	0%	n/a	n/a	n/a	n/a	n/a	0%	n/a
IN	2%	391	2%	n/a	n/a	2%	n/a	n/a	2%	n/a
KS	5%	144	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	1%	269	1%	n/a	n/a	n/a	n/a	n/a	1%	n/a
MN	3%	418	3%	n/a	n/a	n/a	1%	5%	n/a	n/a
MO	2%	621	2%	n/a	n/a	0%	3%	2%	n/a	n/a
NJ	2%	206	2%	7%	2%	n/a	n/a	n/a	n/a	n/a
OH	6%	197	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
OK	1%	223	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
TN	5%	217	3%	n/a	1%	n/a	n/a	n/a	n/a	9%
TX	3%	629	3%	n/a	3%	n/a	n/a	n/a	n/a	n/a
WA	1%	499	1%	n/a	n/a	1%	n/a	n/a	n/a	0%
WI	3%	489	3%	n/a	3%	2%	n/a	n/a	n/a	2%
Weighted NCI-AD Average	2%	4,768	2%	5%	3%	2%	2%	3%	1%	3%




Table 98. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	14%	183	14%	n/a	n/a	12%	n/a	n/a	n/a	n/a
DE	12%	195	14%	n/a	14%	n/a	n/a	n/a	n/a	5%
GA	6%	93	6%	n/a	n/a	n/a	n/a	n/a	6%	n/a
IN	4%	395	4%	n/a	n/a	4%	n/a	n/a	0%	n/a
KS	4%	144	4%	n/a	4%	n/a	n/a	n/a	n/a	n/a
MI	7%	261	7%	n/a	n/a	n/a	n/a	n/a	7%	n/a
MN	6%	413	6%	n/a	n/a	n/a	4%	7%	n/a	n/a
MO	3%	617	3%	n/a	n/a	3%	2%	4%	n/a	n/a
NJ	1%	204	1%	3%	1%	n/a	n/a	n/a	n/a	n/a
OH	3%	199	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
OK	12%	222	12%	n/a		12%	n/a	n/a	n/a	n/a
TN	5%	218	5%	n/a	4%	n/a	n/a	n/a	n/a	8%
TX	13%	625	13%	n/a	13%	n/a	n/a	n/a	n/a	n/a
WA	13%	492	15%	n/a	n/a	15%	n/a	n/a	n/a	6%
WI	7%	487	7%	n/a	6%	9%	n/a	n/a	n/a	7%
Weighted NCI-AD Average	8%	4,748	8%	2%	8%	13%	4%	5%	7%	6%




Table 99. Had a physical exam/wellness visit in the past 12 months

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	81%	405	81%	n/a	n/a	80%	n/a	n/a	n/a	n/a
DE	78%	730	80%	n/a	80%	n/a	n/a	n/a	n/a	71%
GA	95%	465	95%	n/a	n/a	n/a	n/a	n/a	95%	n/a
IN	72%	957	72%	n/a	n/a	71%	n/a	n/a	69%	n/a
KS	85%	375	85%	n/a	85%	n/a	n/a	n/a	n/a	n/a
MI	81%	564	81%	n/a	n/a	n/a	n/a	n/a	81%	n/a
MN	79%	1,087	79%	n/a	n/a	n/a	80%	78%	n/a	n/a
MO	88%	1,617	88%	n/a	n/a	87%	90%	87%	n/a	n/a
NJ	94%	662	94%	89%	95%	n/a	n/a	n/a	n/a	n/a
OH	87%	390	87%	n/a	n/a	n/a	n/a	87%	n/a	n/a
OK	84%	557	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
TN	84%	601	84%	n/a	82%	n/a	n/a	n/a	n/a	86%
TX	79%	1,458	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
WA	80%	1,166	81%	n/a	n/a	81%	n/a	n/a	n/a	75%
WI	90%	1,222	90%	n/a	90%	91%	n/a	n/a	n/a	89%
Weighted NCI-AD Average	84%	12,256	84%	82%	86%	81%	83%	83%	85%	82%




Table 100. Had a hearing exam in the past 12 months

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	22%	403	22%	n/a	n/a	23%	n/a	n/a	n/a	n/a
DE	31%	703	30%	n/a	30%	n/a	n/a	n/a	n/a	39%
GA	73%	470	73%	n/a	n/a	n/a	n/a	n/a	73%	n/a
IN	21%	915	21%	n/a	n/a	20%	n/a	n/a	25%	n/a
KS	23%	383	23%	n/a	23%	n/a	n/a	n/a	n/a	n/a
MI	37%	540	37%	n/a	n/a	n/a	n/a	n/a	37%	n/a
MN	30%	1,043	30%	n/a	n/a	n/a	36%	25%	n/a	n/a
MO	27%	1,561	27%	n/a	n/a	23%	30%	28%	n/a	n/a
NJ	39%	619	39%	50%	39%	n/a	n/a	n/a	n/a	n/a
OH	14%	389	14%	n/a	n/a	n/a	n/a	14%	n/a	n/a
OK	14%	545	14%	n/a	n/a	14%	n/a	n/a	n/a	n/a
TN	34%	569	31%	n/a	24%	n/a	n/a	n/a	n/a	44%
TX	22%	1,471	22%	n/a	22%	n/a	n/a	n/a	n/a	n/a
WA	35%	1,134	36%	n/a	n/a	36%	n/a	n/a	n/a	32%
WI	26%	1,162	25%	n/a	23%	28%	n/a	n/a	n/a	32%
Weighted NCI-AD Average	32%	11,907	32%	59%	27%	25%	34%	25%	50%	37%




Table 101. Had a vision exam in the past 12 months

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	58%	410	58%	n/a	n/a	60%	n/a	n/a	n/a	n/a
DE	58%	723	57%	n/a	57%	n/a	n/a	n/a	n/a	60%
GA	75%	466	75%	n/a	n/a	n/a	n/a	n/a	75%	n/a
IN	48%	926	48%	n/a	n/a	45%	n/a	n/a	51%	n/a
KS	60%	384	60%	n/a	60%	n/a	n/a	n/a	n/a	n/a
MI	62%	545	62%	n/a	n/a	n/a	n/a	n/a	62%	n/a
MN	65%	1,073	65%	n/a	n/a	n/a	68%	62%	n/a	n/a
MO	55%	1,610	55%	n/a	n/a	57%	55%	54%	n/a	n/a
NJ	71%	640	71%	85%	70%	n/a	n/a	n/a	n/a	n/a
OH	46%	386	46%	n/a	n/a	n/a	n/a	46%	n/a	n/a
OK	44%	543	44%	n/a	n/a	44%	n/a	n/a	n/a	n/a
TN	54%	592	52%	n/a	44%	n/a	n/a	n/a	n/a	65%
TX	54%	1,474	54%	n/a	54%	n/a	n/a	n/a	n/a	n/a
WA	65%	1,152	68%	n/a	n/a	68%	n/a	n/a	n/a	50%
WI	65%	1,216	66%	n/a	65%	68%	n/a	n/a	n/a	57%
Weighted NCI-AD Average	60%	12,140	61%	88%	60%	57%	64%	57%	66%	57%




Table 102. Had a dental visit in the past 12 months

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	51%	405	51%	n/a	n/a	52%	n/a	n/a	n/a	n/a
DE	40%	733	40%	n/a	40%	n/a	n/a	n/a	n/a	41%
GA	58%	444	58%	n/a	n/a	n/a	n/a	n/a	58%	n/a
IN	32%	869	32%	n/a	n/a	32%	n/a	n/a	29%	n/a
KS	34%	378	34%	n/a	34%	n/a	n/a	n/a	n/a	n/a
MI	42%	532	42%	n/a	n/a	n/a	n/a	n/a	42%	n/a
MN	51%	1,024	51%	n/a	n/a	n/a	45%	56%	n/a	n/a
MO	34%	1,568	34%	n/a	n/a	37%	32%	34%	n/a	n/a
NJ	45%	631	45%	73%	44%	n/a	n/a	n/a	n/a	n/a
OH	39%	393	39%	n/a	n/a	n/a	n/a	39%	n/a	n/a
OK	35%	501	35%	n/a	n/a	35%	n/a	n/a	n/a	n/a
TN	44%	585	41%	n/a	31%	n/a	n/a	n/a	n/a	57%
TX	50%	1,470	50%	n/a	50%	n/a	n/a	n/a	n/a	n/a
WA	47%	1,137	49%	n/a	n/a	49%	n/a	n/a	n/a	40%
WI	48%	1,169	49%	n/a	47%	54%	n/a	n/a	n/a	40%
Weighted NCI-AD Average	45%	11,839	45%	78%	46%	45%	41%	44%	47%	46%




Table 103. Had a flu shot in the past 12 months

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	68%	409	68%	n/a	n/a	69%	n/a	n/a	n/a	n/a
DE	74%	737	71%	n/a	71%	n/a	n/a	n/a	n/a	83%
GA	86%	460	86%	n/a	n/a	n/a	n/a	n/a	86%	n/a
IN	69%	955	69%	n/a	n/a	67%	n/a	n/a	76%	n/a
KS	76%	377	76%	n/a	76%	n/a	n/a	n/a	n/a	n/a
MI	67%	548	67%	n/a	n/a	n/a	n/a	n/a	67%	n/a
MN	73%	1,083	73%	n/a	n/a	n/a	81%	68%	n/a	n/a
MO	64%	1,606	64%	n/a	n/a	72%	71%	59%	n/a	n/a
NJ	82%	638	82%	96%	81%	n/a	n/a	n/a	n/a	n/a
OH	55%	390	55%	n/a	n/a	n/a	n/a	55%	n/a	n/a
OK	64%	542	64%	n/a	n/a	64%	n/a	n/a	n/a	n/a
TN	80%	601	77%	n/a	69%	n/a	n/a	n/a	n/a	90%
TX	66%	1,462	66%	n/a	66%	n/a	n/a	n/a	n/a	n/a
WA	60%	1,167	54%	n/a	n/a	54%	n/a	n/a	n/a	87%
WI	81%	1,216	79%	n/a	81%	75%	n/a	n/a	n/a	90%
Weighted NCI-AD Average	71%	12,191	70%	97%	75%	63%	77%	63%	74%	89%

Wellness




Table 104. Has access to healthy foods when they want them

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	83%	410	83%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	84%	760	86%	n/a	86%	n/a	n/a	n/a	n/a	77%
GA	77%	480	77%	n/a	n/a	n/a	n/a	n/a	77%	n/a
IN	88%	940	88%	n/a	n/a	89%	n/a	n/a	82%	n/a
KS	80%	393	80%	n/a	80%	n/a	n/a	n/a	n/a	n/a
MI	88%	604	88%	n/a	n/a	n/a	n/a	n/a	88%	n/a
MN	86%	1,116	86%	n/a	n/a	n/a	89%	85%	n/a	n/a
MO	84%	1,637	84%	n/a	n/a	81%	86%	84%	n/a	n/a
NJ	92%	653	92%	75%	92%	n/a	n/a	n/a	n/a	n/a
OH	90%	387	90%	n/a	n/a	n/a	n/a	90%	n/a	n/a
OK	78%	540	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
TN	85%	628	86%	n/a	85%	n/a	n/a	n/a	n/a	85%
TX	87%	1,461	87%	n/a	87%	n/a	n/a	n/a	n/a	n/a
WA	89%	1,217	91%	n/a	n/a	91%	n/a	n/a	n/a	82%
WI	85%	1,253	84%	n/a	82%	90%	n/a	n/a	n/a	91%
Weighted NCI-AD Average	86%	12,479	86%	75%	86%	86%	88%	85%	84%	85%




Table 105. Overall health

Proxy respondents were allowed for this question.

State	Excellent	Very good	Good	Fair	Poor	N
CO	4%	11%	29%	36%	21%	416
DE	4%	10%	36%	39%	11%	758
GA	1%	9%	36%	45%	8%	479
IN	4%	9%	33%	37%	17%	1,061
KS	2%	8%	31%	44%	16%	402
MI	3%	12%	29%	39%	17%	674
MN	3%	14%	34%	35%	14%	1,112
MO	3%	7%	28%	43%	19%	1,697
NJ	2%	7%	27%	48%	15%	663
OH	3%	7%	29%	41%	21%	394
OK	3%	6%	29%	41%	21%	557
TN	2%	5%	28%	42%	23%	629
TX	3%	7%	26%	39%	25%	1,489
WA	1%	12%	35%	27%	25%	1,232
WI	2%	7%	35%	42%	15%	1,252
Weighted NCI-AD Average	3%	10%	31%	39%	18%	12,815




Table 106. Health compared to 12 months ago

Proxy respondents were allowed for this question.

State	Much better	Somewhat better	About the same	Somewhat worse	Much worse	N
CO	7%	16%	41%	27%	9%	416
DE	7%	14%	56%	17%	5%	756
GA	3%	11%	60%	22%	5%	479
IN	4%	12%	45%	31%	9%	1,030
KS	4%	14%	46%	28%	9%	391
MI	3%	11%	49%	32%	6%	633
MN	8%	15%	48%	22%	6%	1,115
MO	3%	11%	50%	26%	10%	1,690
NJ	4%	10%	53%	26%	6%	666
OH	8%	17%	43%	23%	9%	396
OK	6%	15%	47%	21%	11%	556
TN	5%	11%	52%	22%	10%	626
TX	6%	14%	39%	27%	13%	1,487
WA	3%	8%	37%	40%	12%	1,228
WI	5%	18%	46%	25%	6%	1,245
Weighted NCI-AD Average	5%	13%	47%	27%	8%	12,714




Table 107. In the past 12 months, forgets things more often than before

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	57%	401	57%	n/a	n/a	57%	n/a	n/a	n/a	n/a
DE	38%	741	36%	n/a	36%	n/a	n/a	n/a	n/a	39%
GA	28%	457	28%	n/a	n/a	n/a	n/a	n/a	28%	n/a
IN	51%	977	51%	n/a	n/a	52%	n/a	n/a	48%	n/a
KS	42%	374	42%	n/a	42%	n/a	n/a	n/a		n/a
MI	41%	483	41%	n/a	n/a	n/a	n/a	n/a	41%	n/a
MN	45%	1,082	45%	n/a	n/a	n/a	52%	39%	n/a	n/a
MO	40%	1,618	40%	n/a	n/a	42%	45%	38%	n/a	n/a
NJ	49%	631	49%	31%	50%	n/a	n/a	n/a	n/a	n/a
OH	43%	382	43%	n/a	n/a	n/a	n/a	43%	n/a	n/a
OK	37%	538	37%	n/a	n/a	37%	n/a	n/a	n/a	n/a
TN	48%	608	47%	n/a	46%	n/a	n/a	n/a	n/a	51%
TX	58%	1,440	58%	n/a	58%	n/a	n/a	n/a	n/a	n/a
WA	29%	1,187	26%	n/a	n/a	26%	n/a	n/a	n/a	42%
WI	48%	1,217	48%	n/a	46%	54%	n/a	n/a	n/a	46%
NCI-AD Average	43%	12,136	43%	25%	50%	44%	50%	39%	36%	46%




Table 108. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	67%	225	67%	n/a	n/a	68%	n/a	n/a	n/a	n/a
DE	64%	281	67%	n/a	67%	n/a	n/a	n/a	n/a	55%
GA	78%	124	78%	n/a	n/a	n/a	n/a	n/a	78%	n/a
IN	77%	472	77%	n/a	n/a	81%	n/a	n/a	69%	n/a
KS	79%	146	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
MI	70%	199	70%	n/a	n/a	n/a	n/a	n/a	70%	n/a
MN	59%	499	59%	n/a	n/a	n/a	63%	56%	n/a	n/a
MO	71%	578	71%	n/a	n/a	70%	73%	70%	n/a	n/a
NJ	83%	291	83%	56%	84%	n/a	n/a	n/a	n/a	n/a
OH	71%	164	71%	n/a	n/a	n/a	n/a	71%	n/a	n/a
OK	66%	193	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
TN	68%	263	70%	n/a	70%	n/a	n/a	n/a	n/a	66%
TX	61%	835	61%	n/a	61%	n/a	n/a	n/a	n/a	n/a
WA	79%	539	84%	n/a	n/a	84%	n/a	n/a	n/a	63%
WI	68%	591	69%	n/a	67%	73%	n/a	n/a	n/a	60%
Weighted NCI-AD Average	70%	5,400	70%	56%	69%	73%	66%	64%	72%	63%




Table 109. Often feels lonely

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	22%	355	22%	n/a	n/a	20%	n/a	n/a	n/a	n/a
DE	19%	650	18%	n/a	18%	n/a	n/a	n/a	n/a	22%
GA	11%	376	11%	n/a	n/a	n/a	n/a	n/a	11%	n/a
IN	24%	599	24%	n/a	n/a	25%	n/a	n/a	30%	n/a
KS	12%	327	12%	n/a	12%	n/a	n/a	n/a	n/a	n/a
MI	26%	373	26%	n/a	n/a	n/a	n/a	n/a	26%	n/a
MN	23%	948	23%	n/a	n/a	n/a	18%	26%	n/a	n/a
MO	19%	1,158	19%	n/a	n/a	20%	16%	19%	n/a	n/a
NJ	10%	467	10%	6%	10%	n/a	n/a	n/a	n/a	n/a
OH	23%	341	23%	n/a	n/a	n/a	n/a	23%	n/a	n/a
OK	27%	438	27%	n/a	n/a	27%	n/a	n/a	n/a	n/a
TN	17%	383	17%	n/a	18%	n/a	n/a	n/a	n/a	16%
TX	24%	1,201	24%	n/a	24%	n/a	n/a	n/a	n/a	n/a
WA	16%	889	14%	n/a	n/a	14%	n/a	n/a	n/a	32%
WI	15%	1,079	15%	n/a	15%	14%	n/a	n/a	n/a	20%
Weighted NCI-AD Average	20%	9,584	19%	14%	17%	21%	18%	23%	20%	24%

Affordability




Table 110. Ever has to skip meals due to financial worries*Proxy respondents were allowed for this question.*

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	17%	414	17%	n/a	n/a	16%	n/a	n/a	n/a	n/a
DE	5%	761	7%	n/a	6%	n/a	n/a	n/a	n/a	1%
GA	10%	477	10%	n/a	n/a	n/a	n/a	n/a	10%	n/a
IN	12%	949	12%	n/a	n/a	12%	n/a	n/a	14%	n/a
KS	16%	388	16%	n/a	16%	n/a	n/a	n/a	n/a	n/a
MI	13%	526	13%	n/a	n/a	n/a	n/a	n/a	13%	n/a
MN	11%	1,126	11%	n/a	n/a	n/a	5%	15%	n/a	n/a
MO	17%	1,640	17%	n/a	n/a	14%	9%	21%	n/a	n/a
NJ	5%	651	5%	6%	5%	n/a	n/a	n/a	n/a	n/a
OH	10%	389	10%	n/a	n/a	n/a	n/a	10%	n/a	n/a
OK	12%	537	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
TN	7%	626	9%	n/a	14%	n/a	n/a	n/a	n/a	1%
TX	12%	1,465	12%	n/a	12%	n/a	n/a	n/a	n/a	n/a
WA	4%	1,212	4%	n/a	n/a	4%	n/a	n/a	n/a	3%
WI	6%	1,254	7%	n/a	8%	6%	n/a	n/a	n/a	3%
Weighted NCI-AD Average	11%	12,415	11%	4%	9%	11%	6%	17%	12%	2%

Safety




Table 111. They or someone else has concerns about falling or being unstable

Proxy respondents were allowed for this question

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	68%	416	68%	n/a	n/a	70%	n/a	n/a	n/a	n/a
DE	48%	771	49%	n/a	49%	n/a	n/a	n/a	n/a	44%
GA	33%	475	33%	n/a	n/a	n/a	n/a	n/a	33%	n/a
IN	56%	1,079	56%	n/a	n/a	59%	n/a	n/a	49%	n/a
KS	59%	401	59%	n/a	59%	n/a	n/a	n/a	n/a	n/a
MI	61%	682	61%	n/a	n/a	n/a	n/a	n/a	61%	n/a
MN	52%	1,127	52%	n/a	n/a	n/a	61%	46%	n/a	n/a
MO	51%	1,808	51%	n/a	n/a	47%	56%	51%	n/a	n/a
NJ	57%	665	57%	60%	56%	n/a	n/a	n/a	n/a	n/a
OH	50%	395	50%	n/a	n/a	n/a	n/a	50%	n/a	n/a
OK	59%	556	59%	n/a	n/a	59%	n/a	n/a	n/a	n/a
TN	45%	647	46%	n/a	47%	n/a	n/a	n/a	n/a	44%
TX	69%	1,492	69%	n/a	69%	n/a	n/a	n/a	n/a	n/a
WA	40%	1,223	38%	n/a	n/a	38%	n/a	n/a	n/a	49%
WI	62%	1,282	63%	n/a	63%	66%	n/a	n/a	n/a	55%
Weighted NCI-AD Average	54%	13,019	54%	41%	60%	54%	60%	49%	51%	48%




Table 112. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	83%	284	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
DE	83%	364	81%	n/a	81%	n/a	n/a	n/a	n/a	87%
GA	91%	149	91%	n/a	n/a	n/a	n/a	n/a	91%	n/a
IN	90%	569	90%	n/a	n/a	90%	n/a	n/a	86%	n/a
KS	90%	223	90%	n/a	90%	n/a	n/a	n/a	n/a	n/a
MI	86%	396	86%	n/a	n/a	n/a	n/a	n/a	86%	n/a
MN	85%	613	85%	n/a	n/a	n/a	86%	84%	n/a	n/a
MO	85%	789	85%	n/a	n/a	88%	85%	84%	n/a	n/a
NJ	93%	366	93%	97%	93%	n/a	n/a	n/a	n/a	n/a
OH	84%	197	84%	n/a	n/a	n/a	n/a	84%	n/a	n/a
OK	84%	323	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
TN	85%	310	84%	n/a	83%	n/a	n/a	n/a	n/a	88%
TX	73%	1,013	73%	n/a	73%	n/a	n/a	n/a	n/a	n/a
WA	81%	686	81%	n/a	n/a	81%	n/a	n/a	n/a	83%
WI	86%	801	86%	n/a	86%	86%	n/a	n/a	n/a	82%
Weighted NCI-AD Average	84%	7,083	85%	97%	82%	84%	86%	84%	87%	85%




Table 113. Able to get to safety quickly in case of an emergency

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	88%	391	88%	n/a	n/a	87%	n/a	n/a	n/a	n/a
DE	87%	704	87%	n/a	87%	n/a	n/a	n/a	n/a	87%
GA	63%	471	63%	n/a	n/a	n/a	n/a	n/a	63%	n/a
IN	85%	1,008	85%	n/a	n/a	85%	n/a	n/a	85%	n/a
KS	90%	344	90%	n/a	90%	n/a	n/a	n/a	n/a	n/a
MI	83%	616	83%	n/a	n/a	n/a	n/a	n/a	83%	n/a
MN	89%	1,073	89%	n/a	n/a	n/a	88%	89%	n/a	n/a
MO	85%	1,733	85%	n/a	n/a	83%	88%	85%	n/a	n/a
NJ	80%	620	80%	91%	80%	n/a	n/a	n/a	n/a	n/a
OH	88%	360	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
OK	93%	526	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
TN	75%	593	75%	n/a	75%	n/a	n/a	n/a	n/a	75%
TX	70%	1,407	70%	n/a	70%	n/a	n/a	n/a	n/a	n/a
WA	76%	1,145	74%	n/a	n/a	74%	n/a	n/a	n/a	85%
WI	92%	1,188	93%	n/a	93%	94%	n/a	n/a	n/a	81%
Weighted NCI-AD Average	82%	12,179	82%	86%	80%	84%	88%	87%	76%	81%




Table 114. Knows who to talk to if they are mistreated or neglected

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	85%	357	85%	n/a	n/a	86%	n/a	n/a	n/a	n/a
DE	78%	649	79%	n/a	79%	n/a	n/a	n/a	n/a	76%
GA	44%	369	44%	n/a	n/a	n/a	n/a	n/a	44%	n/a
IN	79%	698	79%	n/a	n/a	79%	n/a	n/a	78%	n/a
KS	74%	319	74%	n/a	74%	n/a	n/a	n/a	n/a	n/a
MI	73%	463	73%	n/a	n/a	n/a	n/a	n/a	73%	n/a
MN	80%	947	80%	n/a	n/a	n/a	77%	81%	n/a	n/a
MO	82%	1,336	82%	n/a	n/a	77%	80%	84%	n/a	n/a
NJ	76%	455	76%	86%	75%	n/a	n/a	n/a	n/a	n/a
OH	89%	341	89%	n/a	n/a	n/a	n/a	89%	n/a	n/a
OK	94%	444	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
TN	69%	386	70%	n/a	72%	n/a	n/a	n/a	n/a	65%
TX	62%	1,172	62%	n/a	62%	n/a	n/a	n/a	n/a	n/a
WA	57%	865	53%	n/a	n/a	53%	n/a	n/a	n/a	82%
WI	88%	1,095	89%	n/a	88%	92%	n/a	n/a	n/a	80%
Weighted NCI-AD Average	74%	9,896	74%	81%	74%	76%	78%	83%	64%	77%




Table 115. Are ever worried for the security of their personal belongings

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	25%	359	25%	n/a	n/a	23%	n/a	n/a	n/a	n/a
DE	14%	655	11%	n/a	11%	n/a	n/a	n/a	n/a	24%
GA	6%	373	6%	n/a	n/a	n/a	n/a	n/a	6%	n/a
IN	17%	739	17%	n/a	n/a	17%	n/a	n/a	16%	n/a
KS	15%	326	15%	n/a	15%	n/a	n/a	n/a	n/a	n/a
MI	16%	549	16%	n/a	n/a	n/a	n/a	n/a	16%	n/a
MN	17%	962	17%	n/a	n/a	n/a	11%	22%	n/a	n/a
MO	10%	1,365	10%	n/a	n/a	16%	8%	9%	n/a	n/a
NJ	12%	468	12%	11%	12%	n/a	n/a	n/a	n/a	n/a
OH	13%	342	13%	n/a	n/a	n/a	n/a	13%	n/a	n/a
OK	11%	461	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
TN	22%	392	21%	n/a	19%	n/a	n/a	n/a	n/a	27%
TX	20%	1,197	20%	n/a	20%	n/a	n/a	n/a	n/a	n/a
WA	19%	894	17%	n/a	n/a	17%	n/a	n/a	n/a	24%
WI	15%	1,106	14%	n/a	16%	11%	n/a	n/a	n/a	22%
Weighted NCI-AD Average	15%	10,188	15%	17%	17%	19%	10%	15%	13%	24%




Table 116. Someone used or took their money without their permission in the past 12 months

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	9%	354	9%	n/a	n/a	8%	n/a	n/a	n/a	n/a
DE	5%	646	5%	n/a	5%	n/a	n/a	n/a	n/a	9%
GA	3%	376	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
IN	8%	728	8%	n/a	n/a	7%	n/a	n/a	9%	n/a
KS	5%	306	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
MI	8%	500	8%	n/a	n/a	n/a	n/a	n/a	8%	n/a
MN	8%	962	8%	n/a	n/a	n/a	4%	10%	n/a	n/a
MO	5%	1,346	5%	n/a	n/a	9%	4%	4%	n/a	n/a
NJ	4%	468	4%	2%	4%	n/a	n/a	n/a	n/a	n/a
OH	4%	340	4%	n/a	n/a	n/a	n/a	4%	n/a	n/a
OK	5%	442	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
TN	9%	390	9%	n/a	10%	n/a	n/a	n/a	n/a	8%
TX	5%	1,198	5%	n/a	5%	n/a	n/a	n/a	n/a	n/a
WA	2%	893	1%	n/a	n/a	1%	n/a	n/a	n/a	6%
WI	5%	1,101	5%	n/a	6%	3%	n/a	n/a	n/a	9%
Weighted NCI-AD Average	6%	10,050	6%	1%	5%	6%	4%	7%	6%	8%




Table 117. Feels safe around support staff

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	97%	231	97%	n/a	n/a	98%	n/a	n/a	n/a	n/a
DE	97%	343	99%	n/a	99%	n/a	n/a	n/a	n/a	90%
GA	96%	26	96%	n/a	n/a	n/a	n/a	n/a	96%	n/a
IN	92%	340	92%	n/a	n/a	90%	n/a	n/a	96%	n/a
KS	98%	210	98%	n/a	98%	n/a	n/a	n/a	n/a	n/a
MI	97%	245	97%	n/a	n/a	n/a	n/a	n/a	97%	n/a
MN	99%	629	99%	n/a	n/a	n/a	99%	99%	n/a	n/a
MO	98%	777	98%	n/a	n/a	95%	99%	98%	n/a	n/a
NJ	96%	271	96%	99%	96%	n/a	n/a	n/a	n/a	n/a
OH	98%	187	98%	n/a	n/a	n/a	n/a	98%	n/a	n/a
OK	97%	219	97%	n/a	n/a	97%	n/a	n/a	n/a	n/a
TN	97%	267	97%	n/a	96%	n/a	n/a	n/a	n/a	98%
TX	98%	866	98%	n/a	98%	n/a	n/a	n/a	n/a	n/a
WA	89%	683	90%	n/a	n/a	90%	n/a	n/a	n/a	86%
WI	97%	655	97%	n/a	96%	99%	n/a	n/a	n/a	90%
Weighted NCI-AD Average	96%	5,949	97%	99%	97%	94%	99%	99%	97%	90%

Rights and Respect




Table 118. Gets information about services in their preferred language (if preferred language is not English)

Proxy respondents were allowed for this question.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	89%	146	89%	n/a	n/a	88%	n/a	n/a	n/a	n/a
DE	95%	251	94%	n/a	95%	n/a	n/a	n/a	n/a	97%
GA	99%	101	99%	n/a	n/a	n/a	n/a	n/a	99%	n/a
IN	98%	343	98%	n/a	n/a	98%	n/a	n/a	100%	n/a
KS	83%	69	83%	n/a	83%	n/a	n/a	n/a	n/a	n/a
MI	100%	99	100%	n/a	n/a	n/a	n/a	n/a	100%	n/a
MN	72%	293	72%	n/a	n/a	n/a	72%	71%	n/a	n/a
MO	94%	569	94%	n/a	n/a	95%	96%	93%	n/a	n/a
NJ	59%	326	59%	n/a	59%	n/a	n/a	n/a	n/a	n/a
OH	79%	34	79%	n/a	n/a	n/a	n/a	79%	n/a	n/a
TN	98%	241	98%	n/a	96%	n/a	n/a	n/a	n/a	100%
TX	79%	581	79%	n/a	79%	n/a	n/a	n/a	n/a	n/a
WA	72%	391	72%	n/a	n/a	72%	n/a	n/a	n/a	66%
WI	94%	279	94%	n/a	97%	89%	n/a	n/a	n/a	95%
Weighted NCI-AD Average	84%	3,738	84%	n/a	78%	84%	81%	84%	100%	90%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: OK.




Table 119. Services and supports are delivered in a way that is respectful of their culture

New question 2021-22.

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	96%	316	96%	n/a	n/a	96%	n/a	n/a	n/a	n/a
DE	93%	486	95%	n/a	95%	n/a	n/a	n/a	n/a	88%
GA	99%	198	99%	n/a	n/a	n/a	n/a	n/a	99%	n/a
IN	94%	693	94%	n/a	n/a	92%	n/a	n/a	96%	n/a
KS	97%	289	97%	n/a	97%	n/a	n/a	n/a	n/a	n/a
MI	99%	417	99%	n/a	n/a	n/a	n/a	n/a	99%	n/a
MN	94%	884	94%	n/a	n/a	n/a	97%	93%	n/a	n/a
MO	98%	1,320	98%	n/a	n/a	97%	96%	99%	n/a	n/a
NJ	95%	437	95%	96%	95%	n/a	n/a	n/a	n/a	n/a
OH	97%	307	97%	n/a	n/a	n/a	n/a	97%	n/a	n/a
OK	95%	434	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
TN	96%	361	96%	n/a	97%	n/a	n/a	n/a	n/a	94%
TX	96%	1,135	96%	n/a	96%	n/a	n/a	n/a	n/a	n/a
WA	90%	823	91%	n/a	n/a	91%	n/a	n/a	n/a	82%
WI	96%	967	96%	n/a	95%	98%	n/a	n/a	n/a	93%
Weighted NCI-AD Average	96%	9,067	96%	97%	96%	94%	96%	96%	99%	89%




Table 120. Paid support staff treat them with respect

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	95%	231	95%	n/a	n/a	97%	n/a	n/a	n/a	n/a
DE	89%	343	93%	n/a	93%	n/a	n/a	n/a	n/a	78%
GA	92%	26	92%	n/a	n/a	n/a	n/a	n/a	92%	n/a
IN	87%	344	87%	n/a	n/a	87%	n/a	n/a	84%	n/a
KS	95%	210	95%	n/a	95%	n/a	n/a	n/a	n/a	n/a
MI	94%	243	94%	n/a	n/a	n/a	n/a	n/a	94%	n/a
MN	94%	629	94%	n/a	n/a	n/a	96%	92%	n/a	n/a
MO	96%	775	96%	n/a	n/a	90%	97%	97%	n/a	n/a
NJ	91%	268	91%	96%	91%	n/a	n/a	n/a	n/a	n/a
OH	94%	185	94%	n/a	n/a	n/a	n/a	94%	n/a	n/a
OK	88%	220	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
TN	88%	268	89%	n/a	92%	n/a	n/a	n/a	n/a	83%
TX	95%	862	95%	n/a	95%	n/a	n/a	n/a	n/a	n/a
WA	86%	679	88%	n/a	n/a	88%	n/a	n/a	n/a	73%
WI	92%	656	92%	n/a	89%	98%	n/a	n/a	n/a	82%
Weighted NCI-AD Average	92%	5,939	93%	96%	92%	90%	97%	95%	93%	78%




Table 121. Others ask before coming into their home/room (if living in a group setting)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	75%	27	75%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
DE	60%	305	72%	n/a	72%	n/a	n/a	n/a	n/a	54%
IN	83%	30	83%	n/a	n/a	82%	n/a	n/a	n/a	n/a
KS	69%	26	69%	n/a	69%	n/a	n/a	n/a	n/a	n/a
MN	77%	227	77%	n/a	n/a	n/a	75%	78%	n/a	n/a
MO	73%	248	73%	n/a	n/a	72%	n/a	n/a	n/a	n/a
NJ	73%	34	73%	n/a	74%	n/a	n/a	n/a	n/a	n/a
OK	90%	41	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
TN	70%	86	68%	n/a	n/a	n/a	n/a	n/a	n/a	69%
TX	69%	31	69%	n/a	69%	n/a	n/a	n/a	n/a	n/a
WA	66%	221	69%	n/a	n/a	69%	n/a	n/a	n/a	65%
WI	57%	246	66%	n/a	67%	n/a	n/a	n/a	n/a	46%
Weighted NCI-AD Average	70%	1,537	74%	n/a	69%	77%	76%	78%	n/a	59%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, MI, and OH.




Table 122. Able to lock doors to room (if living in a group setting)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	85%	27	85%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
DE	39%	285	80%	n/a	80%	n/a	n/a	n/a	n/a	15%
IN	97%	29	97%	n/a	n/a	96%	n/a	n/a	n/a	n/a
KS	78%	23	78%	n/a	78%	n/a	n/a	n/a	n/a	n/a
MN	88%	220	88%	n/a	n/a	n/a	88%	88%	n/a	n/a
MO	52%	238	52%	n/a	n/a	50%	n/a	n/a	n/a	n/a
NJ	69%	33	69%	n/a	69%	n/a	n/a	n/a	n/a	n/a
OK	98%	41	98%	n/a	n/a	98%	n/a	n/a	n/a	n/a
TN	15%	76	19%	n/a	n/a	n/a	n/a	n/a	n/a	7%
TX	81%	31	81%	n/a	81%	n/a	n/a	n/a	n/a	n/a
WA	23%	207	53%	n/a	n/a	53%	n/a	n/a	n/a	14%
WI	47%	234	75%	n/a	73%	n/a	n/a	n/a	n/a	12%
Weighted NCI-AD Average	59%	1,457	74%	n/a	58%	73%	87%	88%	n/a	12%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, MI, and OH.




Table 123. Has enough privacy where lives (if living in a group setting)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	90%	29	90%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
DE	62%	310	73%	n/a	73%	n/a	n/a	n/a	n/a	56%
IN	80%	30	80%	n/a	n/a	79%	n/a	n/a	n/a	n/a
KS	81%	26	81%	n/a	81%	n/a	n/a	n/a	n/a	n/a
MN	83%	226	83%	n/a	n/a	n/a	89%	79%	n/a	n/a
MO	72%	245	72%	n/a	n/a	73%	n/a	n/a	n/a	n/a
NJ	59%	34	59%	n/a	59%	n/a	n/a	n/a	n/a	n/a
OK	85%	41	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
TN	71%	86	74%	n/a	n/a	n/a	n/a	n/a	n/a	69%
TX	84%	31	84%	n/a	84%	n/a	n/a	n/a	n/a	n/a
WA	67%	221	80%	n/a	n/a	80%	n/a	n/a	n/a	63%
WI	65%	248	74%	n/a	74%	n/a	n/a	n/a	n/a	53%
Weighted NCI-AD Average	74%	1,544	79%	n/a	73%	83%	88%	79%	n/a	61%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, MI, and OH.




Table 124. Can have visitors at any time (if living in a group setting)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	75%	29	75%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
DE	78%	282	84%	n/a	84%	n/a	n/a	n/a	n/a	74%
IN	85%	27	85%	n/a	n/a	84%	n/a	n/a	n/a	n/a
KS	88%	25	88%	n/a	88%	n/a	n/a	n/a	n/a	n/a
MN	77%	219	77%	n/a	n/a	n/a	82%	74%	n/a	n/a
MO	66%	240	66%	n/a	n/a	67%	n/a	n/a	n/a	n/a
NJ	60%	31	60%	n/a	60%	n/a	n/a	n/a	n/a	n/a
OK	69%	39	69%	n/a	n/a	69%	n/a	n/a	n/a	n/a
TN	77%	82	79%	n/a	n/a	n/a	n/a	n/a	n/a	75%
TX	55%	26	55%	n/a	55%	n/a	n/a	n/a	n/a	n/a
WA	53%	206	64%	n/a	n/a	64%	n/a	n/a	n/a	49%
WI	74%	239	78%	n/a	76%	n/a	n/a	n/a	n/a	69%
Weighted NCI-AD Average	71%	1,459	75%	n/a	75%	68%	81%	74%	n/a	64%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, MI, and OH.




Table 125. Can get something to eat or grab a snack anytime they (if living in a group setting)

State	Overall	N (observed)	Overall HCBS only	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	NF
CO	82%	28	82%	n/a	n/a	n/a	n/a	n/a	n/a	n/a
DE	85%	291	91%	n/a	91%	n/a	n/a	n/a	n/a	82%
IN	86%	28	86%	n/a	n/a	85%	n/a	n/a	n/a	n/a
KS	92%	26	92%	n/a	92%	n/a	n/a	n/a	n/a	n/a
MN	87%	222	87%	n/a	n/a	n/a	88%	86%		n/a
MO	74%	245	74%	n/a	n/a	73%	n/a	n/a	n/a	n/a
NJ	88%	33	88%	n/a	89%	n/a	n/a	n/a	n/a	n/a
OK	69%	39	69%	n/a	n/a	69%	n/a	n/a	n/a	n/a
TN	84%	86	84%	n/a	n/a	n/a	n/a	n/a	n/a	84%
TX	81%	32	81%	n/a	81%	n/a	n/a	n/a	n/a	n/a
WA	83%	216	73%	n/a	n/a	73%	n/a	n/a	n/a	86%
WI	93%	244	91%	n/a	92%	n/a	n/a	n/a	n/a	96%
Weighted NCI-AD Average	86%	1,506	85%	n/a	89%	77%	88%	86%	n/a	88%

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: GA, MI, and OH.

Person-Centered Planning (State Optional Module)²

² The Person-Centered Planning Module is state optional. In 2021-22 the following states opted to use this module: CO, DE, GA, IN, KS, MI, MN, MO, NJ, OK, TX, WA, WI. All averages in this section are weighted; total respondents (N) is **not** weighted.




Table 126. Involvement in making decisions about what is in the service plan

Newly reported in 2021-22.

State	Very or fully involved	Somewhat	Very little	Not at all	N
CO	80%	17%	2%	1%	216
DE	74%	21%	3%	1%	244
GA	100%	0%	0%	0%	31
IN	80%	14%	5%	1%	206
KS	91%	6%	1%	1%	236
MI	79%	20%	1%	0%	51
MO	82%	13%	2%	2%	354
NJ	73%	23%	4%	0%	290
OK	82%	13%	5%	1%	148
TN	63%	26%	5%	6%	163
TX	80%	17%	1%	2%	384
WI	74%	22%	3%	1%	695
Weighted NCI-AD Average	79%	17%	3%	1%	3,018



Table 127. Service planning meeting took place at a time that was good for them

Newly reported in 2021-22.

State	Yes	No	N
CO	98%	2%	175
DE	97%	3%	162
GA	100%	0%	31
IN	97%	3%	163
KS	100%	0%	203
MI	100%	0%	36
MO	99%	1%	265
NJ	99%	1%	209
OK	100%	0%	100
TN	95%	5%	85
TX	99%	1%	268
WI	99%	1%	634
Weighted NCI-AD Average	99%	1%	2,331



Table 128. Service planning meeting took place in a place that was good for them*Newly reported in 2021-22.*

State	Yes	No	N
CO	98%	2%	176
DE	100%	0%	162
GA	97%	3%	31
IN	99%	1%	162
KS	100%	0%	204
MI	100%	0%	36
MO	99%	1%	266
NJ	99%	1%	203
OK	99%	1%	101
TN	100%	0%	86
TX	99%	1%	267
WI	100%	0%	634
Weighted NCI-AD Average	99%	1%	2,328




Table 129. Service planning meeting included the people they wanted to be there

Newly reported in 2021-22.

State	Yes	Some people	No	N
CO	95%	1%	3%	175
DE	95%	3%	3%	163
GA	100%	0%	0%	31
IN	99%	0%	1%	153
KS	99%	0%	1%	203
MI	97%	0%	3%	37
MO	97%	1%	2%	261
NJ	98%	1%	1%	210
OK	96%	0%	4%	101
TN	95%	0%	5%	86
TX	96%	1%	3%	270
WI	98%	2%	1%	633
Weighted NCI-AD Average	97%	1%	2%	2,323




Table 130. People at the service planning meeting listened to needs and preferences

Newly reported in 2021-22.

State	Completely	Mostly	Somewhat	Very little	Not at all	N
CO	67%	22%	9%	1%	1%	174
DE	70%	22%	5%	2%	1%	158
GA	94%	6%	0%	0%	0%	31
IN	80%	13%	2%	4%	0%	165
KS	78%	20%	2%	0%	0%	204
MI	88%	9%	0%	2%	0%	36
MO	76%	16%	6%	2%	0%	264
NJ	68%	27%	4%	1%	0%	209
OK	79%	10%	8%	2%	0%	101
TN	62%	30%	6%	3%	0%	85
TX	76%	16%	5%	2%	2%	270
WI	64%	29%	6%	1%	0%	634
Weighted NCI-AD Average	72%	21%	5%	1%	0%	2,331




Table 131. Received a copy of the service plan after the service planning meeting

Newly reported in 2021-22.

State	Yes	No	N
CO	90%	10%	160
DE	86%	14%	143
GA	97%	3%	31
IN	73%	27%	137
KS	96%	4%	195
MI	88%	12%	36
MO	91%	9%	234
NJ	93%	7%	188
OK	81%	19%	97
TN	77%	23%	81
TX	86%	14%	249
WI	95%	5%	583
Weighted NCI-AD Average	90%	10%	2,134




Table 132. Service plan reflects what was talked about at the service plan meeting*Newly reported in 2021-22*

State	Yes, completely	Yes, in part	No	N
CO	86%	13%	2%	171
DE	90%	9%	1%	144
GA	87%	13%	0%	31
IN	85%	12%	3%	115
KS	91%	9%	0%	199
MI	90%	7%	3%	35
MO	79%	19%	2%	231
NJ	83%	16%	1%	197
OK	91%	7%	2%	96
TN	88%	3%	10%	73
TX	82%	13%	5%	250
WI	86%	14%	1%	621
Weighted NCI-AD Average	85%	13%	2%	2,163




Table 133. Choices and preferences are reflected in current service plan

State	Yes, all or completely	Yes, some or in part	No	N
CO	79%	19%	2%	210
DE	73%	22%	5%	220
GA	87%	13%	0%	31
IN	73%	21%	6%	144
KS	82%	16%	2%	225
MI	76%	24%	0%	50
MO	76%	21%	3%	303
NJ	74%	26%	0%	270
OK	78%	22%	1%	145
TN	63%	28%	9%	159
TX	78%	18%	3%	357
WI	82%	17%	1%	679
Weighted NCI-AD Average	78%	20%	2%	2,793

Covid-19 Supplement (State Optional Module)³

³ The COVID-19 Supplement is state optional. In 2021-22 the following states opted to use this module: CO, DE, GA, IN, KS, MI, MN, MO, NJ, OK, TX, WA, WI. All averages in this section are weighted; total respondents (N) is **not** weighted.




Table 134. Had to move due to COVID-19*Proxy respondents were allowed for this question.*

State	No, did not have to move	Yes, permanently	Yes, temporarily and has not moved back to permanent residence	Yes, temporarily and moved back to permanent residence	Yes, unsure if temporary or permanent	N
CO	97%	1%	0%	1%	0%	413
DE	95%	2%	0%	2%	1%	758
GA	97%	2%	0%	0%	0%	473
IN	97%	0%	0%	1%	1%	900
KS	98%	1%	0%	0%	1%	386
MI	99%	0%	0%	1%	0%	654
MN	96%	2%	0%	1%	0%	1,108
MO	98%	1%	0%	1%	0%	1,625
NJ	96%	1%	1%	1%	0%	640
OK	97%	2%	1%	1%	0%	550
TX	98%	1%	0%	1%	0%	1,483
WA	98%	1%	0%	0%	0%	1,218
WI	97%	1%	1%	1%	0%	1,233
Weighted NCI-AD Average	97%	1%	0%	1%	0%	11,441




Table 135. There were changes to service and supports due to COVID-19*Proxy respondents were allowed for this question.*

State	Yes	No	N
CO	47%	53%	409
DE	37%	63%	738
GA	21%	79%	466
IN	21%	79%	809
KS	19%	81%	368
MI	25%	75%	467
MN	40%	60%	1,077
MO	24%	76%	1,572
NJ	30%	70%	618
OK	40%	60%	546
TX	25%	75%	1,480
WA	35%	65%	1,194
WI	42%	58%	1,215
Weighted NCI-AD Average	31%	69%	10,959




Table 136. Services and supports went back to how they were before COVID-19 (if there were changes due to COVID-19)*Proxy respondents were allowed for this question.*

State	Yes, all services have gone back to how they were before covid-19	Some services have gone back	No, no services have gone back to how they were before covid-19	Other	N
CO	41%	38%	19%	3%	185
DE	38%	45%	17%	1%	263
GA	76%	10%	14%	0%	99
IN	52%	28%	19%	1%	162
KS	42%	35%	23%	0%	69
MI	35%	10%	55%	0%	111
MN	38%	37%	25%	0%	392
MO	38%	23%	40%	0%	429
NJ	64%	27%	8%	1%	190
OK	43%	27%	29%	0%	213
TX	32%	29%	39%	0%	372
WA	10%	49%	40%	1%	360
WI	47%	40%	13%	0%	498
Weighted NCI-AD Average	40%	32%	28%	1%	3,343




Table 137. Liked at least some of the changes to services and supports (if there were changes due to COVID-19)

State	Yes	Some	No	N
CO	27%	15%	58%	144
DE	35%	29%	36%	204
GA	18%	13%	68%	76
IN	8%	7%	85%	110
KS	31%	22%	47%	49
MI	14%	12%	74%	81
MN	20%	18%	62%	326
MO	16%	12%	72%	265
NJ	11%	28%	61%	138
OK	20%	9%	71%	165
TX	28%	14%	58%	300
WA	3%	45%	52%	270
WI	15%	27%	59%	399
Weighted NCI-AD Average	17%	21%	62%	2,527




Table 138. Was able to keep changes to services they liked

State	Yes	Some	No	N
CO	72%	21%	7%	58
DE	61%	34%	5%	128
GA	64%	18%	18%	22
KS	75%	13%	12%	24
MN	78%	11%	11%	114
MO	63%	24%	12%	58
NJ	52%	24%	24%	47
OK	69%	24%	7%	42
TX	70%	17%	13%	125
WA	8%	90%	2%	83
WI	38%	25%	37%	175
Weighted NCI-AD Average	52%	34%	13%	907

The following states are not included in the table due to low response rates (fewer than 20); their data are included in the Weighted NCI-AD Average: IN and MI.




Table 139. There were times when they did not have help needed due to COVID-19*Proxy respondents were allowed for this question.*

State	Yes	Sometimes	No	N
CO	21%	11%	67%	408
DE	12%	8%	80%	741
GA	3%	5%	92%	465
IN	21%	4%	75%	798
KS	10%	11%	79%	368
MI	31%	5%	63%	422
MN	20%	8%	72%	1,078
MO	21%	8%	71%	1,549
NJ	10%	15%	74%	633
OK	31%	5%	64%	540
TX	17%	5%	78%	1,469
WA	25%	7%	68%	1,200
WI	15%	8%	76%	1,224
Weighted NCI-AD Average	19%	7%	73%	10,895




Table 140. Staff did things to keep them healthy and safe from COVID-19 like wash their hands, wear a mask, or help sanitize surroundings*Proxy respondents were allowed for this question.*

State	Yes	Sometimes, some staff	No	N
CO	94%	4%	2%	407
DE	94%	3%	2%	752
GA	93%	2%	5%	428
IN	91%	5%	4%	727
KS	93%	4%	4%	353
MI	87%	5%	8%	469
MN	94%	4%	2%	1,072
MO	95%	2%	3%	1,513
NJ	96%	2%	2%	623
OK	90%	7%	3%	502
TX	95%	2%	3%	1,469
WA	93%	6%	1%	1,189
WI	92%	5%	3%	1,195
Weighted NCI-AD Average	93%	4%	3%	10,699




Table 141. Can get supplies to stay healthy and safe from COVID-19 like masks, or sanitizer*Proxy respondents were allowed for this question.*

State	Yes	Sometimes, some supplies	No	N
CO	91%	5%	4%	410
DE	96%	2%	1%	755
GA	97%	2%	0%	469
IN	92%	3%	5%	722
KS	90%	6%	4%	368
MI	95%	2%	3%	474
MN	96%	3%	1%	1,101
MO	94%	3%	3%	1,531
NJ	93%	4%	3%	633
OK	96%	2%	2%	530
TX	83%	8%	9%	1,481
WA	97%	2%	1%	1,208
WI	94%	4%	1%	1,234
Weighted NCI-AD Average	94%	3%	3%	10,916




Table 142. Received a COVID-19 vaccine

Proxy respondents were allowed for this question. Note: Booster shots were not available at the time survey was developed.

State	Yes, fully vaccinated (had both shots of Moderna/Pfizer or one J&J shot)	Yes, partially (received only one of two shots of Moderna/Pfizer)	No	N
CO	81%	3%	17%	412
DE	86%	1%	13%	733
GA	90%	2%	8%	469
IN	79%	4%	17%	907
KS	75%	2%	23%	367
MI	85%	2%	13%	638
MN	84%	2%	14%	1,097
MO	73%	4%	23%	1,626
NJ	90%	2%	8%	622
OK	69%	1%	30%	553
TX	78%	3%	19%	1,490
WA	81%	0%	19%	1,211
WI	85%	1%	13%	1,232
Weighted NCI-AD Average	82%	2%	16%	11,357




Table 143. Can get a COVID-19 vaccine if they want it (if they were not fully vaccinated)*Proxy respondents were allowed for this question.*

State	Yes	No	N
CO	96%	4%	76
DE	88%	12%	106
GA	96%	4%	48
IN	90%	10%	171
KS	95%	5%	94
MI	84%	16%	86
MN	89%	11%	168
MO	89%	11%	389
NJ	91%	9%	57
OK	89%	11%	169
TX	87%	13%	305
WA	98%	2%	201
WI	95%	5%	182
Weighted NCI-AD Average	91%	9%	2,052




Table 144. Were satisfied with the response of service providers during COVID-19*Proxy respondents were allowed for this question.*

State	Yes, all providers	Sometimes, some providers	No	N
CO	78%	13%	9%	344
DE	86%	10%	4%	628
GA	87%	12%	2%	368
IN	84%	10%	6%	444
KS	86%	10%	4%	297
MI	87%	6%	8%	364
MN	87%	8%	5%	919
MO	89%	7%	4%	1,062
NJ	83%	15%	2%	440
OK	89%	5%	6%	441
TX	85%	10%	5%	1,192
WA	68%	29%	3%	884
WI	81%	15%	4%	1,040
Weighted NCI-AD Average	83%	12%	5%	8,423

Part II: History and Methodology

Our history

The NCI-AD initiative grew from a desire of state aging and disability staff for quantifiable data on the experiences of people receiving state LTSS and whether those services and systems were helping them achieve valued outcomes such as self-determination, access to the community, satisfaction with home and daily activities.

Since 1997, public managers of state agencies on intellectual and developmental disabilities (IDD) have been collecting data of this type through [National Core Indicators](#)—Intellectual and Developmental Disabilities (NCI-IDD), overseen by the National Association of State Directors of Developmental Disabilities Services (NASDDDS) and the Human Services Research Institute (HSRI). Now, with NCI-AD, this data collection effort extends to aging and disabilities.

In June 2013, ADvancing States and HSRI, partnering with an NCI-AD steering committee (comprised of state directors of aging and disabilities services), began developing performance indicators for NCI-AD's flagship survey – the Adult Consumer Survey (ACS). These indicators, which are regularly tested and refined, reflect priorities of aging and disability service participants as well as public managers of LTSS systems. Funding for the development of the ACS tool was supported by ADvancing States members and, in part, the Administration for Community Living (ACL).

In 2014, Georgia, Minnesota, and Ohio piloted the survey. Based on pilot results and participant feedback the ACS was refined and retested. The survey was finalized in March 2015. By June 2015, the first year of regular data collection began.

In 2022, NCI-AD piloted a State of the Workforce (SotW) survey with five participating states: Missouri, Washington, Colorado, Wisconsin, and Indiana. A first of its kind for the aging and disabilities field, this new effort collects and aggregates statewide information about wages, benefits, and turnover of the direct service workforce—as reported by the agencies that employ them. The SotW-AD will launch to all AD states in summer 2023.

NCI-AD Indicators

The NCI-AD Indicators are the standard measures used across states to assess the outcomes of services provided to older adults and people with physical disabilities receiving LTSS. Indicators address key areas of concern, including choice, respect/rights, service coordination, community access, choice, and health and safety. To see the entire list of indicators, please visit: https://nci-ad.org/images/uploads/NCI-AD_Indicators_w_NCI_and_PCP.pdf.

The current set of performance indicators includes approximately 100 outcomes that are important to understanding the overall performance of public developmental disabilities agencies. The indicators have remained generally consistent over the last several years and thus can be used to analyze system-level trends over time. However, the NCI-AD program is a dynamic effort that allows for measures to be added, dropped, or changed to reflect current and future priorities of participating states.

Measures are regularly refined and tested to ensure they remain valid, reliable and applicable to current issues in the field.

How NCI-AD Data Are Used

The NCI-AD indicators provide information for quality management, research, and to inform policy decision making. The data are intended to be used in conjunction with other state data sources, such as risk management information, regional level performance data, results of provider monitoring processes, and administrative information gathered at the individual service coordination level. States typically use data to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Some states use these data as a source for supplemental performance measures in their home and community-based services (HCBS) waiver quality management systems and include the information in support of evidentiary reports to the Centers for Medicare & Medicaid Services (CMS). Some states are currently in the planning phase to use the data to meet other CMS reporting, such as the HCBS Quality Measure Set. Many states share data with stakeholder groups such as advisory councils, legislators, and advocates. States use feedback to help set priorities and establish policy direction. It is also important to note that states do not use the information in a punitive way to sanction service providers, nor do they use the results to remediate individual issues (unless specifically requested by the participant or required by law as in the case of suspected abuse, neglect, or mistreatment).

Methodology

Administration

A key principle of NCI-AD is the importance of gathering information directly from people receiving services. The indicators are meant to apply to all individuals receiving services from state aging and physical disability service systems, regardless of age, disability type, or other demographics. NCI-AD administration protocols dictate that every person selected into the sample is given an opportunity to respond and no one is prescreened or predetermined to be unable to respond.

Information for the Adult Consumer Survey is collected via a direct conversation with the person receiving services either face-to-face, secure video conference, or over the phone. Additionally, background information is primarily collected from the individual's record. The main survey includes questions about personal experiences that may only be answered by the individual receiving services. Some questions are more observable about the individual's involvement in the community, their choices, respect and rights, and their access to services. These questions allow for the use of "proxy" or other respondents who know the individual well (such as a family member or friend).

The Adult Consumer Survey includes three main survey sections:

Background Information (BI) Section: The BI Section collects demographic and service-related information about the service recipient. To the extent possible, data for the BI Section are derived from states' existing administrative records. BI items not available from state administrative data sources may be collected by surveyors at the end of the survey meeting. Surveyors may collect any missing BI information with the exception of five BI items that must be completed using administrative data sources (person's primary source of LTSS funding/program, LTSS services received through that program, length of receiving services, participation in a self-directed supports option, and legal

guardianship status). Each BI item tracks whether data were derived from existing administrative records or collected by surveyors as part of the survey meetings.

In-Person Survey: The Full In-Person Survey consists of a total of approximately 90 questions, organized into thematic sub-sections with related questions grouped together (e.g., questions about employment are in the same section; questions about the home are in a separate section, etc.). The Full In-Person Survey is completed face-to-face with the person receiving services. The respondent may ask their proxy (e.g., a family member or a close friend) for assistance with answering some of the questions, if needed. The Full In-Person Survey includes both subjective and objective questions; proxy assistance is only allowed for a subset of more objective items.

A “Proxy Version” of the survey is made available in the limited instances when only a proxy respondent answers survey questions because the person receiving services is unable or unwilling to provide valid responses. This survey includes only the objective, proxy allowed questions.

Surveyor Feedback Form: The Surveyor Feedback Form is completed by surveyors after the survey meeting is concluded. It collects information about the survey meeting itself, such as when and where the meeting took place, how long it took, who was present, the respondent’s level of comprehension, etc. Surveyors are also asked to provide any feedback they may have about the survey tool itself or the survey process overall.

Proxy Respondents

The NCI-AD Adult Consumer Survey does allow for the use of proxies in some circumstances. By excluding proxy responses, a certain group of service recipients (most of whom are unable to respond due to cognitive or other types of limitations) would be unrepresented in the data. Thus, the NCI-AD program protocols stipulate that proxy respondents are allowed, though only for a subset of more objective questions and only in situations where the service recipient themselves either could not provide valid responses or chose to have a proxy respondent assist or answer on their behalf.

Studies have found the greatest discrepancies between service recipient and proxy responses occur when the information being collected is subjective (i.e., related to how the individual feels, which means proxies would be aware of the correct answers only if the service recipient had previously expressed their feelings).⁴ Questions relating to observable behaviors tend to have higher levels of agreement.

The use of proxy respondents for the NCI-AD Adult Consumer Survey is limited to a subset of more objective questions, which relate to observable and/or measurable events or circumstances. Questions in the Survey that pertain to personal experiences and that require subjective responses may only be answered by the service recipients themselves and do not allow for proxy responses.

NCI-AD protocols require that surveyors first attempt each interview directly with the individual receiving services. Only after meeting with the service recipient and attempting the interview can the surveyor make the determination that a proxy respondent is needed. That determination is made based on the way the service recipient answers the first set of survey questions. NCI-AD protocols do not allow for a proxy determination to be made based on a phone conversation or relying on someone else's input.

The service recipient may be able to answer most questions in the survey but request the help of a proxy assistant intermittently for some of the survey questions. In this case, the Full In-Person Survey is used. Specific items that allow for proxy assistance are identified through the Full Survey; each of these items tracks whether a proxy provided the answer, as well as the relationship of the proxy to the service recipient. If both the service recipient and the proxy respondent answer a question, the service recipient's answer is recorded so long as that answer is deemed reliable by the interviewer. Non-proxy items in the Full Survey are asked only of the service recipient themselves.

If the surveyor makes the determination that a proxy is needed for the entirety of the survey, a Proxy Version of the Adult Consumer Survey is used to conduct the survey. Table 145 below indicates how often the Proxy Version was used in 2021-22 data collection cycle in each state.

⁴ Magaziner, Jay, Sheryl Zimmerman, Ann L. Gruber-Baldini, J. Richard Hebel, and Kathleen M. Fox. "Proxy Reporting in Five Areas of Functional Status Comparison with Self-Reports and Observations of Performance." *American Journal of Epidemiology* 146.5 (1997): 418-28.

Table 145. Proxy Version: Frequency of Use by State

State	Full Survey	Proxy Version	N
CO	85%	15%	425
DE	86%	14%	781
GA	79%	21%	496
IN	73%	27%	1187
KS	82%	18%	411
MI	86%	14%	794
MN	86%	14%	1148
MO	77%	23%	2028
NJ	70%	30%	679
OH	86%	14%	399
OK	82%	18%	573
TN	62%	38%	667
TX	81%	19%	1499
WA	73%	27%	1263
WI	86%	14%	1313
Total	79%	21%	13663

NCI-AD aims to increase the validity and reliability of proxy responses by training and emphasizing to interviewers that only those people who know the service recipient well (family, friends, certain staff, etc.) should serve as proxy respondents. To avoid conflict of interest, case managers are generally not allowed to respond as proxies.

Surveyor Training

States employ a variety of individuals to conduct the NCI-AD Adult Consumer Survey. To avoid conflict of interest, surveys cannot be administered by the consumer's service provider, their case manager, a relative, or other close contact. Given this constraint, states generally use private contractors or state quality assurance staff to conduct the surveys, though they may in some cases use universities, advocacy organizations, and/or peer interviewers.

HSRI and ADvancing States project staff implements a required, standardized training for NCI-AD surveyors each year. Training includes asynchronous and synchronous trainings that includes an in-depth review of: the NCI-AD program, survey administration protocol and procedures, and the survey tool. The goal of trainings is to provide a standardized training to ensure uniform application of the survey. Returning participating states are asked to identify one or more lead trainers, responsible for ongoing training of returning surveyors and full training of any new surveyor staff. HSRI and ADvancing States train all lead trainers for their role and provide them with all necessary standardized training materials.

An additional session reviews the process for entering survey data in the Online Data Entry Survey Application (ODESA).

Sampling

Each state is instructed to complete a minimum of 400 surveys with a random sample of older adults and adults with a physical disability who are receiving at least one publicly funded service beyond case management. A sample size of 400 ensures a high confidence level and relatively narrow margin of error (approximately 95% confidence level and 5% margin of error) for the state estimate, regardless of how large the service population is in the state. A 95% confidence level and a margin of error of +/-5% is mandatory for each state's sample to be included in this report.

Most states chose to conduct the survey with a sample larger than 400. The oversampling is usually done by funding program to obtain stable results for each program (in addition to the state estimate). This allows the state to draw conclusions about populations within those programs and make comparisons between them. Other sampling strategies have included oversampling by region, managed care organization (MCO), and racial/ethnic group.

The NCI-AD project team works with each state to design and track its sampling strategy and then construct appropriate analysis (including analysis weights). Whether the sampling is done from an overall service population (i.e., simple random) or individually by program, region, or other strata (i.e., stratified random), the state must always adhere to the guidelines of selecting survey participants randomly from among the pool of eligible service recipients. Furthermore, the NCI-AD project team works with each state to define program populations (or other strata populations) in such a way that they do not overlap.

See detailed state sample information in [Appendix A](#).

Data Analysis

Data Management and Analysis

HSRI coordinates the NCI-AD Adult Consumer Survey data management and analysis. Most states enter data into an online data entry system specifically designed for the purposes of this project (ODESA®). HSRI staff subsequently download the data into an SPSS data file. This data file is then “cleaned” (reviewed for completeness and compliance with standard NCI-AD formats) and invalid responses are eliminated. Files from individual states are merged into a single SPSS file. The merged file from 2021-22 data collection cycle was used for all analyses in this report.

Below is a summary of the statistical procedures used to analyze 2021-22 NCI-AD Adult Consumer Survey data.

Collapsing Responses

For many of the outcomes in this report, only “yes” responses are analyzed and reported for state-to-state comparisons. However, there are several items for which the “yes” responses were collapsed with the middle responses (for example, a “sometimes” response, or an “in-between” response) to form binary variables for analysis and subsequent reporting. Appendix A contains the collapsing and recoding

rules. Unless otherwise stated, “don’t know” and unclear/refused responses were excluded. Uncollapsed data with all response options, including “don’t know” and unclear/refused/no response categories, shown by state can be found in [Appendix A](#).

Weights

Many of the states proportionally oversampled one or more of their programs—that is, a particular program constituted a larger proportion of the sample than it did as proportion of the population receiving services. To account for some programs being proportionally over-represented in state samples and program categories, statistical weights were developed and applied when estimating state averages and category averages. Weights were developed using the sample proportions and the true population proportions of each program included for analysis within the state.

Similarly, the overall NCI-AD Average and the overall program category averages are also weighted averages—that is, their calculations take into account each state’s sample size as well as the size of the state’s population eligible to be included in the survey sample. The weights that each state contributes to the calculation of the overall NCI-AD and overall program category averages are proportional to the population served eligible to be included in the survey in that state (and taking into account the state’s sample size).

The NCI-AD project team works with each individual state at the onset of data collection to define program populations in such a way that they do not overlap, and to determine and track the size of the population of service recipients in each of the state’s program who were eligible to be included in the survey. These population numbers, together with corresponding sample numbers, are then used to calculate the various sets of weights for analysis.

For exact calculations of all sets of weights, please [contact the project team](#).

Risk-adjustment

Beginning in 2021-22, there is no risk-adjustment used in ACS analysis. As this is the first full round of NCI-AD reporting since 2018-19, we took this opportunity to review risk adjustment methodology.

The basis for risk adjustment review and decisions was the framework developed by NQF in their 2021 technical report, [“Developing and Testing Risk Adjustment Models for Social and Functional Status-Related Risk Within Healthcare Performance Measurement.”](#)

The risk adjustment review and decision process were grounded in the shared belief that best practices in services to people with IDD should incorporate person-centered planning and service provision. By definition, person-centered practices, in general, involve tailoring services to the needs and preferences of service users. For example, services delivered to people whose primary language is not English should include translation services, to ensure that such people are not disadvantaged in their access to services. Put another way, a service system whose non-English speaker users have worse outcomes due to language barriers is not performing at the “best practice” level. The implication is that in measuring most outcomes, language differences in outcomes should reflect poorly on the service system and this should translate into lower values on the measure. Adjusting the measure for primary language to essentially “level the playing field” for those service systems with large populations of non-English speakers would limit our ability to assess the capacity of those systems in accommodating the translation needs of its service users. In short, the measure would fail to assess the person-centeredness

of the service systems. Similar arguments can be made for many demographics factors that Aging and disability service system should be expected to mitigate if it is to successfully employ person-centered practices. In other words, adjustment for social and functional factors is only rarely defensible in person-centered performance measurement.

This notion is supported by the emerging literature on risk adjustment of HCBS performance measures. For example, a recent scoping review of risk adjusters used in HCBS measures⁵ found no outcome measures in the Person-Centered Planning and Coordination domain that were risk adjusted in any of the reviewed studies.

Criteria for Exclusion of Responses

All consumers selected into the survey sample are given an opportunity to participate in the survey. There are no prescreening procedures. Exclusion of responses occurs at the time of data analysis, based on whether the interviewer indicated that the answers were provided in an invalid and/or inconsistent way (as recorded in the Interviewer Feedback Form). There is no minimum threshold number of answers given for a survey to be included for purposes of analysis.

⁵ Houseworth, J., Kilaberia, T., Ticha, R., & Abery, B. (2022). Risk adjustment in home and community-based services outcome measurement. *Frontiers in Rehabilitation Sciences*, 3:830175. <https://doi.org/10.3389/fresc.2022.830175>.

Questions or comments about this report? Contact us:

Stephanie Giordano

Human Services Research Institute

Email: sgiordano@hsri.org

Rosa Plasencia

ADvancing States

Email: rplasencia@ADvancingstates.org

Please see appendices for additional information on state samples, rules for collapsing and recoding measures, and un-collapsed outcome measures.

- [Appendix A: State Samples](#)
- [Appendix B: Rules for Collapsing and Recoding Data](#)
- [Appendix C: Un-Collapsed and Unweighted Data](#)